# Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE®

### **SECTION 1. IDENTIFICATION**

Product Identifier Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE®

Other Means of

ZP Revision 0

Identification

Product Family Cartridge 5.56 mm

**Recommended Use** Cartridge for training use.

**Restrictions on Use** For military and law enforcement personnel only.

Manufacturer/Supplier General Dynamics - Ordnance and Tactical Systems - Canada Inc, 5, Montée des Arsenaux,

**Identifier** Repentigny, Québec, J5Z 2P4, 450-581-3080

Emergency Phone No. MD-UN, 1-888-922-3330, (Canada/U.S.A)

SDS No. 5359107\_ZP Date of Preparation mars 11, 2022

# **SECTION 2. HAZARD IDENTIFICATION**

#### Classification

Explosive - Division 1.4; Reproductive toxicity - Category 2; Aquatic hazard (Acute) - Category 3

#### **Label Elements**







Signal Word: Warning

Hazard Statement(s):

Fire or projection hazard.

Harmful to aquatic life.

Suspected of damaging fertility or the unborn child.

Precautionary Statement(s):

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Keep only in original packaging.

Do not subject to grinding, shock, or friction.

Wear face protection. protective gloves

Do not handle until all safety precautions have been read and understood.

Avoid release to the environment.

Response:

In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.

IF exposed or concerned: Get medical advice/attention.

Product Identifier: Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE® - Ver. 0

SDS No.: 5359107\_ZP
Date of Preparation: mars 11, 2022

Date of Last Revision: Page 01 of 12

Storage:

Store in accordance with local, regional, national and international regulations.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

#### Other Hazards

This product is an explosive article which is composed of a finished cartridge containing various components that are sealed completely within the cartridge. Under normal conditions of handling, no exposure to any of the harmful components inside the cartridge is expected and no health effects are generally expected as supplied. When cartridges are fired, or otherwise discharged, gases, fumes and projectiles may be formed. These gases, fumes and projectiles may contain trace amounts of the components inside the cartridges. These gases, fumes and projectiles may be irritating to the eyes, skin and respiratory tract.

# **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

### Mixture:

Chemical Name	CAS No.	%	EC Number	Other Names
Copper	7440-50-8	45 - 70	231-159-6	
Zinc metal	7440-66-6	10 - 30	231-175-3	
Poly(oxymethylene)	9002-81-7	10 - 30		Acetal homopolymer; POM
Cellulose nitrate	9004-70-0	0.1 - 1	618-392-2	Nitrocellulose; NC
Potassium nitrate	7757-79-1	0.1 - 1	231-818-8	
Glycerol trinitrate	55-63-0	0.1 - 1	200-240-8	Nitroglycerin; NG
2,4-Cyclohexadien-1-one, 6-diazo-2,4-dinitro-	4682-03-5	0.1 - 1	225-134-9	Diazodinitrophenol; DDNP
1-Tetrazene-1-carboximidic acid, 4- (aminoiminomethyl)-, 2- nitrosohydrazide	109-27-3	trace	203-659-4	Tetrazene
Aluminum Powder	7429-90-5	trace	231-072-3	
Diphenylamine	122-39-4	trace	204-539-4	DPA
1,3-diethyldiphenylurea	85-98-3	trace	201-645-2	Ethyl centralite
Graphite	7782-42-5	trace	231-955-3	
2,4-Dinitrotoluene	121-14-2	trace	204-450-0	DNT
Potassium sulfate	7778-80-5	trace	231-915-5	
Dibutyl phthalate	84-74-2	trace	201-557-4	
Polyester adipate	24938-37-2	trace	607-461-2	Poly(ethylene adipate); PEA
Rosin	8050-09-7	trace	232-475-7	
N'-methyl-N,N-diphenyl-urea	13114-72-2	trace	236-039-7	Arkadite II
Ethyl acetate	141-78-6	trace	205-500-4	
N-Nitrosodiphenylamine	86-30-6	trace	201-663-0	
Tin dioxide	18282-10-5	trace	242-159-0	
Calcium carbonate	471-34-1	trace	207-439-9	

# **Notes**

Concentrations are expressed in % weight/weight.

Concentrations listed above are the final concentration in the complete finished cartridge.

# **SECTION 4. FIRST-AID MEASURES**

### **First-aid Measures**

Product Identifier: Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE® - Ver. 0

SDS No.: 5359107\_ZP
Date of Preparation: mars 11, 2022

Date of Last Revision: Page 02 of 12

#### Inhalation

None required under normal conditions.

If projectiles are fired, or otherwise discharged, the following treatment may be necessary:

Move to fresh air.

Get medical advice or attention if you feel unwell or are concerned.

#### **Skin Contact**

None required under normal conditions.

If cartridges are fired, or otherwise discharged, the following treatment may be necessary:

Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes.

If exposed or concerned, get medical advice or attention.

### **Eye Contact**

None required under normal conditions.

If cartridges are fired, or otherwise discharged, the following treatment may be necessary:

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the evelid(s) open.

If eye irritation persists, get medical advice or attention.

### Ingestion

None required under normal conditions.

Not expected, based upon the current form of the product.

#### **First-aid Comments**

Get medical advice or attention if you feel unwell or are concerned.

### Most Important Symptoms and Effects, Acute and Delayed

If cartridges are fired, or otherwise discharged, gases, fumes and projections may be formed. These gases, fumes and projections may contain trace amounts of the components inside the cartridges. These gases, fumes and projections may be irritating to the eyes skin and respiratory tract.

# **Immediate Medical Attention and Special Treatment**

### **Target Organs**

If fired different decomposition product could have effects on: respiratory system, nervous system, skin.

#### **Special Instructions**

Treat symptomatically.

### **Medical Conditions Aggravated by Exposure**

Respiratory conditions, nervous system conditions.

### SECTION 5. FIRE-FIGHTING MEASURES

# **Extinguishing Media**

### Suitable Extinguishing Media

Explosive product: do not fight the fire.

If fire has not reached explosives:

Use flooding quantities of water or other suitable extinguishing agent. Carbon dioxide, dry chemical powder or appropriate foam.

### **Unsuitable Extinguishing Media**

None known.

### Specific Hazards Arising from the Product

Can ignite if strongly heated.

Can be ignited by static discharge.

Ignites readily. When ignited burns vigorously and persistently.

Heating may cause a fire or explosion.

Explosive; fire, blast or projection hazard.

In a fire, the following hazardous materials may be generated: very toxic carbon monoxide, carbon dioxide; corrosive,

Product Identifier: Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE® - Ver. 0

SDS No.: 5359107\_ZP
Date of Preparation: mars 11, 2022

Date of Last Revision: Page 0.3 of 12

oxidizing nitrogen oxides; corrosive sulfur oxides.

### **Special Protective Equipment and Precautions for Fire-fighters**

Do not fight fire when fire reaches explosives. Risk of explosion.

Evacuate area.

Fight fire from a safe distance or a protected location.

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills.

Cargo Fires: Packages bearing the 1.4 label or packages containing material classified as 1.4 are designed or packaged in such manner that when involved in a fire, may burn vigorously with localized detonations and projection of fragments.

Effects are usually confined to immediate vicinity of packages.

If fire threatens cargo area containing packages bearing the 1.4 label or packages containing material classified as 1.4, consider isolating at least 15 meters (50 feet) in all directions. Fight fire with normal precautions from a reasonable distance.

Tire or vehicle fires: Use plenty of water - FLOOD it! If water is not available, use CO2, dry chemical or dirt.

Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel.

Eliminate all ignition sources. Use grounded, explosion-proof equipment.

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

#### **Environmental Precautions**

If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas.

Do not allow into any sewer, on the ground or into any waterway.

Minimize the use of water to prevent environmental contamination. It is good practice to prevent releases into the environment.

### Methods and Materials for Containment and Cleaning Up

Handle spilled products carefully. Do not subject product to mechanical shock. Remove all sources of ignition. Ventilate the area.

For solid, intact cartridges: pick up and arrange disposal.

If spill occurs in an area where there is a fire burning: EVACUATE area. Refer to section 5.

If loose powder is present:

All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not operate radio transmitters within 100 meters (330 feet) of electric detonators. Pick up and arrange disposal without creating dust.

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

#### Other Information

Contact supplier, local fire and emergency services for help.

Report spills to local health, safety and environmental authorities, as required.

### **SECTION 7. HANDLING AND STORAGE**

# **Precautions for Safe Handling**

Eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs.

Electrically bond and ground equipment. Ground clips must contact bare metal.

Avoid shock, friction or impact. Do not skid, drag or drop containers.

Only use where there is adequate ventilation.

Wear personal protective equipment to avoid direct contact with this chemical.

Disassembly/assembly operations shall be conducted only by experienced personnel qualified to perform the task.

Follow appropriate explosive safety requirements. Local ordinances may apply.

### **Conditions for Safe Storage**

Store in an area that is: cool, temperature-controlled, well-ventilated, out of direct sunlight and away from heat and

Product Identifier: Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE® - Ver. 0

SDS No.: 5359107\_ZP
Date of Preparation: mars 11, 2022

Date of Last Revision: Page 04 of 12

ignition sources, separate from incompatible materials (see Section 10: Stability and Reactivity).

Protect containers from impact, vibration and shock.

Store in the original, labelled, shipping container.

Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

	ACGIH® TLV®		OSHA PEL	
Chemical Name	TWA	STEL [C]	TWA	STEL
Copper	1 mg/m3	Not established	0.1 mg/m3	Not established
Zinc metal	Not established	Not established	Not established	Not established
Cellulose nitrate	Not established	Not established	Not established	Not established
Glycerol trinitrate	0.05 ppm Skin	Not established	0.1 mg/m3 Skin	Not established
Diphenylamine	10 mg/m3	Not established	10 mg/m3	Not established
1-Tetrazene-1-carboximidic acid, 4- (aminoiminomethyl)-, 2- nitrosohydrazide	Not established	Not established	Not established	Not established
Potassium nitrate	Not established	Not established	Not established	Not established
1,3-diethyldiphenylurea	Not established	Not established	Not established	Not established
Graphite	2 mg/m3	Not established	2.5 mg/m3	Not established
Poly(oxymethylene)	Not established	Not established	Not established	Not established
2,4-Dinitrotoluene	0.2 mg/m3 A3 Skin	Not established	Not established	Not established
Potassium sulfate	Not established	Not established	Not established	Not established
Dibutyl phthalate	5 mg/m3	Not established	5 mg/m3	Not established
Polyester adipate	Not established	Not established	Not established	Not established
Rosin	Not established	Not established	Not established	Not established
N'-methyl-N,N-diphenyl-urea	Not established	Not established	Not established	Not established
Ethyl acetate	400 ppm	Not established	400 ppm	Not established
N-Nitrosodiphenylamine	Not established	Not established	Not established	Not established
Tin dioxide	Not established	Not established	2 mg/m3	Not established
Calcium carbonate	Not established	Not established	15 mg/m3	Not established
Aluminum Powder	1 mg/m3 A4	Not established	5 mg/m3	Not established
2,4-Cyclohexadien-1-one, 6-diazo-2, 4-dinitro-	Not established	Not established	Not established	Not established

# **Appropriate Engineering Controls**

General ventilation is usually adequate.

Do not allow product to accumulate in the air in work or storage areas, or in confined spaces.

# **Individual Protection Measures**

### **Eye/Face Protection**

Safety glasses with side shields should be used with this product. If necessary, refer to U.S. OSHA 29 1310.133 or Canadian CSA Standard Z94.3-02.

#### **Skin Protection**

Not required, if used as directed. Prevent skin contact.

### **Respiratory Protection**

Not normally required if product is used as directed. Use a NIOSH approved dust respirator if dust levels exceed exposure limits.

Product Identifier: Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE® - Ver. 0

SDS No.: 5359107\_ZP
Date of Preparation: mars 11, 2022

Date of Last Revision: Page 05 of 12

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

# **Basic Physical and Chemical Properties**

**Appearance** Brass cartridge ending with a plastic sabot.

Odour Not applicable
Odour Threshold Not applicable
pH Not applicable

Melting Point/Freezing Point Not applicable (melting); Not applicable (freezing)

Boiling point/Initial boiling point

Boiling Range

Flash Point

Evaporation Rate

Flammability (solid, gas)

Not applicable

Not applicable

Not applicable

Upper/Lower Flammability or

**Explosive Limit** 

Not applicable (upper); Not applicable (lower)

Vapour Pressure

Vapour Density (air = 1)

Relative Density (water = 1)

Solubility

Not applicable

Insoluble in water

Not applicable

Not applicable

Octanol/Water (Log Kow)
Auto-ignition Temperature

> 120 °C (248 °F) (1-Tetrazene-1-carboximidic acid, 4-(aminoiminomethyl)-, 2-

nitrosohydrazide)

**Decomposition Temperature** Not applicable

Viscosity Not applicable (kinematic)

# **SECTION 10. STABILITY AND REACTIVITY**

# Reactivity

Not reactive under normal conditions of use.

Heating may cause a fire or explosion.

Sensitive to mechanical impact.

### **Chemical Stability**

Normally stable.

Unstable under certain conditions - see Conditions to Avoid.

#### **Possibility of Hazardous Reactions**

None expected under normal conditions of storage and use.

#### **Conditions to Avoid**

May ignite if primer is struck.

Mechanical shock or impact. Friction.

Open flames, sparks, static discharge, heat and other ignition sources. Temperatures above 120.0 °C (248.0 °F)

### **Incompatible Materials**

Oils, acids, alkalis, ammonium salts, ammonia and other corrosives materials.

#### **Hazardous Decomposition Products**

Very toxic carbon monoxide, carbon dioxide.

Corrosive, oxidizing nitrogen oxides; corrosive sulfur oxides.

Decomposes in the presence of heat. May produce metal oxides and fumes.

Product Identifier: Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE® - Ver. 0

SDS No.: 5359107\_ZP
Date of Preparation: mars 11, 2022

Date of Last Revision: Page 06 of 12

# **SECTION 11. TOXICOLOGICAL INFORMATION**

The following hazards are not expected to be present unless the product is fired or otherwise discharged so that gases, fumes and/or projections are created.

Normal handling and shipping should not cause exposure to these hazards.

# **Likely Routes of Exposure**

Inhalation; skin contact; eye contact; ingestion.

# **Acute Toxicity**

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Copper	Not available	413 mg/kg (mouse)	375 mg/kg (rabbit)
Zinc metal	Not available	630 mg/kg	Not available
Cellulose nitrate	Not available	5000 mg/kg (rat)	Not available
Glycerol trinitrate	Not available	105 mg/kg (rat)	> 280 mg/kg (rabbit)
Diphenylamine	Not available	1120 mg/kg (rat)	> 5000 mg/kg (rabbit)
1-Tetrazene-1-carboximidic acid, 4-(aminoiminomethyl)-, 2-nitrosohydrazide	Not available	Not available	Not available
Potassium nitrate	Not available	3015 mg/kg (rat)	Not available
1,3-diethyldiphenylurea	Not available	2750 mg/kg (rat)	Not available
Graphite	> 64 mg/L (rat)	> 10000 mg/kg (rat)	Not available
Poly(oxymethylene)	> 4000 ppm (rat) (4-hour exposure)	4600 mg/kg (rat)	10000 mg/kg (rabbit)
2,4-Dinitrotoluene	Not available	400 mg/kg (rat)	> 2500 mg/kg (rat)
Potassium sulfate	Not available	6600 mg/kg (mouse)	Not available
Dibutyl phthalate	12500 mg/m3 (mouse) (4-hour exposure)	8000 mg/kg (rat)	4200 mg/kg (rabbit) 90 days
Polyester adipate	Not available	Not available	Not available
Rosin	110 mg/m3 (rat)	7600 mg/kg (rat)	Not available
N'-methyl-N,N-diphenyl-urea	Not available	2930 mg/kg (rat)	> 280 mg/kg (rabbit)
Ethyl acetate	1500 ppm (mouse) (4-hour exposure)	4900 mg/kg (rabbit)	Not available
N-Nitrosodiphenylamine	Not available	1825 mg/kg (rat)	> 7940 mg/kg (rabbit)
Tin dioxide	Not available	> 20000 mg/kg (rat)	Not available
Calcium carbonate	Not available	6450 mg/kg (rat)	Not available
Aluminum Powder	> 1000 mg/m3 (male rat) (4-hour exposure)	Not available	Not available
2,4-Cyclohexadien-1-one, 6-diazo-2,4-dinitro-	Not available	Not available	Not available

### Skin Corrosion/Irritation

After munitions have been fired, dust, vapours and/or fumes may cause irritation.

### Serious Eye Damage/Irritation

After munitions have been fired, dust, vapours and/or fumes may cause irritation.

# STOT (Specific Target Organ Toxicity) - Single Exposure

### Inhalation

After munitions have been fired, dust, vapours and/or fumes may be irritating to the respiratory system. May cause depression of the central nervous system. (Nitroglycerin). (Ethyl acetate)

Product Identifier: Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE® - Ver. 0

SDS No.: 5359107\_ZP
Date of Preparation: mars 11, 2022

Date of Last Revision: Page 07 of 12

Symptoms may include coughing, shortness of breath, difficult breathing and tightness in the chest.

Symptoms may include headache, nausea, dizziness, drowsiness and confusion.

### **Skin Absorption**

After munitions have been fired, dust can be absorbed through the pores if left on the skin.

### Ingestion

After munitions have been fired, dust, vapours and/or fumes may be absorbed by the digestive system and be irritating

Can cause effects as described for inhalation.

# **Aspiration Hazard**

Not known to be an aspiration hazard.

### STOT (Specific Target Organ Toxicity) - Repeated Exposure

May cause effects similar to STOT (Specific Target Organ Toxicity) - Single Exposure, as described above.

# Respiratory and/or Skin Sensitization

Not a respiratory sensitizer. Not a skin sensitizer.

#### Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP
Copper	Not Listed	Not designated	Not Listed
Zinc metal	Not Listed	Not designated	Not Listed
Cellulose nitrate	Not Listed	Not designated	Not Listed
Glycerol trinitrate	Not Listed	Not designated	Not Listed
Diphenylamine	Not Listed	A4	Not Listed
1-Tetrazene-1-carboximidic acid, 4-(aminoiminomethyl)-, 2-nitrosohydrazide	Not Listed	Not designated	Not Listed
Potassium nitrate	Not Listed	Not designated	Not Listed
1,3-diethyldiphenylurea	Not Listed	Not designated	Not Listed
Graphite	Not Listed	Not designated	Not Listed
Poly(oxymethylene)	Not Listed	Not designated	Not Listed
2,4-Dinitrotoluene	Group 2B	A3	Not Listed
Potassium sulfate	Not Listed	Not designated	Not Listed
Dibutyl phthalate	Not Listed	Not designated	Not Listed
Polyester adipate	Not Listed	Not designated	Not Listed
Rosin	Not Listed	Not designated	Not Listed
N'-methyl-N,N-diphenyl-urea	Not Listed	Not designated	Not Listed
Ethyl acetate	Not Listed	Not designated	Not Listed
N-Nitrosodiphenylamine	Group 3	Not designated	Not Listed
Tin dioxide	Not Listed	Not designated	Not Listed
Calcium carbonate	Not Listed	Not designated	Not Listed
Aluminum Powder	Not Listed	A4	Not Listed
2,4-Cyclohexadien-1-one, 6-diazo-2,4-dinitro-	Not Listed	Not designated	Not Listed

IARC:

Group 2B – Possibly carcinogenic to humans.

Group 3 – Not classifiable as to its carcinogenicity to humans.

ACGIH®:

A3 – Confirmed animal carcinogen.

Product Identifier: Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE® - Ver. 0

SDS No.: 5359107\_ZP
Date of Preparation: mars 11, 2022

Date of Last Revision: Page 08 of 12

A4 – Not classifiable as a human carcinogen.

Key to Abbreviations

IARC = International Agency for Research on Cancer.

ACGIH® = American Conference of Governmental Industrial Hygienists.

NTP = National Toxicology Program.

# **Reproductive Toxicity**

# **Development of Offspring**

May harm the unborn child. (Dibutyl phthalate)

### **Sexual Function and Fertility**

Animal studies show effects on sexual function and/or fertility. (Diphenylamine). (Dibutyl phthalate)

### Effects on or via Lactation

No information was located.

# **Germ Cell Mutagenicity**

No information was located.

#### Interactive Effects

No information was located.

# **SECTION 12. ECOLOGICAL INFORMATION**

No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

# **Ecotoxicity**

Harmful to aquatic life, based on acute toxicity tests. (Copper). (Zinc metal). (Aluminum). (1,3-diethyldiphenylurea). (Glycerol trinitrate). (Diphenylamine). (Dibutyl phthalate)

# **Acute Aquatic Toxicity**

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Algae
Copper	0.0224 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour)	0.2 mg/L (Daphnia magna (water flea); 48-hour)	Not available
Zinc metal	0.450 mg/L (96-hour)	0.068 mg/L (Daphnia magna (water flea); 48- hour)	0.15 mg/L (72-hour)
Cellulose nitrate	Not available	Not available	730 mg/L (Selenastrum capricornutum (algae); 96-hour)
Glycerol trinitrate	1.28 mg/L (Lepomis macrochirus (bluegill); 96-hour; static)	Not available	Not available
Diphenylamine	3.79 mg/L (Pimephales promelas (fathead minnow); 96-hour)	0.27-0.36 mg/L (Daphnia magna (water flea); 48- hour)	0.048 mg/L (Desmodesmus subspicatus (algae); 72-hour)
1-Tetrazene-1- carboximidic acid, 4- (aminoiminomethyl)-, 2- nitrosohydrazide	Not available	Not available	Not available
Potassium nitrate	39 mg/L (Daphnia magna (water flea); 96-hour; fresh water; static)	Not available	Not available

Product Identifier: Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE® - Ver. 0

SDS No.: 5359107\_ZP
Date of Preparation: mars 11, 2022

Date of Last Revision: Page 09 of 12

	·		
1,3-diethyldiphenylurea	15.6 mg/L (96-hour; static)	14.3 mg/L (Daphnia magna (water flea); 48-hour; static)	37.8 mg/L (Desmodesmus subspicatus (algae); 72-hour; static)
Graphite	> 100 mg/L (96-hour)	> 100 mg/L (Daphnia magna (water flea); 48- hour)	> 100 mg/L (Pseudokirchneriella subcapitata (algae); 72- hour)
Poly(oxymethylene)	Not available	Not available	Not available
2,4-Dinitrotoluene	24.3 mg/L (Pimephales promelas (fathead minnow); 96-hour)	<= 38 mg/L (Daphnia magna (water flea); fresh water; recirculation)	14.3 mg/L (Pseudokirchneriella subcapitata (algae); 96- hour; fresh water; static)
Potassium sulfate	680 mg/L (Pimephales promelas (fathead minnow); 96-hour)	Not available	Not available
Dibutyl phthalate	44 mg/L (Lepomis macrochirus (bluegill); 96-hour; fresh water; static)	17 mg/L (Daphnia magna (water flea); fresh water; recirculation)	25-50 mg/L (Pseudokirchneriella subcapitata (algae); 96- hour; fresh water; static)
Polyester adipate	Not available	Not available	Not available
Rosin	60.3 mg/L (96-hour; static)	Not available	Not available
N'-methyl-N,N-diphenyl- urea	Not available	Not available	Not available
Ethyl acetate	230 mg/L (Pimephales promelas (fathead minnow); 96-hour; fresh water; flow- through)	2306 mg/L (Daphnia magna (water flea); 48-hour; fresh water; recirculation)	5600 mg/L (Desmodesmus subspicatus (algae); 48- hour; fresh water; static)
N-Nitrosodiphenylamine	5.8 mg/L (Lepomis macrochirus (bluegill); 96- hour)	7.8 mg/L (Daphnia magna (water flea); 48-hour)	Not available
Tin dioxide	Not available	Not available	Not available
Calcium carbonate	> 56000 mg/L (96-hour; static)	Not available	Not available
Aluminum Powder	0.12 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; static)	Not available	Not available
2,4-Cyclohexadien-1-one, 6-diazo-2,4-dinitro-	Not available	Not available	Not available

# **Persistence and Degradability**

Not expected to be removed rapidly from aquatic environments by evaporation.

# **Bioaccumulative Potential**

This product and its degradation products are not expected to bioaccumulate.

# **Mobility in Soil**

Not expected.

# **Other Adverse Effects**

No other adverse environmental effects known.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal Methods**

Product Identifier: Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE® - Ver. 0

SDS No.: 5359107\_ZP
Date of Preparation: mars 11, 2022

Date of Last Revision: Page 10 of 12

The recommended means for disposing of scrap material usually involves demilitarization of detonator assembly (i.e.: separating all explosive elements for individual destruction) it can also be done by open detonation but it is not the preferred way.

Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.

Dispose of contents and container in accordance with local, regional, national and international regulations. Contact local environmental authorities for approved disposal or recycling methods in your jurisdiction.

# **SECTION 14. TRANSPORT INFORMATION**

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	UN0014	Cartridges for weapons, blank	1.4S	II

**Environmental** 

**Hazards** 

----

Potential Marine Pollutant (Copper)

**Special Precautions** Please note: Avoid shock and friction. Appropriate advice on safety must accompany the

package.

Transport in Bulk according to International Maritime Organization Instruments

Not applicable

# **SECTION 15. REGULATORY INFORMATION**

### Safety, Health and Environmental Regulations

### Canada

# Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL/NDSL.

### **CEPA - National Pollutant Release Inventory (NPRI)**

Part 1A. Copper (and its compounds) Zinc (and its compounds) Aluminum (fume and dust only). (Potassium nitrate) Nitrate ion in solution at a pH of 6.0 or more. (Nitroglycerin). (Dibutyl phthalate). (Diphenylamine). (2,4-Dinitrotoluene). (N-Nitrosodiphenylamine)

Part 5. (Ethyl acetate)

### **USA**

#### Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

# **SECTION 16. OTHER INFORMATION**

SDS Prepared By General Dynamics - Ordnance and Tactical Systems - Canada Inc

**Phone No.** (450) 581-3080 **Date of Preparation** mars 11, 2022

**Revision Indicators** Not applicable.; First version

**Key to Abbreviations** ACGIH® = American Conference of Governmental Industrial Hygienists

AIHA® = AIHA® Guideline Foundation HSDB® = Hazardous Substances Data Bank

IARC = International Agency for Research on Cancer

NFPA = National Fire Protection Association NIOSH = National Institute for Occupational

Safety and Health

NTP = National Toxicology Program

OSHA = US Occupational Safety and Health Administration RTECS® = Registry of Toxic Effects of Chemical Substances

CERCLA= Comprehensive Environmental Response, Compensation, and Liability Act of 1980

Inh = Inhalation

Product Identifier: Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE® - Ver. 0

SDS No.: 5359107\_ZP
Date of Preparation: mars 11, 2022

Date of Last Revision: Page 11 of 12

LC = Lethal Concentration

LD = Lethal Dose

EC = Effective Concentration

EPA = Environmental Protection Agency ErC = Effective Concentration for growth rate

N/Av = Not Available

PEL = Permissible exposure limit

SDS = Safety Data Sheet / Material Safety Data Sheet

STEL = Short Term Exposure Limit

TDG = Canadian Transportation of Dangerous Goods Act & Regulations

TLV = Threshold Limit Values TWA = Time Weighted Average

WHMIS = Workplace Hazardous Materials Identification System

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).

HSDB® database. US National Library of Medicine. Available from Canadian Centre for

Occupational Health and Safety (CCOHS).

NIOSH Pocket Guide database. National Institute for Occupational Safety and Health.

Available from Canadian Centre for Occupational Health and Safety (CCOHS). Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault

Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational Health and

Safety (CCOHS).

ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological

Exposure Indices for 2015.

Chempendium, HSDB and RTECS database. Available from Canadian Centre for Occupational

Health and Safety (CCOHS).

Disclaimer This Safety Data Sheet was prepared by General Dynamics Ordnance and Tactical Systems -

Canada Inc. using internal information and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. General Dynamics Ordnance and Tactical Systems - Canada Inc. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or

completeness of the data contained herein. The data in this SDS does not apply to use with

any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of General Dynamics Ordnance and Tactical Systems - Canada Inc.

Product Identifier: Cartridge 5.56 mm SECURIBLANK® Loud/Quiet TOXFREE® - Ver. 0

SDS No.: 5359107\_ZP
Date of Preparation: mars 11, 2022

Date of Last Revision: Page 12 of 12

