Cartridge 5.56 mm FX® Marking TOXFREE®

SECTION 1. IDENTIFICATION

Product Identifier Cartridge 5.56 mm FX® Marking TOXFREE®

Other Means of Identification

Federal#41X Revision 1

Identifier

Product Family Cartridge, 5.56 mm **Recommended Use** Cartridge for training use.

Restrictions on Use For military and law enforcement personnel only.

Manufacturer/Supplier General Dynamics - Ordnance and Tactical Systems - Canada Inc, 5, Montée des Arsenaux,

Repentigny, Québec, J5Z 2P4, 450-581-3080

Emergency Phone No. MD-UN, 1-888-922-3330, (Canada/U.S.A)

SDS No.

Date of Preparation septembre 13, 2024

SECTION 2. HAZARD IDENTIFICATION

Classification

Explosive - Division 1.4; Skin irritation - Category 3; Aquatic hazard (Acute) - Category 3

Label Elements



Signal Word: Warning

Hazard Statement(s):

Fire or projection hazard. Causes mild skin irritation.

Harmful to aquatic life.

Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep only in original packaging.

Do not subject to grinding, shock, or friction.

Wear face protection. protective gloves

Do not handle until all safety precautions have been read and understood.

Avoid release to the environment.

Response:

In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.

Product Identifier: Cartridge 5.56 mm FX® Marking TOXFREE® - Ver. Fed41X-1 SDS No.: 0357

Date of Preparation: septembre 13, 2024

Date of Last Revision: Page mai 03, 2022 01 of 11 If skin irritation occurs: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention.

Storage:

Store in accordance with local, regional, national and international regulations.

Dispose of contents and container in accordance with local, regional, national and international regulations.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

This product is an explosive article which is composed of a finished cartridge containing various components that are sealed completely within the cartridge. Under normal conditions of handling, no exposure to any of the harmful components inside the cartridge is expected and no health effects are generally expected as supplied. When cartridges are fired, or otherwise discharged, gases, fumes and projectiles may be formed. These gases, fumes and projectiles may contain trace amounts of the components inside the cartridges. These gases, fumes and projectiles may be irritating to the eyes, skin and respiratory tract.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

| Chemical Name | CAS No. | % | EC Number | Other Names |
|--|------------|---------|-----------|-------------------------|
| Copper, metal | 7440-50-8 | 45 - 70 | 231-159-6 | |
| Zinc, metal | 7440-66-6 | 10 - 30 | 231-175-3 | |
| Poly(oxymethylene) | 9002-81-7 | 10 - 30 | | Acetal homopolymer; POM |
| Polypropylene | 9003-07-0 | 1 - 5 | 618-352-4 | PP |
| Barium sulfate | 7727-43-7 | 0.1 - 1 | 231-784-4 | Barite |
| Sodium lauryl ether sulfate | 68891-38-3 | 0.1 - 1 | 500-234-8 | SLES |
| Cellulose nitrate | 9004-70-0 | 0.1 - 1 | 618-392-2 | Nitrocellulose; NC |
| Bismuth trioxide | 1304-76-3 | 0.1 - 1 | 215-134-7 | Bismuth(III) oxide |
| Various Dyes | n. a. | <0.1 | | |
| 1,2-Propanediol | 57-55-6 | <0.1 | 200-338-0 | Propylene glycol: PG |
| Aluminum Powder | 7429-90-5 | <0.1 | 231-072-3 | |
| Glycerol trinitrate | 55-63-0 | <0.1 | 200-240-8 | Nitroglycerin; NG |
| Nickel, metal | 7440-02-0 | <0.1 | 231-111-4 | |
| 1-Tetrazene-1-carboximidic acid, 4- (aminoiminomethyl)-, 2- nitrosohydrazide | 109-27-3 | <0.1 | 203-659-4 | Tetrazene; GNGT |
| Pentaerythritol tetranitrate | 78-11-5 | <0.1 | 201-084-3 | PETN |

Notes

Concentrations are expressed in % weight/weight.

Concentrations listed above are the final concentration in the complete finished cartridge.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

None required under normal conditions.

If projectiles are fired, or otherwise discharged, the following treatment may be necessary: Move to fresh air.

Product Identifier: Cartridge 5.56 mm FX® Marking TOXFREE® - Ver. Fed41X-1 SDS No.: 0357

Date of Preparation: septembre 13, 2024

Date of Last Revision: mai 03, 2022 Page 02 of 11

Get medical advice or attention if you feel unwell or are concerned.

Skin Contact

None required under normal conditions.

If cartridges are fired, or otherwise discharged, the following treatment may be necessary:

Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes.

If exposed or concerned, get medical advice or attention.

Eye Contact

None required under normal conditions.

If cartridges are fired, or otherwise discharged, the following treatment may be necessary:

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open.

If eye irritation persists, get medical advice or attention.

Ingestion

None required under normal conditions.

Not expected, based upon the current form of the product.

Most Important Symptoms and Effects, Acute and Delayed

If cartridges are fired, or otherwise discharged, gases, fumes and projections may be formed. These gases, fumes and projections may contain trace amounts of the components inside the cartridges. These gases, fumes and projections may be irritating to the eyes, skin and respiratory tract.

Immediate Medical Attention and Special Treatment

Target Organs

If fired different decomposition product could have effects on: digestive system, respiratory system, nervous system.

Special Instructions

Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Explosive product: do not fight the fire.

If fire has not reached explosives:

Use flooding quantities of water or other suitable extinguishing agent. Carbon dioxide, dry chemical powder or appropriate foam.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Product

Can ignite if strongly heated.

Can be ignited by static discharge.

Ignites readily. When ignited burns vigorously and persistently.

Heating may cause a fire or explosion.

Explosive; fire, blast or projection hazard.

In a fire, the following hazardous materials may be generated: very toxic carbon monoxide, carbon dioxide; nitrogen oxides; corrosive sulfur oxides.

Special Protective Equipment and Precautions for Fire-fighters

Do not fight fire when fire reaches explosives. Risk of explosion.

Evacuate area.

Fight fire from a safe distance or a protected location.

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills.

Cargo Fires: Packages bearing the 1.4 label or packages containing material classified as 1.4 are designed or packaged in such manner that when involved in a fire, may burn vigorously with localized detonations and projection of fragments.

Product Identifier: Cartridge 5.56 mm FX® Marking TOXFREE® - Ver. Fed41X-1 SDS No.: 0357

Date of Preparation: septembre 13, 2024

Date of Last Revision: mai 03, 2022 Page 03 of 11

Effects are usually confined to immediate vicinity of packages.

If fire threatens cargo area containing packages bearing the 1.4 label or packages containing material classified as 1.4, consider isolating at least 15 meters (50 feet) in all directions. Fight fire with normal precautions from a reasonable distance.

Tire or vehicle fires: Use plenty of water - FLOOD it! If water is not available, use CO2, dry chemical or dirt.

Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel.

Eliminate all ignition sources. Use grounded, explosion-proof equipment.

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

If the spill is inside a building, prevent product from entering drains, ventilation systems and confined areas.

Do not allow into any sewer, on the ground or into any waterway.

Minimize the use of water to prevent environmental contamination. It is good practice to prevent releases into the environment.

Methods and Materials for Containment and Cleaning Up

Handle spilled products carefully. Do not subject product to mechanical shock. Remove all sources of ignition. Ventilate the area.

For solid, intact cartridges: pick up and arrange disposal.

If loose powder is present: generously moisten with ethanol and pick up with a cloth. Prevent drying of the material during this process

If spill occurs in an area where there is a fire burning: EVACUATE area. Refer to section 5.

All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Do not operate radio transmitters within 100 meters (330 feet) of electric detonators. Pick up and arrange disposal without creating dust.

Other Information

Contact supplier, local fire and emergency services for help.

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs.

Electrically bond and ground equipment. Ground clips must contact bare metal.

Avoid shock, friction or impact. Do not skid, drag or drop containers.

Only use where there is adequate ventilation.

Wear personal protective equipment to avoid direct contact with this chemical.

Disassembly/assembly operations shall be conducted only by experienced personnel qualified to perform the task.

Follow appropriate explosive safety requirements. Local ordinances may apply.

Conditions for Safe Storage

Store in an area that is: cool, temperature-controlled, well-ventilated, out of direct sunlight and away from heat and ignition sources, separate from incompatible materials (see Section 10: Stability and Reactivity).

Protect containers from impact, vibration and shock.

Store in the original, labelled, shipping container.

Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product Identifier: Cartridge 5.56 mm FX® Marking TOXFREE® - Ver. Fed41X-1 SDS No.: 0357

Date of Preparation: septembre 13, 2024

Date of Last Revision: mai 03, 2022 Page 04 of 11

Control Parameters

| | ACGIH® TLV® | | OSH | IA PEL |
|--|-----------------|-----------------|-----------------|-----------------|
| Chemical Name | TWA | STEL [C] | TWA | STEL |
| Copper, metal | 0.2 mg/m3 | Not established | 0.1 mg/m3 | Not established |
| Zinc, metal | Not established | Not established | Not established | Not established |
| 1-Tetrazene-1-carboximidic acid, 4- (aminoiminomethyl)-, 2- nitrosohydrazide | Not established | Not established | Not established | Not established |
| Polypropylene | Not established | Not established | Not established | Not established |
| Sodium lauryl ether sulfate | Not established | Not established | Not established | Not established |
| 1,2-Propanediol | Not established | Not established | Not established | Not established |
| Barium sulfate | 5 mg/m3 | Not established | 10 mg/m3 | Not established |
| Poly(oxymethylene) | Not established | Not established | 5 mg/m3 | Not established |
| Cellulose nitrate | Not established | Not established | Not established | Not established |
| Glycerol trinitrate | 0.05 ppm Skin | Not established | 0.1 mg/m3 Skin | Not established |
| Aluminum Powder | 1 mg/m3 A4 | Not established | 5 mg/m3 | Not established |
| Pentaerythritol tetranitrate | Not established | Not established | Not established | Not established |
| Nickel, metal | 1.5 mg/m3 A5 | Not established | 1 mg/m3 | Not established |
| Bismuth trioxide | Not established | Not established | Not established | Not established |

A4 = Not classifiable as a human carcinogen.

Appropriate Engineering Controls

General ventilation is usually adequate.

Do not allow product to accumulate in the air in work or storage areas, or in confined spaces.

Individual Protection Measures

Eye/Face Protection

Safety glasses with side shields should be used with this product. If necessary, refer to U.S. OSHA 29 1310.133 or Canadian CSA Standard Z94.3-02.

Skin Protection

Not required, if used as directed. Prevent skin contact.

Respiratory Protection

Not normally required if product is used as directed. Use a NIOSH approved dust respirator if dust levels exceed exposure limits.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Brass cartridge ending with a plastic sabot which contains a colored compound.

Odour Odourless
Odour Threshold Not applicable
pH Not applicable

Melting Point/Freezing Point Not applicable (melting); Not applicable (freezing)

Boiling point/Initial boiling point Not applicable
Boiling Range Not applicable
Flash Point Not applicable
Evaporation Rate Not applicable
Flammability (solid, gas) Not applicable

Product Identifier: Cartridge 5.56 mm FX® Marking TOXFREE® - Ver. Fed41X-1 SDS No.: 0357

Date of Preparation: septembre 13, 2024

Date of Last Revision: mai 03, 2022 Page 05 of 11

A5 = Not suspected as a human carcinogen.

Upper/Lower Flammability or

Explosive Limit

Not applicable (upper); Not applicable (lower)

Vapour Pressure Vapour Density (air = 1) Not applicable Not applicable

Relative Density (water = 1)

Not applicable Insoluble in water

Solubility
Partition Coefficient, n-

Not applicable

Octanol/Water (Log Kow)

>= 120 °C (248 °F)

Auto-ignition Temperature Decomposition Temperature

Not applicable

Viscosity

Not applicable (kinematic)

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Heating may cause a fire or explosion. Explosive; fire, blast or projection hazard.

Sensitive to mechanical impact.

Chemical Stability

Normally stable.

Unstable under certain conditions - see Conditions to Avoid.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

May igniter if primer is struck.

Mechanical shock or impact. Friction.

Open flames, sparks, static discharge, heat and other ignition sources. Temperatures above 120.0 °C (248.0 °F)

Incompatible Materials

Oils, acids, alkalis, ammonium salts, ammonia and other corrosives materials.

Hazardous Decomposition Products

Very toxic carbon monoxide, carbon dioxide.

Corrosive, oxidizing nitrogen oxides.

Corrosive sulfur oxides.

Decomposes in the presence of heat. May produce metal oxides and fumes.

SECTION 11. TOXICOLOGICAL INFORMATION

The following hazards are not expected to be present unless the product is fired or otherwise discharged so that gases, fumes and/or projections are created.

Normal handling and shipping should not cause exposure to these hazards.

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

| Chemical Name | LC50 | LD50 (oral) | LD50 (dermal) |
|--|---------------|--------------------|--------------------|
| Copper, metal | Not available | 413 mg/kg (mouse) | 375 mg/kg (rabbit) |
| Zinc, metal | Not available | 630 mg/kg | Not available |
| 1-Tetrazene-1-carboximidic acid, 4-(aminoiminomethyl)-, 2-nitrosohydrazide | Not available | Not available | Not available |
| Polypropylene | Not available | > 8000 mg/kg (rat) | Not available |

Product Identifier: Cartridge 5.56 mm FX® Marking TOXFREE® - Ver. Fed41X-1

Date of Preparation: septembre 13, 2024

Date of Last Revision: mai 03, 2022 Page 06 of 11

SDS No.:

0357

| I . | The state of the s | I . | T. Control of the Con |
|------------------------------|--|---|--|
| Sodium lauryl ether sulfate | Not available | > 5000 mg/kg (rat) | > 2000 mg/kg (rat) |
| 1,2-Propanediol | 44900 mg/m3 (rat) (4-hour exposure) | 21800 mg/kg (rat) | 20800 mg/kg (rabbit) |
| Barium sulfate | Not available | > 3000 mg/kg (mouse) | Not available |
| Poly(oxymethylene) | > 22000 mg/m3 (rat) | > 11000 mg/kg (rat) | Not available |
| Cellulose nitrate | Not available | 5000 mg/kg (rat) | Not available |
| Glycerol trinitrate | Not available | 105 mg/kg (rat) | > 280 mg/kg (rabbit) |
| Aluminum Powder | > 1000 mg/m3 (male rat) (4-hour exposure) | Not available | Not available |
| Pentaerythritol tetranitrate | Not available | 1660 mg/kg (rat) | Not available |
| Nickel, metal | > 2550 mg/m3 (rat) (4-hour exposure) | > 9000 mg/kg (rat) Suspension in mineral oil | Not available |
| Bismuth trioxide | Not available | 4000 mg/kg (rat) | Not available |

Skin Corrosion/Irritation

After munitions have been fired, dust, vapours and/or fumes may cause irritation.

Serious Eye Damage/Irritation

After munitions have been fired, dust, vapours and/or fumes may cause irritation.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

After munitions have been fired, dust, vapours and/or fumes may be irritating to the respiratory system.

May cause depression of the central nervous system. (Nitroglycerin)

Symptoms may include coughing, shortness of breath, difficult breathing and tightness in the chest. (Bismuth trioxide)

Symptoms may include headache, nausea, dizziness, drowsiness and confusion.

Skin Absorption

After munitions have been fired, dust can be absorbed through the pores if left on the skin.

Ingestion

After munitions have been fired, dust, vapours and/or fumes may be absorbed by the digestive system and be irritating.

Can cause effects as described for inhalation.

Aspiration Hazard

Not known to be an aspiration hazard.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

May cause effects similar to STOT (Specific Target Organ Toxicity) - Single Exposure, as described above.

Respiratory and/or Skin Sensitization

Not a respiratory sensitizer. Not a skin sensitizer.

Carcinogenicity

| Chemical Name | IARC | ACGIH® | NTP |
|--|------------|----------------|------------|
| Copper, metal | Not Listed | Not designated | Not Listed |
| Zinc, metal | Not Listed | Not designated | Not Listed |
| 1-Tetrazene-1-carboximidic acid, 4-(aminoiminomethyl)-, 2-nitrosohydrazide | Not Listed | Not designated | Not Listed |
| Polypropylene | Group 3 | Not designated | Not Listed |
| Sodium lauryl ether sulfate | Not Listed | Not designated | Not Listed |
| 1,2-Propanediol | Not Listed | Not designated | Not Listed |
| Barium sulfate | Not Listed | Not designated | Not Listed |

Product Identifier: Cartridge 5.56 mm FX® Marking TOXFREE® - Ver. Fed41X-1

Date of Preparation: septembre 13, 2024

Date of Last Revision: mai 03, 2022 Page 07 of 11

SDS No.: 0357

| Poly(oxymethylene) | Not Listed | Not designated | Not Listed |
|------------------------------|------------|----------------|------------------------|
| Cellulose nitrate | Not Listed | Not designated | Not Listed |
| Glycerol trinitrate | Not Listed | Not designated | Not Listed |
| Aluminum Powder | Not Listed | A4 | Not Listed |
| Pentaerythritol tetranitrate | Not Listed | Not designated | Not Listed |
| Nickel, metal | Group 2B | A5 | Reasonably anticipated |
| Bismuth trioxide | Not Listed | Not designated | Not Listed |

IARC:

Group 2B - Possibly carcinogenic to humans.

Group 3 – Not classifiable as to its carcinogenicity to humans.

ACGIH®:

A4 – Not classifiable as a human carcinogen.

A5 – Not suspected as a human carcinogen.

Key to Abbreviations

ACGIH® = American Conference of Governmental Industrial Hygienists.

IARC = International Agency for Research on Cancer.

NTP = National Toxicology Program.

Reproductive Toxicity

Development of Offspring

Not known to harm the unborn child.

Sexual Function and Fertility

Based on available data, the classification criteria are not met.

Effects on or via Lactation

No information was located.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

No data is available on the product itself. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

Ecotoxicity

Toxic to aquatic life, based on acute toxicity tests. (Copper). (Zinc metal). (Aluminum Powder). (Sodium lauryl ether sulfate). (Glycerol trinitrate). (Nickel, metal)

Acute Aquatic Toxicity

| Chemical Name | LC50 Fish | EC50 Crustacea | ErC50 Algae |
|--|--|---|---------------------|
| Copper, metal | 0.0224 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour) | 0.2 mg/L (Daphnia magna (water flea); 48-hour) | Not available |
| Zinc, metal | 0.450 mg/L (96-hour) | 0.068 mg/L (Daphnia magna (water flea); 48- hour) | 0.15 mg/L (72-hour) |
| 1-Tetrazene-1- carboximidic acid, 4- (aminoiminomethyl)-, 2- nitrosohydrazide | Not available | Not available | Not available |
| Polypropylene | Not available | Not available | Not available |

Product Identifier: Cartridge 5.56 mm FX® Marking TOXFREE® - Ver. Fed41X-1

Date of Preparation: septembre 13, 2024

Date of Last Revision: mai 03, 2022 Page 08 of 11

SDS No.: 0357

| Sodium lauryl ether sulfate | 10-100 mg/L (Leuciscus idus) | 2.3-4.8 mg/L (Ceriodaphnia dubia (Water flea); 48-hour) | Not available |
|------------------------------|---|--|---|
| 1,2-Propanediol | 51600 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; static) | > 18300 mg/L (Daphnia magna (water flea); 48- hour) | 19000 mg/L (Selenastrum capricornutum (algae); 96-hour; static) |
| Barium sulfate | Not available | 32 mg/L (Daphnia magna (water flea); 48-hour; fresh water; static) | Not available |
| Poly(oxymethylene) | Not available | Not available | Not available |
| Cellulose nitrate | Not available | Not available | 730 mg/L (Selenastrum capricornutum (algae); 96-hour) |
| Glycerol trinitrate | 1.28 mg/L (Lepomis macrochirus (bluegill); 96-hour; static) | Not available | Not available |
| Aluminum Powder | 0.12 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; static) | Not available | Not available |
| Pentaerythritol tetranitrate | 27000 mg/L (Pimephales promelas (fathead minnow); 96-hour; fresh water; static) | 8500 mg/L (Daphnia magna (water flea); 48-hour; fresh water; static) | Not available |
| Nickel, metal | 5.1 mg/L (Lepomis macrochirus (bluegill); 96-hour; static) | 7.6 mg/L (Daphnia magna (water flea); 48-hour; static) | Not available |
| Bismuth trioxide | Not available | Not available | Not available |

Persistence and Degradability

No ingredient of this product or its degradation products is known to be highly persistent.

Bioaccumulative Potential

This product and its degradation products are not known to bioaccumulate.

Mobility in Soil

Not expected.

Other Adverse Effects

No other adverse environmental effects known.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

The recommended means for disposing of scrap material usually involves demilitarization of detonator assembly (i.e.: separating all explosive elements for individual destruction), It can also be done by incineration or open detonation but it is not the preferred way. The facility used for incineration must have been designed specifically for this purpose and meet applicable local, provincial (state) and federal regulations.

Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.

Dispose of contents and container in accordance with local, regional, national and international regulations. Contact local environmental authorities for approved disposal or recycling methods in your jurisdiction.

SECTION 14. TRANSPORT INFORMATION

| Regulation | UN No. | Proper Shipping Name | Transport Hazard Class(es) | Packing Group |
|--------------|--------|------------------------|-------------------------------|------------------|
| Canadian TDG | UN0012 | Cartridges, small arms | 1.4S | II |

Product Identifier: Cartridge 5.56 mm FX® Marking TOXFREE® - Ver. Fed41X-1 SDS No.: 0357

Date of Preparation: septembre 13, 2024

Date of Last Revision: mai 03, 2022 Page 09 of 11

| US DOT | UN0012 | Cartridges, small arms | 1.4S | II |
|---------------|--------|------------------------|------|----|
| IATA (Air) | UN0012 | Cartridges, small arms | 1.4S | П |
| IMDG (Marine) | UN0012 | Cartridges, small arms | 1.48 | II |

Environmental

Potential Marine Pollutant (Copper, metal)

Hazards

Special Precautions Please note: Avoid shock and friction. Appropriate advice on safety must accompany the

package.

Transport in Bulk according to International Maritime Organization Instruments

Not applicable

Other Information IATA

ERG code: 3L

IMDG

EmS code: F-B, S-X

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

All ingredients are listed on the DSL or are not required to be listed.

CEPA - National Pollutant Release Inventory (NPRI)

Part 1A. Copper (and its compounds); Zinc (and its compounds); Aluminum (fume and dust only). (Glycerol trinitrate) Nickel (and its compounds).

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

SECTION 16. OTHER INFORMATION

SDS Prepared By General Dynamics - Ordnance and Tactical Systems - Canada Inc

Phone No. (450) 581-3080

Date of Preparation septembre 13, 2024

Date of Last Revision mai 03, 2022

Revision Indicators The following SDS content was changed on septembre 13, 2024:

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS;

Ingredient Information;

Other sections in accordance with changes in section 3.

SECTION 14. TRANSPORT INFORMATION;

Shipping Information.

Key to Abbreviations ACGIH® = American Conference of Governmental Industrial Hygienists

HSDB® = Hazardous Substances Data Bank

IARC = International Agency for Research on Cancer

NIOSH = National Institute for Occupational Safety and Health

NTP = National Toxicology Program

OSHA = US Occupational Safety and Health Administration

RTECS® = Registry of Toxic Effects of Chemical Substances

Product Identifier: Cartridge 5.56 mm FX® Marking TOXFREE® - Ver. Fed41X-1 SDS No.: 0357

Date of Preparation: septembre 13, 2024

Date of Last Revision: mai 03, 2022 Page 10 of 11

Inh = Inhalation

LC = Lethal Concentration

LD = Lethal Dose

EPA = Environmental Protection Agency

PEL = Permissible exposure limit

SDS = Safety Data Sheet

STEL = Short Term Exposure Limit

TDG = Canadian Transportation of Dangerous Goods Act & Regulations

TLV = Threshold Limit Values TWA = Time Weighted Average

WHMIS = Workplace Hazardous Materials Identification System

N/Ap = Not Applicable

References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).

HSDB® database. US National Library of Medicine. Available from Canadian Centre for

Occupational Health and Safety (CCOHS).

NIOSH Pocket Guide database. National Institute for Occupational Safety and Health.

Available from Canadian Centre for Occupational Health and Safety (CCOHS). Registry of Toxic Effects of Chemical Substances (RTECS®) database. Dassault

Systèmes/BIOVIA ("BIOVIA"). Available from Canadian Centre for Occupational Health and

Safety (CCOHS).

ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological

Exposure Indices.

Chempendium, HSDB and RTECS database. Available from Canadian Centre for Occupational

Health and Safety (CCOHS).

Disclaimer This Safety Data Sheet was prepared by General Dynamics Ordnance and Tactical Systems -

Canada Inc. using internal information and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. General Dynamics Ordnance and Tactical Systems - Canada Inc. expressly disclaim

all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with

any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of General Dynamics Ordnance and Tactical Systems - Canada Inc.

SDS No.: 0357

Product Identifier: Cartridge 5.56 mm FX® Marking TOXFREE® - Ver. Fed41X-1

Date of Preparation: septembre 13, 2024

Date of Last Revision: mai 03, 2022 Page 11 of 11

