



PRODUCT CATALOG

SIMUNITION®

Training FOR
THE ***REAL WORLD***®

NOV 2024

SIMUNITION®

TABLE OF CONTENTS

SIMUNITION® HISTORY >

INTEGRATED REALISTIC BASED TRAINING SYSTEM >

TRAINING FOR THE REAL WORLD® >

FIREARMS CONVERSION KITS >

SECURIBLANK® >

/ QUIET

/ LOUD

/ INERT

MARKING AND NON-MARKING FX® >

PERSONAL PROTECTIVE EQUIPMENT >

SIMUNITION® SAFETY CERTIFICATION COURSE >

INDEX >

/ Conversion kit compatibility
matrix and related information

CONTACT INFORMATION, SIMUNITION® WORLDWIDE >

Information published herein is subject to change at manufacturer's discretion without notice.



A dark blue silhouette of a person in profile, holding a rifle and aiming it to the right. The silhouette is positioned in the lower-left quadrant of the page, partially overlapping the main text area.

SIMUNITION®

Pioneer of Non-Lethal Realistic Based Training

SINCE 1992, SIMUNITION® HAS BEEN THE PIONEER AND WORLD LEADER IN PROVIDING MILITARY, LAW ENFORCEMENT AND APPROVED RANGE MEMBERS WITH THE MOST REALISTIC AND **NON-LETHAL** REALISTIC BASED, SIMULATION TRAINING SYSTEM.

For over 30 years, military and police officers around the world have placed their trust in Simunition® to deliver realistic training.

Professionals whose lives depend on the best training possible know that they can always count on Simunition® FX® marking and SecuriBlank® ammunition to provide them with the most effective close range, reality-based training system.

The FX® system is comprised of FX® and SecuriBlank® training ammunition, conversion kits and personal protective equipment. All three of these essential components are supported by a comprehensive Simunition® Scenario and Safety Certification Training Course.

INTEGRATED REALISTIC BASED TRAINING SYSTEM

- / Fully integrated training system
- / Top of the industry for quality and reliability
- / Realistic based training without the associated danger
- / Training ammunition designed to function in Simunition® converted weapons

Simunition®
Conversion Kits

Non-Lethal
Training Ammunition



Personal
Protective Equipment

Simunition®
Safety Certification Course

SIMUNITION®

TRAINING FOR
THE REAL WORLD®



/ WORLD RENOWNED



/ ESTABLISHED DISTRIBUTION
NETWORK



/ LONG TERM CUSTOMER
SATISFACTION VALUES



GO FURTHER
WITH SIMUNITION® >



SIMUNITION® CONVERSION KITS

- / ONLY ONE CONVERSION KIT REQUIRED TO FIRE SECURIBLANK® AND FX® TRAINING AMMUNITION
- / CONVERSION KITS AVAILABLE FOR MULTIPLE WEAPONS
- / EASILY INSTALLED WITHOUT MODIFICATION ON SERVICE WEAPON
- / DESIGNED AND MANUFACTURED FOR OPTIMUM SAFETY AND RELIABILITY

CONVERSION KIT LIST AND RELATED PRODUCTS >

SIMUNITION® CONVERSION KITS

RIFLE



PISTOL



SUBMACHINE GUN



MACHINE GUN



SHOTGUN



DEDICATED WEAPON



GRENADE LAUNCHER



SIMUNITION® CONVERSION KITS

SAFETY

- / EACH CONVERSION KIT IS DESIGNED TO FIRE FX® AND SECURIBLANK® **NON-LETHAL** TRAINING AMMUNITION ONLY
- / CONVERSION KIT SAFETY FEATURES ARE WEAPON DEPENDENT
- / CONVERSION KIT DOES NOT ALTER THE USE OF WEAPON SAFETY FEATURES

PERFORMANCE

- / REALISTIC RECOIL, FEEDING, EXTRACTION AND EJECTION FUNCTION WITH FX® AND SECURIBLANK® **NON-LETHAL** TRAINING AMMUNITION

RELIABILITY

- / CONVERSION KIT DOES NOT DAMAGE THE WEAPON WHEN USED WITH SIMUNITION® APPROVED AMMUNITION
- / SIMUNITION® CONVERSION KIT ENSURES PROPER OPERATION AND CYCLING OF THE SERVICE WEAPON
- / SIMUNITION® CONVERSION KITS HAVE A 5 YEAR OR 10 000 SIMUNITION® ROUNDS FIRED WARRANTY

[CONVERSION KIT LIST AND RELATED PRODUCTS >](#)

MAGAZINES


MAGAZINES FOR FX® AND SECURIBLANK®
NON-LETHAL TRAINING AMMUNITION




9 mm MP7 magazine
for SecuriBlank® and FX®
(5314530SP)




9 mm M4/M16 Weapon type
Upper Magazine for
SecuriBlank® (5308312SP)
and FX® (5308310SP). Also
available for HK 416 weapon
(5311070SP)



5.56 mm M4/M16 Weapon type
magazine for SecuriBlank®
and FX® (5314140SP)



FX® and SecuriBlank®
ammunition only



100% live 5.56 mm NATO
ammunition discrimination

Please call before ordering magazine for your specific weapon type.

CONVERSION KIT LIST AND RELATED MAGAZINES >



SecuriBlank® CARTRIDGES

- / CLEANER THAN CONVENTIONAL BLANKS
- / PATENTED REDUCED-ENERGY TECHNOLOGY



INERT
9 mm



QUIET
9 mm



LOUD
9 mm



QUIET
5.56 mm



LOUD
5.56 mm



LOUD
7.62X51 mm



SecuriBlank® QUIET



THE **SecuriBlank® QUIET** SETS A NEW STANDARD AS
THE WORLD'S BEST SOUNDLESS BLANK CARTRIDGE



NO HEAVY METALS



HEARING PROTECTION

NOT Required
but recommended



EYEWEAR

Required



STAND-OFF DISTANCE

0 cm (0 ft)



MUZZLE ENERGY

0 joule



TERMINAL EFFECT

NO perforation of witness
paper at **point blank**

FEATURES

No Blank Firing Attachment
(BFA) required

Close range training

No muzzle blast and
excessive noise levels

Environmentally friendly

No gas discharge

Available in 9 mm and 5.56 mm

Reach compliant

CONSULT COMPLETE TECHNICAL INFORMATION >

CLASSROOM
DEMONSTRATIONS

DEFENSIVE
TACTICS TRAINING

NEW STUDENT TO PRACTICE
WEAPON CONTROL

SIMUNITION GENERAL DYNAMICS
Ordnance and Tactical Systems



SecuriBlank® LOUD



INTERACTIVE
TRAINING SYSTEMS

WEAPON SAFETY
HANDLING

SecuriBlank® LOUD USES THE SIMUNITION® PATENTED REDUCED-ENERGY TECHNOLOGY AND WORKS WITH A SIMUNITION® CONVERSION KIT, INCREASING SAFETY AND ENSURING PROPER WEAPON FUNCTIONING



NO HEAVY METALS



HEARING PROTECTION

Required



EYEWEAR

Required



STAND-OFF DISTANCE

1 m (3 ft)



MUZZLE ENERGY

0.1 joule



TERMINAL EFFECT

NO perforation of witness paper at 1 meter (3 feet)

K9
TRAINING

FEATURES

No Blank Firing Attachment (BFA) required

Convenient for training any time

Compatible with I-Miles and SAAB training system

Available in 9 mm, 5.56 mm and 7.62x51 mm

Reach compliant



SecuriBlank® INERT



NO PRIMER

THE **SecuriBlank® INERT** CARTRIDGE IS USED FOR SIMULATING MANUAL CYCLING, MAGAZINE FEEDING, AND CLEARING PROCEDURES WITH A WEAPON EQUIPPED WITH A SIMUNITION® CONVERSION KIT.



NO HEAVY METALS

N/A



HEARING PROTECTION

NOT Required



EYEWEAR

NOT Required



STAND-OFF DISTANCE

N/A



MUZZLE ENERGY

N/A



TERMINAL EFFECT

N/A

FEATURES

Inert, No Primer, No Propellant

Use with Simunition® Conversion Kit

Use anywhere live Simunition®

Training Cartridge is not acceptable

Environmentally friendly

Reusable

Ideal for classroom training

Available in 9 mm only

CONSULT COMPLETE TECHNICAL INFORMATION >



SAFE CLASSROOM
DEMONSTRATION



SIMULATE WEAPON
CLEARING PROCEDURE



PRATICE WITH SAFE INERT
SIMUNITION® CARTRIDGE

SIMUNITION® GENERAL DYNAMICS
Ordnance and Tactical Systems



TECHNICAL INFORMATION



HEARING
PROTECTION



EYEWEAR



STAND-OFF
DISTANCE



MUZZLE
ENERGY



TERMINAL
EFFECT



NOISE LEVEL
PEAK



gen
2



9 mm
5.56 mm

Not required
but recommended

Required

0 m (0 ft)

0 joule

NO perforation
of paper at 0
meter (0 ft)

LOW noise from
weapon cycling



gen
2



9 mm
5.56 mm

Required

Required

1 m (3 ft)

0.1 joule

NO perforation
of paper at
1 meter (3 ft)

158 dB for 9 mm
156 dB for
5.56mm



9 mm

Not required

Not Required

N/A

N/A

N/A

N/A

SEE CONVERSION

KIT COMPATIBILITY > / 9mm / 5.56mm

* Sound level taken at 100 cm from muzzle
and 160 cm above ground.



TECHNICAL INFORMATION



HEARING
PROTECTION



EYEWEAR



STAND-OFF
DISTANCE



MUZZLE
ENERGY



TERMINAL
EFFECT



NOISE LEVEL
PEAK



7.62x51 mm

Required

Required

1 m (3 ft)

0.1 joule

NO perforation
of paper at
1 meter (3 ft)

TBD*

* Sound level taken at 100 cm from muzzle
and 160 cm above ground.

SEE CONVERSION
KIT COMPATIBILITY >

SIMUNITION **GENERAL DYNAMICS**
Ordnance and Tactical Systems



FX[®] MARKING and NON-MARKING CARTRIDGES

- / DESIGNED FOR UNSURPASSED PERFORMANCE WITH SIMUNITION[®] CONVERSION KITS ONLY
- / NON-TOXIC AND **NON-LETHAL** CARTRIDGE
- / VISIBLE AND PHYSICAL IMPACT AWARENESS ALLOWS ACCURATE ASSESSMENT OF SIMULATED LETHALITY
- / USED WITH FX[®] PERSONAL PROTECTIVE EQUIPMENT, INCLUDING MANDATORY HEAD, THROAT AND GROIN PROTECTION
- / REACH COMPLIANT

TECHNICAL SPECIFICATIONS >

/ 9mm / 5.56mm / 7.62mm






SUPERIOR FX® MARKING COMPOUND

- / THE FX® MARKING AMMUNITION IS KNOWN AS «THE WORLD'S MOST REALISTIC CLOSE-RANGE COMBAT TRAINING SYSTEM»
- / SAFEST NON-LETHAL PROJECTILE TECHNOLOGY THAT ENSURES OPERATOR SAFETY WHILE MAXIMIZING OPERATIONAL PERFORMANCE
- / SIMUNITION® MARKING COMPOUND IS UNMATCHED IN THE INDUSTRY
 - _Excellent washability in cold water
 - _Marking imprint highly visible
 - _Cost effective for infrastructure and equipment maintenance
 - _Available in six colors
 - _Reach compliant

FX[®] PROJECTILE TERMINAL EFFECT

- / **FOR ALL CALIBERS, THE PATENTED FX[®] PROJECTILE DESIGN** is unique in the industry and engineered to maximize accuracy down range and provide unsurpassed safety to the operators
- / **FOR NON-LETHAL TRAINING AMMUNITION**, a trade-off will always exist between muzzle velocity and impact safety
- / **ACCURACY** is maximized down range by achieving higher muzzle velocities than our competitors while remaining safe on impact with a mushrooming soft polymer projectile
- / **UNSURPASSED OPERATOR SAFETY** is achieved by a series of innovative design features that are activated upon initial contact with target



FX[®] PROJECTILE TERMINAL EFFECT



01

IN FLIGHT

Projectile is spin stabilized up to effective engagement range.



02

ENERGY DISSIPATION ON IMPACT BY DEFORMATION

Upon initial contact, impact energy is partially transformed into projectile deformation energy; hence slowing down the projectile.



03

MARKING COMPOUND EXPELLED

Deformation of the FX[®] projectile expels the marking compound through the star shaped openings.



04

LARGER PROJECTILE DIAMETER FOR NON-PENETRATION SAFETY

Final impact energy is then transferred on a much larger impact diameter that serves two purposes:

- / Distributes impact force over a larger surface
- / Increases diameter of projectile to ensure non-skin penetration performance

FX[®]

FX[®] MARKING CARTRIDGES



THE WORLD'S MOST INTERACTIVE COMBAT TRAINING SYSTEM FOR THE ULTIMATE LEVEL OF REALISM



NO HEAVY METALS



HEARING PROTECTION

Recommended



Head



Neck



Groin

SIMUNITION APPROVED[®]

- / **Non-lethal** cartridge for Reality Based Training
- / Available in 9 mm, 5.56 mm and 7.62 x 51mm



- / Available in up to six colors
- / Very easy to clean
- / No special ballistic facility required
- / Reach compliant

TECHNICAL SPECIFICATIONS ➤ / 9mm / 5.56mm / 7.62mm

CONVERSION KIT LIST AND RELATED PRODUCTS ➤ / 9mm / 5.56mm / 7.62mm

SIMUNITION[®] GENERAL DYNAMICS
Ordnance and Tactical Systems

*No exposed bare skin recommended.

INDIVIDUAL AND TEAM SITUATIONS

COUNTER TERRORISM

CLOSE QUARTER BATTLE



FX[®] NON-MARKING CARTRIDGES



THE WORLD'S MOST INTERACTIVE COMBAT TRAINING SYSTEM FOR THE ULTIMATE LEVEL OF REALISM



NO HEAVY METALS



HEARING PROTECTION

Recommended



Head



Neck



Groin

SIMUNITION APPROVED[®]

- / **Non-lethal** cartridge for Reality Based Training
- / Train in public areas without the marking feature in schools, hospitals and office buildings
- / No marking imprint to clean

- / Compatible with laser based training simulators
- / Available in 9 mm, 5.56 mm and 7.62 x 51 mm
- / Reach compliant

TECHNICAL SPECIFICATIONS > / 9mm / 5.56mm / 7.62mm

CONVERSION KIT LIST AND RELATED PRODUCTS > / 9mm / 5.56mm / 7.62mm



TRAINING IN SCHOOL OR OFFICE BUILDING



SITUATIONAL TRAINING



MISSION REHEARSAL



TECHNICAL INFORMATION



PROJECTILE
WEIGHT



STAND-OFF
DISTANCE



MUZZLE
VELOCITY



ACCURACY



IMPACT
ENERGY




MAXIMUM
RANGE



SOUND
LEVEL

9 mm FX® GEN 2

MARKING



0.4 gram
6.2 grains

30 cm
(1 ft)

110-160 m/s*
(360-525 fps*)

Can achieve**:
Pistol: 5cm at 7.6m
Rifle: 2cm at 7.62m

2.4-5 joules

***150 m
(492 ft)

****147dB

Available colors



NON-MARKING



0.27 gram
4 grains

30 cm
(1 ft)

120-190 m/s*
(394-623 fps*)

Can achieve**:
2.5cm at 7.6m

1.9-4.8 joules

***150 m
(492 ft)

****147dB

Information pulish herein is subject to change at manufacture's discretion without notice. Dimesions, weights and velocities are nominal. Values are dependent on type of weapon, barrel length, rifling, cleanliness, and shall not be use for lot acceptance.

SEE CONVERSION

KIT COMPATIBILITY >

*Weapon dependent and velocity taken at 3.5 m from muzzle.

** Maximum spread.

*** Wind speed 0m/s, elevation 68.8°.

**** Sound level taken at 100 cm from muzzle and 160 cm above ground.



TECHNICAL INFORMATION



NO HEAVY METALS



PROJECTILE
WEIGHT



STAND-OFF
DISTANCE



MUZZLE
VELOCITY



ACCURACY



IMPACT
ENERGY



MAXIMUM
RANGE



SOUND
LEVEL

5.56 mm FX®

MARKING



0.23 gram
3.5 grains

1 m
(3.3 ft)

190 m/s*
(625 fps*)

20 cm at 30 m**
(8 in at 100 ft**)

4.2 joules*

*** 140 m
(460 ft)

**** 138dB

Available colors for
marking cartridges



NON-MARKING



0.115 gram
1.77 grains

1 m
(3.3 ft)

190 m/s*
(625 fps*)

20 cm at 12 m**
(8 in at 40 ft**)

2.1 joules*

*** 140 m
(460 ft)

**** 138dB

* Weapon dependent and velocity taken at 3.5 m from muzzle.

** Maximum spread.

*** Wind speed 0m/s, elevation 68.8°.

**** Sound level taken at 100 cm from muzzle and 160 cm above ground.

SEE CONVERSION

KIT COMPATIBILITY >

SIMUNITION GENERAL DYNAMICS
Ordnance and Tactical Systems



TECHNICAL INFORMATION



NO HEAVY METALS



PROJECTILE
WEIGHT



STAND-OFF
DISTANCE



MUZZLE
VELOCITY



ACCURACY



IMPACT
ENERGY



MAXIMUM
RANGE



SOUND
LEVEL

7.62 x 51 mm FX® MARKING



Available colors for
marking cartridges



0.4 gram
6.2 grains

1 m
(3.3 ft)

140/170 m/s*
(460/557 fps*)


30 cm at 30 m**
(12 in at 100 ft**)

3.9-5.7 joules*

TBD*

TBD*

7.62 x 51 mm FX® NON-MARKING



.27 gram
4.17 grains

1 m
(3.3 ft)

140-170 m/s*
(460-558 fps*)

TBD

2.6-3.9 joules*

TBD*

TBD*

* Weapon dependent and velocity taken at 3.5 m from muzzle.

** Maximum spread.

*** Wind speed 0m/s, elevation 68.8°.

**** Sound level taken at 100 cm from muzzle and 160 cm above ground.

PERSONAL PROTECTIVE EQUIPMENT

FX[®]

HEAD PROTECTOR
MANDATORY WITH FX[®]

1

NECK PROTECTOR
MANDATORY WITH FX[®]

2

3

4

5

6

GROIN PROTECTOR
MANDATORY WITH FX[®]

7

8

SIMUNITION® CERTIFIED PERSONAL PROTECTIVE EQUIPMENT

Simunition® is the world's most realistic and effective interactive training system, allowing force-on-force scenarios where participants can safely fire FX® marking cartridges at one another.

In order to reduce the risk of injury during these highly dynamic scenarios, Simunition® has developed a full line of protective equipment for all individuals.

This equipment is an integral part of the FX® training system.



ADVANTAGES

- / Designed, tested and approved to withstand SIMUNITION® FX® marking cartridges
- / Allows safe and realistic interactive training
- / Lightweight; comfortable and adjustable
- / Reduced pain penalty
- / Ability to act as you are hit
- / Good marking imprint characteristics
- / Easy to wash and dry

FX® 9002 HELMET HEAD PROTECTOR



MANDATORY EQUIPMENT

The one-piece **FX® 9002 Helmet**, Head Protector provides complete head protection and can be worn with eyeglasses. The shell of this easy-to-clean head protector is produced from high-quality material and comes with two adjustable straps. Lenses are tested for impact resistance according to ANSI Z87.1 and EN166 standards, for additional details, contact your SIMUNITION® distributor.

*Blue rubber deflector available for purchase as a spare part (8971292SP).



CLEANING INSTRUCTIONS >



USER MANUAL >



QUAD CHARTS AND TECHNICAL INFORMATION >
(Simunition® Extranet Site for distributors only)

FX® 9003 HELMET HEAD PROTECTOR

1



MANDATORY EQUIPMENT

The **FX® 9003 Helmet**, Head Protector provides proper cheek well for improved target aiming. It is adaptable with most type of service helmets and is compatible with most Night Vision Goggles. It has optimal breathability and lens airflow as well as hearing and voice transmission capability. This head protector can be worn with most personal prescription corrective eye wear frames and accommodates ESS® and Revision® RX corrective vision inserts. It comes with a removable modular hard top for users without service helmet.

It is comfortable, lightweight, easy to clean and one-size fits all.

Lenses are tested for impact resistance according to ANSI Z87.1 and EN166 standards, for additional details consult: Assessment Tests Performed on Simunition® FX® 9002 and FX® 9003 Goggles on Simunition® Extranet Site.

*9003 Helmet Head Protector until supplies last.



CLEANING INSTRUCTIONS >






USER MANUAL >



QUAD CHARTS AND TECHNICAL INFORMATION >
(Simunition® Extranet Site for distributors only)

CUSTOMIZE YOUR FX® 9003 HELMET HEAD PROTECTOR

VERSATILE USE FOR OPERATOR
AND OPPOSITIONAL FORCE.



FX® 9004 HELMET HEAD PROTECTOR

1



CERTIFIED FOR USE WITH SIMUNITION® FX® AND **FORCE**  **FORCE**
MARKING AND NON-MARKING TRAINING CARTRIDGES

MANDATORY EQUIPMENT

The **FX® 9004 Helmet**, Head Protector is designed to improve breathability, fogging and hearing capability and also to prevent projectile particles from entering the helmet. The 9004 Helmet Head Protector provides proper cheek well for improved target aiming and is adaptable for most types for service including the use of night vision goggles. Most person prescription corrective eye wear frames can be accommodated. One size fits all.

The **FX® 9004** has all the capabilities and features of the FX® 9003 plus the above. All foam inserts are closed cells and are removable for easy cleaning. All components of this helmet can be taken apart quickly without tools for easy maintenance and cleaning.

Lenses are tested for impact resistance according to ANSI Z87.1 and EN166 standards, for additional details consult: Assessment Tests Performed on Simunition® FX® 9002 and FX® 9003 Goggles on Simunition® Extranet Site for additional details contact your SIMUNITION® distributor.

Available in black



CLEANING INSTRUCTIONS >



USER MANUAL >



QUAD CHARTS AND TECHNICAL INFORMATION >
(Simunition® Extranet Site for distributors only)

FX® 9000 SERIES PROTECTIVE EQUIPMENT

2



MANDATORY EQUIPMENT

FX® 9000 THROAT COLLAR (OSFA)

This throat collar fits snugly around the neck, it is produced of high-strength textile.

Available in black.

One size fits all.

3



FX® 9000 SLEEVES

FX® 9000 sleeves provide shoulder protection. Made of high-strength textile.

Available in black.

S M L XL

4



FX® 9000 VEST

Providing outstanding torso protection, the FX® 9000 vest is produced from high-strength textile.

Two (2) models:
male and female
(extra chest padding).

Available in black.

One size fits all, XXL available

FX® 9000 SERIES PROTECTIVE EQUIPMENT

5



FX® 9000 GLOVES

FX® 9000 gloves are made of high-quality materials for allweather handgun use. They feature a synthetic leather palm providing an excellent grip, a long wrist cuff and added protection to the wrist, top of hand, thumb and finger tips.

Available in black.

S M L XL

6



FX® 9000 ARM PROTECTORS

FX® 9000 arm protectors slip on and off easily and are made of high-strength textile.

Available in black.

One size fits all.

7



Male

Female

MANDATORY EQUIPMENT

FX® 9000 GROIN PROTECTORS

Designed for external wear, FX® 9000 groin protectors are made of high-strength textile and feature three (3) adjustable straps.

Available in black.

8



FX® 9000 PANTS

FX® 9000 pants provides buttocks and thigh protection. Made of high-strength textile and compatible with the user's duty belt.

Available in black.

S (30" - 34" / 76,2 - 86,4 cm)

M (36" - 38" / 91,4 - 96,5 cm)

L (40" - 42" / 101,6 - 106,7 cm)

XL (44" - 46" / 111,8 - 116,8 cm)



QUAD CHARTS AND TECHNICAL INFORMATION >
(Simunition® Extranet Site for distributors only)

SIMUNITION® GENERAL DYNAMICS
Ordnance and Tactical Systems



SIMUNITION® SAFETY CERTIFICATION COURSE

SIMUNITION® SAFETY COURSE IS PART OF
THE SIMUNITION® INTEGRATED TRAINING SYSTEM

TRAINERS WITH REAL EXPERIENCE

Top-rate instruction starts with top-rate instructors. Our trainers have extensive military and law enforcement experience, and are completely versed in all aspects of the Simunition® training program.

REAL-WORLD SCENARIOS

Half the time is spent in class covering technology, training methodology and scenario design. The rest of the course is spent performing the scenarios that were developed in class.

REAL WEAPONS

The instructor allows participants to use their service weapons modified with Simunition® conversion kits, in non-lethal, force-on-force scenarios.

Conversion kits are available for the majority of law enforcement and military weapons, including most pistols, revolvers, shotguns, sub-machine guns and the complete M4/M16/AR-15 family of rifles and carbines.

REAL INFORMATION

Our course offers the only General Dynamics Authorized training class, you get the most complete and up-to-date information on the whole Simunition® training system comprising of the FX® marking munitions, the Simunition® weapon conversion kits and the Simunition® personal protective equipment. You also receive information on all our reduced and full energy training rounds.

SAFE TRAINING SYSTEM

Safety is our number one priority. All participants will learn how to safely run scenarios, establish a secure training perimeter and use all mandatory and optional protective equipment.

GET SIMUNITION® TRAINING FOR THE REAL WORLD®

GO TO **WWW.SIMUNITION.COM**
NOW TO REGISTER ONLINE!



INDEX

CONVERSION KIT COMPATIBILITY MATRIX AND RELATED INFORMATION

BARREL LENGHT	COMMENT REGULATIONS	TRAINING AMMUNITION COMPATIBILITY				TRAINING AMMUNITION PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

CONVERSION KITS FOR PISTOLS

BERETTA

Product Designation	Product No											
Beretta 92 FS (9 mm) - 96 (.40 S&W)	5308270	5.03" 128 mm				9 mm	9 mm				Yes	
Beretta APX FULL SIZE	5312900	4.45" 113 mm				9 mm	9 mm				No	
PAMAS (9 mm)	5303530	OLD VERSION 5.34" 136 mm NEW VERSION 5.03" 128 mm										
Beretta 92 FS Centurion (9 mm)	5308290	4.40" 112 mm				9 mm	9 mm				Yes	
Beretta 96 Centurion (.40 S&W)						9 mm	9 mm					
Beretta PX4 standard (9 mm/.40 S&W)	5311460	3.92" 100 mm										
M9	5306316	5.03" 128 mm				9 mm	9 mm					
			9 mm	9 mm				50 rds/box 500 rds/ case	No	None*		



























COLT

Product Designation	Product No											
Colt 1911 (.45 ACP)	5305810	5.16" 131 mm	EAR (CC)	9 mm	9 mm			50 rds/box 500 rds/ case	Yes 1 Magazine	5305801SP - Magazine, Colt 1911 Modified for (9mm FX®)	Yes	

BARREL LENGHT	COMMENT REGULATIONS	TRAINING AMMUNITION COMPATIBILITY				TRAINING AMMUNITION PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

GLOCK

Product Designation Product No

GLOCK 17 (9 mm), 22 & 35 (.40 S&W) and Glock 31 (.357 Sig) GEN 3 improved	5312600	4.72" 120 mm	Glock GEN 3 only	9 mm	9 mm	9 mm 	9 mm 	50 rds/box 500 rds/case	No	None*	Yes			Yes
GLOCK 19 (9 mm) 23 (.40 S&W) GEN 3 improved	5312610	4.24" 108 mm												
GLOCK (9 mm) 19/23 (.40 S&W) MOS GEN 3 improved	5315020	4.24" 108 mm												
GLOCK 17 (9 mm) 22/35 (.40 S&W) and Glock 31 (.357 Sig) MOS GEN 3 improved	5315030	4.72" 120 mm												
Simunition® barrel for Glock 17T Gen 3 /Gen 4 Blue Gun	5316320	4.72" 120 mm	GEN 3 & GEN 4 only											
GLOCK 17 (9 mm), 22/35 (.40 S&W) and Glock 31 (.357 Sig) GEN 4	5312000	4.72" 120 mm	Glock GEN 4 only											
GLOCK 19 (9 mm) / 23 (.40 S&W) GEN 4	5312025	4.24" 108 mm												
GLOCK 17 (9 mm) 22/35 (.40 S&W) and Glock 31 (.357 Sig) MOS GEN4	5313870	4.72" 120 mm												
GLOCK 19 (9 mm) /23/22/35 (.40 S&W) MOS GEN 4	5314340	4.24" 108 mm												
GLOCK 19/45 (9 mm) /23 (.40 S&W) GEN 5	5313900	4.24" 108 mm	Glock GEN 5 only											
GLOCK 17 (9 mm) 22/35 (.40 S&W) and Glock 31 (.357 Sig) GEN 5	5313930	4.72" 120 mm												
GLOCK 17 (9 mm) 22/35 (.40 S&W) and Glock 31 (.357 Sig) MOS GEN 5	5314350	4.72" 120 mm												
GLOCK 19/45 (9 mm) /23 (.40 S&W) MOS GEN 5	5314370	4.24" 108 mm												
Simunition® barrel for Glock 17T Gen 5 Blue Gun	5316420	4.24" 108 mm												

EAR (CC) : Bureau of Industry and Security US Departement of Commerce







*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX® and SecuriBlank® Training Ammunition

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.



BARREL LENGHT	COMMENT REGULATIONS	TRAINING AMMUNITION COMPATIBILITY				TRAINING AMMUNITION PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						





CONVERSION KITS FOR PISTOLS
































HECKLER & KOCH

Product Designation	Product No											
HK USP Std (9 mm/.40 S&W)	5308650	4.25" 108 mm		9 mm	9 mm	9 mm 	9 mm 	50 rds/box 500 rds/case	No	None*	Yes	
HK USP Compact (9 mm/.40S&W)	5311290	3.58" 91 mm										
HK P2000 (9 mm/.40 S&W)	5311390	3.69" 94 mm				9 mm  (as of 2019)	9 mm  (as of 2019)					
HK P30 (9 mm/.40 S&W)	5311755	3.86" 98 mm										
HK VP-9 MOS (9 mm/.40 S&W)	5313505	4.3" 109 mm				9 mm 	9 mm 					
HK VP-9 (9 mm/.40 S&W)	5313500	4.3" 109 mm										

SIG SAUER



Product Designation	Product No											
SIG M11 (9mm)	5309430	3.84" 98 mm		9 mm	9 mm	9 mm 	9 mm 	50 rds/box 500 rds/case	No	None	Yes	
SIG P225 (9 mm)	5306700	3.84" 98 mm										

		BARREL LENGHT	COMMENT REGULATIONS	TRAINING AMMUNITION COMPATIBILITY				TRAINING AMMUNITION PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO						
				FX®		SecuriBlank®			Included in kit	Optional magazine									
				Marking	Non Marking	Quiet	Loud												
SIG SAUER																			
Product Designation		Product No																	
SIG P226 (9 mm)	5307500	4.45" 113 mm		9 mm	9 mm	9 mm 	9 mm 	50 rds/box 500 rds/case	No	None	Yes								
SIG P226 S/Steel (9 mm)	5308590	4.45" 113 mm																	Yes
SIG P226 S/Steel (.357SIG/.40 S&W)	5308580	4.45" 113 mm																	
SIG P228 (9 mm)	5306890	3.84" 98 mm																	
SIG P229 (9 mm/.40 S&W/.357)	5309160	3.84" 98 mm																	
SIG P320 FULL SIZE (9 mm/.40 S&W)	5313070**	4.96" 126 mm																Yes	
SIG P320 compact/carry (9 mm/.40 S&W)	5313330**	4.10" 104 mm															Yes		
SIG 2022/ SIG PRO 2009/2340 (9 mm /.40 S&W)	5309030	3.84" 98 mm																	
SIG P320 FULL SIZE (9 mm/.40 S&W) ROMEO 01	5315600	4.96" 126 mm																	
SIG P320 COMPACT (9 mm/.40 S&W) ROMEO 01	5315700	4.10" 104 mm																	
SIG P320 FULL SIZE (M17) MOS (9 mm/.40 S&W)	5314320	4.96" 126 mm					9 mm 					9 mm 							
SIG P320 COMPACT/ CARRY (M18) MOS (9 mm/.40 S&W)	5314330	4.10" 104 mm																	



	BARREL LENGHT	COMMENT REGULATIONS	TRAINING AMMUNITION COMPATIBILITY				TRAINING AMMUNITION PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
			FX®		SecuriBlank®			Included in kit	Optional magazine			
			Marking	Non Marking	Quiet	Loud						
SMITH & WESSON												
Product Designation	Product No											
S&W M&P (9 mm/.40 S&W)	5314740	4.26" 107 mm	9 mm	9 mm	9 mm 	9 mm 	50 rds/box 500 rds/case	No	None*	Yes		Yes
S&W M&P Barrel for 9mm SecuriBlank® only (9 mm/.40S&W)	5314580	4.26" 107 mm			9 mm  							
S&W Series 400X (.40 S&W)	5304720	4.06" 103 mm									Yes	
S&W Series 590X (9 mm)	5302080	4.06" 103 mm										
S&W Series 594X	5304850	4.06" 103 mm										
S&W Series 690X (9 mm)	5306680	3.60" 91 mm										
S&W M&P TLC-1 (9 mm)	5304750	4.26" 107.3 mm										
S&W M&P M2.0 (9 mm)	5314220	4.2" 106 mm			9 mm 	9 mm 						
S&W M&P 2.0 (9 mm) 4.0" COMPACT	5314210	4.10" 104 mm										
S&W M&P 2.0 (9 mm) 4.2" MOS	5315800	4.2" 106 mm										

BARREL LENGHT	COMMENT REGULATIONS	TRAINING AMMUNITION COMPATIBILITY				TRAINING AMMUNITION PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

WALTHER*

Product Designation	Product No													
Walther P99QA (9 mm/.40 S&W) QA	5308900	4.07" 103.4 mm		9 mm	9 mm	9 mm 	9 mm 	50 rds/box 500 rds/case	No	None*	Yes			
Walther P99DAO (9 mm/.40 S&W) DAO	5308910	4.07" 103.4 mm												
Walther P99 PPQ (9 mm/.40 S&W)	5312440	4.07" 103.4 mm								None				
Walther P99 DA/SA (9 mm/.40 S&W)	5308840	4.14" 105 mm												
Walther PDP MOS (9 mm/.40 S&W)	5315890	4.58" 116.3 mm												

OTHERS*

Product Designation	Product No												
Browning HP (9 mm)	5303890	4.76" 121 mm		9 mm	9 mm			50 rds/box 500 rds/case	No	None	Yes		
Jericho 941 F (9 mm)	5312500	4.41" 112 mm											
Jericho 941 PSL (9 mm)	5312530	3.87" 98.3 mm											
CZ75D (9 mm)	5310150	3.73" 95 mm											
FN509 Full size (9 mm)	5313550	4.12" 105 mm										Yes	Yes
SPRINGFIELD XD-9 (9 mm)	5313150	4.16" 105.5 mm											
SPRINGFIELD XD-9 MOD2 (9 mm)	5313730	4.16" 105.5 mm				9 mm 	9 mm 						
CANIK METE MOS SFX 9 mm	5316030	5.26" 137 mm											
CANIK TP9 ELITE 9 mm	5313960	4.29" 109 mm											










EAR (CC) : Bureau of Industry and Security US Departement of Commerce

*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX® and SecuriBlank® Training Ammunition

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

BARREL LENGHT	COMMENT REGULATIONS	TRAINING AMMUNITION COMPATIBILITY				TRAINING AMMUNITION PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

CERTIFIED OEM DEDICATED TRAINING WEAPONS

Product Designation	Product No													
AK47 Dedicated Rifle		18.9" 480 mm	Contact CFC+ (212)-244-4040 or ryder@centrefirearms.com	5.56 mm	5.56 mm			20 rds/box 500 rds/case Clipped	2 Magazines (30 rds)	Yes	Yes			
Beretta ARX-160		18.11" 460 mm	Contact Pezt CO. S.R.L. +(39)-030-745-0136 or enea@peztco.com											
FAMAS		20.10" 510 mm	Contact Rivolier SAS											
FNH F2000	5313860	17.44" 443 mm	Contact GD OTS Canada	5.56 mm 	5.56 mm 			20 rds/box 500 rds/case Clipped	No	None	Yes			
FN509 Blue Gun		4.00" 102 mm	Contact FN USA	9 mm	9 mm	9 mm 	9 mm 	50 rds/box 500 rds/case						
GLOCK 17T/19T Blue Training Pistol			Contact Glock Distributor											
SIG FOF 2022			Contact SIG SAUGER	9 mm	9 mm			50 rds/box 500 rds/case			Yes	Yes		
SIG P-226 Blue Gun		4.45" 113 mm	Contact SIG SAUGER			9 mm 								
S&W M&P Blue Gun (9 mm/.40S&W)		4.26" 109 mm	Contact S&W USA			9 mm  See Note 1	9 mm  See Note 1							
S&W M&P M2.0 Blue Gun (9 mm/.40S&W)		4.1" 104 mm	Contact S&W USA			9 mm 	9 mm 							
Steyr AUG			Contact Thales Australia	5.56 mm	5.56 mm			20 rds/box 500 rds/case Clipped						

BARREL LENGHT	COMMENT REGULATIONS	TRAINING AMMUNITION COMPATIBILITY				TRAINING AMMUNITION PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

CONVERSION KITS FOR REVOLVERS

Product Designation	Product No											
Spare .38 SPL	5500490SP											
			Comes in packs of 7 rings	0.38 Cal					No	None	Yes	
Spare .357 Mag	5500500SP											

CONVERSION KITS FOR SHOTGUNS

Product Designation	Product No											
12 gauge Pump Action for use with 9 mm FX®	5312430	2.55" 65 mm	Comes with 5 cartridge carrier	9 mm	9 mm	9 mm gen 2	9 mm gen 2	50 rds/box 500 rds/ case	N/A	N/A	Yes	
12 gauge Pump Action for use with 9 mm FX®	5314080	2.55" 65 mm	Comes with 7 cartridge carrier	9 mm	9 mm	9 mm gen 2	9 mm gen 2	50 rds/box 500 rds/ case	N/A	N/A	Yes	



BARREL LENGHT	COMMENT REGULATIONS	TRAINING AMMUNITION COMPATIBILITY				TRAINING AMMUNITION PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

CONVERSION KITS FOR SUBMACHINE GUNS

Product Designation	Product No										
HK MP5 SD (9 mm)	5302580	OEM brl 5.75" (146 mm) INSERT 5.75" (233 mm)									Yes
HK MP5 (9 mm)	5303330	OEM brl 8.86" (225 mm) INSERT 9.17" (233 mm)									Yes
HK MP5-K/KA4/KA5 (9mm)	5306770	OEM brl 4.53" (115 mm) INSERT 5.30" (135 mm)			9 mm can 2	9 mm can 2		No	5301761SP - H&K MP5 9 mm SecuriBlank® Magazine		
HK MP5-K PDW (9 mm)	5307570	OEM brl 8.85" (225 mm) INSERT 9.17" (233 mm)							Refer to Canadian Regulations		
HK MP5-N (9 mm)	5309380	OEM brl 5.00" (127 mm) INSERT 6.02" (153 mm)									
HK MP7 (9 mm) DEDICATED WEAPON	5314380	9.5" 241.3 mm		9 mm	9 mm can 2	9 mm can 2					
HK MP7 (9 mm) CONVERSION KIT REQUIRES WEAPON MODIFICATIONS	5314385	9.5" 241.3 mm		9 mm	9 mm can 2	9 mm can 2		Yes	5314530SP MP7 9 mm Magazine	Yes	
SIG MPX (9 mm) call before ordering	5314770	6" 152 mm						No	None		
SIG MPX 8"brl (9 mm)	5313780	OEM brl 8.00" (203 mm) INSERT 9.17" (233 mm)									
SIG MPX 4.5"brl (9 mm)	5314760	OEM brl 4.5" (114 mm) INSERT 5.75" (146 mm)						No	None		
SIG MCX Rattler PCB (9 mm)	5314540	5.5" 140 mm			9 mm can 2	9 mm can 2					
SIG MCX Rattler SBR (9 mm)	5314550	9" 229 mm						Yes	5308310SP 9 mm FX® and SecuriBlank® 20 rds		

BARREL LENGHT	COMMENT REGULATIONS	TRAINING AMMUNITION COMPATIBILITY				TRAINING AMMUNITION PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

UPPER RECEIVERS FOR 5.56MM RIFLES & CARBINES

Product Designation	Product No												
COLT M4A1 Flat top (9 mm) Upper Kit Blue Handguard	5305655	14.5" 368.3 mm	EAR (CC)	9 mm	9 mm	9 mm 	9 mm 	50 rds/box 500 rds/box	2 Magazines (20 rds)	5308310SP - FX® and SecuriBlank® Magazine (20 rds) for 9mm M16/M4 Upper Kit	Yes	<div></div>	Yes
COLT M16A3 Carbine (9 mm) Upper Kit	5306585	14.5" 368.3 mm							1 Magazine (20 rds)				
COLT M16A3 Rifle (9 mm) Upper Kit Blue Handguard	5305375	20" 508 mm	EAR (CC)						1 Magazine (20 rds)	5308310SP - FX® and SecuriBlank® Magazine (20 rds) for 9mm M16/M4 Upper Kit		<div></div>	
M4/M16 Conversion parts Bolt, Barrel, Magazine	5314590	10.5" 267 mm											
	5314600	14.5" 368.3 mm											
	5314390	16,25"											
COLT SMG (9 mm) Upper Kit Blue Handguard	5306736	10.5" 267 mm											
COLT M16A3 Commando (9 mm) Upper Kit Blue Handguard	5308815	10.5" 267 mm	Designed for weapons equipped without sporter blocks EAR (CC)						1 Magazine	5308310SP - FX® and SecuriBlank® Magazine (20 rds) for 9mm M16/M4 Upper Kit	Yes	<div></div>	
COLT AR-15 (9 mm) Upper Kit Flat top Blue Handguard	5307465	16.25" 413 mm											
	5307485	20" 508 mm											
OPFOR Conversion Kit for M4/M16Carbine (9 mm) (AK47 Look-Alike) 1 x 9mm AK47 Upper 1 x Butt Stock 1 x Blue Barrel Indicator	5310950	14.5" 368.3 mm	EAR (CC)						2 Magazines	5311070SP - FX® and SecuriBlank® (HK416) Magazine		<div></div>	
HK416 D145RS (9 mm) Upper Kit 14.5"brl Blue Handguard	5311080	14.5" 368.3 mm										Yes	<div></div>
HK416 D10RS (9 mm) Upper Kit 10.5"brl Blue Handguard	5311090	10.5" 267mm										Yes	<div></div>

EAR (CC) : Bureau of Industry and Security US Departement of Commerce.

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

BARREL LENGHT	COMMENT REGULATIONS	TRAINING AMMUNITION COMPATIBILITY				TRAINING AMMUNITION PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

BOLT CONVERSION FOR 5.56MM RIFLES & CARBINE

Product Designation	Product No											
SIG MCX .300BLK RATTLER with 5.56 mm barrel sleeve (for suppressor)	5315985	13.2" 335 mm	For weapon barrel length of 9" with suppressor	5.56 mm	5.56 mm	5.56 mm	5.56 mm				N/A	
SIG MCX .300BLK RATTLER with 5.56 mm barrel sleeve (for suppressor)	5315980	10.5" 267 mm	For weapon barrel length of 5.5" with suppressor								N/A	
IWI TAVOR X95 5.56 mm (left hand)	5312470										Yes	
IWI TAVOR X95 5.56 mm (right hand)	5312320										Yes	
SA80 A2/A3/L85 5.56 mm	5310170										Yes	
SIG 550/551	5310120										Yes	

BOLT CONVERSION FOR 7.62X51MM RIFLES


Product Designation	Product No											
HK 417	5315900			7.62 mm	7.62 mm		7.62 mm				N/A	
FN SCAR-H	5314280			7.62 mm	7.62 mm		7.62 mm				N/A	

BARREL LENGHT	COMMENT REGULATIONS	TRAINING AMMUNITION COMPATIBILITY				TRAINING AMMUNITION PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

BOLT CONVERSION FOR 5.56MM MACHINE GUNS

Product Designation	Product No												
Bolt 5.56 mm FN MINIMI M249 with blue feed tray	5308440	OEM barrel											
Bolt 5.56 mm FN MINIMI M249 with blue discriminator	5310450	OEM barrel		5.56mm	5.56mm		5.56mm	50 rds/box 800 rds/case Linked	No	None	Yes	Yes	Yes

GRENADE LAUNCHER

Product Designation	Product No												
9 mm FX Conversion Kit for 40mm Non-Lethal Grenade Launcher	5312400	3.98" 101 mm	Comes with 3-40 mm cartridges carrier										
	5312405SP	3.98" 101 mm	Comes with 1-40 mm cartridges carrier	9 mm	9 mm		9 mm 	50 rds/box 500 rds/ case			Yes		
O Ring for Discriminator 40 mm Grenade Launcher	5312419SP		5 per pack						N/A	N/A			
Blue Discriminator Ring	5312410SP	N/A	2 per pack										
Discriminator Removal and Installation Tool	5312404SP		1 per pack	N/A	N/A	N/A	N/A	N/A			N/A		

The logo for SIMUNITION, featuring the word "SIMUNITION" in white, bold, sans-serif capital letters inside a red rectangular box.The logo for FX, featuring the letters "FX" in a stylized, bold, red font.

CANADA (HOME OFFICE)

GENERAL DYNAMICS
Ordnance and Tactical Systems–Canada

1 450 581 5999
Management System Certified
ISO 9001, ISO 14001 & ISO 45001

✈ www.gd-otscanada.com

USA

GENERAL DYNAMICS
Ordnance and Tactical Systems

1 860 404 0162
1 800 465 8255 (*USA Only*)

✈ info@simunition.com



WWW.SIMUNITION.COM

Trademarks and registered trademarks of General Dynamics Ordnance and Tactical Systems–Canada are denoted by TM and [®] respectively.
Distributed worldwide exclusively through the Simunition[®] network.

