



PRODUCT CATALOG

SIMUNITION®

**TRAINING FOR
THE REAL WORLD®**

NOVEMBER 2025

SIMUNITION®

TABLE OF CONTENTS

SIMUNITION® HISTORY >

INTEGRATED REALISTIC BASED TRAINING SYSTEM >

TRAINING FOR THE REAL WORLD® >

FIREARMS CONVERSION KITS >

SECURIBLANK® >

/ QUIET

/ LOUD

/ INERT

MARKING AND NON-MARKING FX® >

PERSONAL PROTECTIVE EQUIPMENT >

SIMUNITION® SAFETY CERTIFICATION COURSE >

INDEX >

/ Conversion kit compatibility
matrix and related information

CONTACT INFORMATION, SIMUNITION® WORLDWIDE >

Information published herein is subject to change at manufacturer's discretion without notice.



SIMUNITION®


The Pioneer of Non-Lethal Realistic Based Training

SINCE 1992, SIMUNITION® HAS BEEN THE PIONEER AND WORLD LEADER IN PROVIDING MILITARY, LAW ENFORCEMENT AND APPROVED RANGE MEMBERS WITH THE MOST REALISTIC AND **NON-LETHAL** REALISTIC BASED, SIMULATION TRAINING SYSTEM.

For over 30 years, military and police officers around the world have placed their trust in Simunition® to deliver realistic training.

Professionals whose lives depend on the best training possible know that they can always count on Simunition® FX® Marking and SecuriBlank® round to provide them with the most effective close range, reality-based training system.

The FX® system is comprised of FX® and SecuriBlank® training rounds, conversion kits and personal protective equipment. All three of these essential components are supported by a comprehensive Simunition® Scenario and Safety Certification Training Course.



INTEGRATED REALISTIC BASED TRAINING SYSTEM

- / Fully integrated training system
- / Top of the industry for quality and reliability
- / Realistic based training without the associated danger
- / Training rounds designed to function in Simunition® converted weapons

Simunition®
Conversion Kits

Non-Lethal
Training Rounds

Personal
Protective Equipment

Simunition®
Safety Certification Course



SIMUNITION®

TRAINING FOR THE REAL WORLD®



/ WORLD RENOWNED



/ ESTABLISHED DISTRIBUTION
NETWORK



/ LONG TERM CUSTOMER
SATISFACTION VALUES



GO FURTHER
WITH SIMUNITION® >

SIMUNITION® CONVERSION KITS

- / ONLY ONE CONVERSION KIT REQUIRED TO FIRE SECURIBLANK® AND FX® TRAINING ROUNDS
- / CONVERSION KITS AVAILABLE FOR MULTIPLE WEAPONS
- / EASILY INSTALLED WITHOUT MODIFICATION ON SERVICE WEAPON
- / DESIGNED AND MANUFACTURED FOR OPTIMUM SAFETY AND RELIABILITY

CONVERSION KIT LIST AND RELATED PRODUCTS >



SIMUNITION® CONVERSION KITS

RIFLES



5.56mm Rifle Conversion



.300BLK Solutions



Dedicated Upper Solution



AK47 Look alike

GRENADE LAUNCHER



MACHINE GUN



DEDICATED WEAPON



SHOTGUN



PISTOL



SUBMACHINE GUN



SIMUNITION® CONVERSION KITS

SAFETY

- / EACH CONVERSION KIT IS DESIGNED TO FIRE FX® AND SECURIBLANK® **NON-LETHAL** TRAINING ROUNDS ONLY
- / CONVERSION KIT SAFETY FEATURES ARE WEAPON DEPENDENT
- / CONVERSION KIT DOES NOT ALTER THE USE OF WEAPON SAFETY FEATURES

PERFORMANCE

- / REALISTIC RECOIL, FEEDING, EXTRACTION AND EJECTION FUNCTION WITH FX® AND SECURIBLANK® **NON-LETHAL** TRAINING ROUNDS

RELIABILITY

- / CONVERSION KIT DOES NOT DAMAGE THE WEAPON WHEN USED WITH SIMUNITION® APPROVED ROUNDS
- / SIMUNITION® CONVERSION KIT ENSURES PROPER OPERATION AND CYCLING OF THE SERVICE WEAPON
- / SIMUNITION® CONVERSION KITS HAVE A 5 YEAR OR 10,000 SIMUNITION® ROUNDS FIRED WARRANTY


[CONVERSION KIT LIST AND RELATED PRODUCTS >](#)

SPARE PARTS

KEEP YOUR SIMUNITION® CONVERSION KITS
IN TOP CONDITION WITH OUR SPARE PARTS
MAINTENANCE SERVICE

- / FIND YOUR PARTS EASILY THROUGH
OUR SPARE PARTS LIST
- / IF YOU NEED SUPPORT, PLEASE CALL
YOUR LOCAL SIMUNITION® DISTRIBUTOR

PLEASE CONSULT THE CONVERSION KIT LIST
FOR THE SPARE PARTS DRAWINGS AVAILABLE >



MAGAZINES


MAGAZINES FOR FX® AND SECURIBLANK®
NON-LETHAL TRAINING ROUNDS




9mm MP7 magazine
for SecuriBlank® and FX®
(5314530SP)



9mm M4/M16 Weapon
type Upper Magazine for
SecuriBlank® (5308312SP)
and FX® (5308310SP). Also
available for HK 416 weapon
(5311070SP)



FX® and SecuriBlank®
rounds only



100% live 5.56mm NATO
training rounds discrimination

5.56mm M4/M16 Weapon type
magazine for SecuriBlank®
and FX® (5314140SP)

Please call before ordering magazine for your specific weapon type.

CONVERSION KIT LIST AND RELATED MAGAZINES >

SIMUNITION

GENERAL DYNAMICS
Ordnance and Tactical Systems



SecuriBlank® Rounds

- / CLEANER THAN CONVENTIONAL BLANKS
- / PATENTED REDUCED-ENERGY TECHNOLOGY



INERT
9mm



QUIET
9mm



LOUD
9mm



QUIET
5.56mm



LOUD
5.56mm



LOUD
7.62X51mm



SecuriBlank® QUIET



THE SecuriBlank® QUIET SETS A NEW STANDARD AS
THE WORLD'S BEST SOUNDLESS BLANK ROUNDS



NO HEAVY METALS



HEARING PROTECTION

NOT required
but recommended



EYEWEAR

Required



STAND-OFF DISTANCE

0cm (0 ft)



MUZZLE ENERGY

0 joule



TERMINAL EFFECT

NO perforation of witness
paper at **point blank**

FEATURES

No Blank Firing Attachment
(BFA) required
Close range training
No muzzle blast and
excessive noise levels

Environmentally friendly
No gas discharge
Available in 9 mm and 5.56 mm
Reach compliant



CLASSROOM
DEMONSTRATIONS



DEFENSIVE
TACTICS TRAINING



NEW STUDENT TO PRACTICE
WEAPON CONTROL

CONSULT COMPLETE TECHNICAL INFORMATION >

SIMUNITION

GENERAL DYNAMICS
Ordnance and Tactical Systems



SecuriBlank® LOUD



INTERACTIVE
TRAINING SYSTEMS

WEAPON SAFETY
HANDLING

SecuriBlank® LOUD USES THE SIMUNITION® PATENTED REDUCED-ENERGY TECHNOLOGY AND WORKS WITH A SIMUNITION® CONVERSION KIT, INCREASING SAFETY AND ENSURING PROPER WEAPON FUNCTIONING



NO HEAVY METALS



HEARING PROTECTION

Required



EYEWEAR

Required



STAND-OFF DISTANCE

1m (3ft)



MUZZLE ENERGY

0.1 joule



TERMINAL EFFECT

NO perforation of witness
paper at 1m (3ft)

K9
TRAINING

FEATURES

No Blank Firing Attachment (BFA) required

Convenient for training
any time

Compatible with I-Miles and SAAB training system

Available in 9mm, 5.56 mm and 7.62x51mm

Reach compliant



SecuriBlank® INERT



NO PRIMER

THE **SecuriBlank® INERT** ROUNDS ARE USED FOR SIMULATING MANUAL CYCLING, MAGAZINE FEEDING, AND CLEARING PROCEDURES WITH A WEAPON EQUIPPED WITH A SIMUNITION® CONVERSION KIT.



NO HEAVY METALS

N/A



HEARING PROTECTION

NOT Required



EYEWEAR

NOT Required



STAND-OFF DISTANCE

N/A



MUZZLE ENERGY

N/A



TERMINAL EFFECT

N/A

FEATURES

Inert, No Primer, No Propellant

Environmentally friendly

Use with Simunition® Conversion Kit

Reusable

Use anywhere live Simunition®
Training Rounds are not accepted

Ideal for classroom training

Available in 9mm only



SAFE CLASSROOM
DEMONSTRATION



SIMULATE WEAPON
CLEARING PROCEDURE



PRACTICE WITH SAFE INERT
SIMUNITION® ROUNDS

CONSULT COMPLETE TECHNICAL INFORMATION >

SIMUNITION

GENERAL DYNAMICS
Ordnance and Tactical Systems



TECHNICAL INFORMATION



HEARING
PROTECTION



EYEWEAR



STAND-OFF
DISTANCE



MUZZLE
ENERGY



TERMINAL
EFFECT



NOISE LEVEL
PEAK



Gen
2



9mm
5.56mm

Not required
but recommended

Required

0m (0ft)

0 joule

NO perforation
of paper at
0m (0ft)

LOW noise from
weapon cycling



Gen
2



9mm
5.56mm

Required

Required

1m (3ft)

0.1 joule

NO perforation
of paper at
1m (3ft)

158 dB for 9mm
156 dB for
5.56mm



9mm

Not required

Not required

N/A

N/A

N/A

N/A



7.62x51mm

Required

Required

1m (3ft)

0.1 joule

NO perforation
of paper at
1m (3ft)

TBD*

SEE CONVERSION

KIT COMPATIBILITY > / 9mm/ 5.56mm/ 7.62x51mm

*Sound level taken at 100cm from muzzle
and 160cm above ground.



FX[®] MARKING and NON-MARKING ROUNDS

- / DESIGNED FOR UNSURPASSED PERFORMANCE WITH SIMUNITION[®] CONVERSION KITS ONLY
- / NON-TOXIC AND **NON-LETHAL** ROUNDS
- / VISIBLE AND PHYSICAL IMPACT AWARENESS ALLOWS ACCURATE ASSESSMENT OF SIMULATED LETHALITY
- / USED WITH FX[®] PERSONAL PROTECTIVE EQUIPMENT, INCLUDING MANDATORY HEAD, THROAT AND GROIN PROTECTION
- / REACH COMPLIANT

TECHNICAL SPECIFICATIONS >


/ 9mm / 5.56mm / 7.62mm





SUPERIOR FX® MARKING COMPOUND

- / THE FX® MARKING ROUNDS ARE KNOWN AS "THE WORLD'S MOST REALISTIC CLOSE-RANGE COMBAT TRAINING SYSTEM"
- / SAFEST NON-LETHAL PROJECTILE TECHNOLOGY THAT ENSURES OPERATOR SAFETY WHILE MAXIMIZING OPERATIONAL PERFORMANCE
- / SIMUNITION® MARKING COMPOUND IS UNMATCHED IN THE INDUSTRY
 - Excellent washability in cold water
 - Marking imprint highly visible
 - Cost effective for infrastructure and equipment maintenance
 - Available in six colors
 - Reach compliant



FX[®] PROJECTILE TERMINAL EFFECT

- / **FOR ALL CALIBERS, THE PATENTED FX[®] PROJECTILE DESIGN** is unique in the industry and engineered to maximize accuracy down range and provide unsurpassed safety to the operators
- / **FOR NON-LETHAL TRAINING ROUNDS,** a trade-off will always exist between muzzle velocity and impact safety
- / **ACCURACY** is maximized down range by achieving higher muzzle velocities than our competitors while remaining safe on impact with a mushrooming soft polymer projectile
- / **UNSURPASSED OPERATOR SAFETY** is achieved by a series of innovative design features that are activated upon initial contact with target

FX[®] PROJECTILE TERMINAL EFFECT



01

IN FLIGHT

Projectile is spin stabilized up to effective engagement range.



02

ENERGY DISSIPATION ON IMPACT BY DEFORMATION

Upon initial contact, impact energy is partially transformed into projectile deformation energy; hence, slowing down the projectile.



03

MARKING COMPOUND EXPELLED

Deformation of the FX[®] projectile expels the marking compound through the star shaped openings.



04

LARGER PROJECTILE DIAMETER FOR NON-PENETRATION SAFETY

Final impact energy is then transferred on a much larger impact diameter that serves two purposes:

- / Distributes impact force over a larger surface
- / Increases diameter of projectile to ensure non-skin penetration performance

FX[®]

FX[®] MARKING ROUNDS



THE WORLD'S MOST INTERACTIVE COMBAT TRAINING SYSTEM FOR THE ULTIMATE LEVEL OF REALISM



NO HEAVY METALS



HEARING PROTECTION

Recommended



Head



Neck



Groin

SIMUNITION[®] APPROVED

- / **Non-lethal** Rounds for Reality Based Training
- / Available in 9mm, 5.56mm and 7.62 x 51mm



- / Available in up to six colors
- / Very easy to clean
- / No special ballistic facility required
- / Reach compliant

*Exposed bare skin is not recommended.

TECHNICAL SPECIFICATIONS > / 9mm / 5.56mm / 7.62mm

CONVERSION KIT LIST AND RELATED PRODUCTS > / 9mm / 5.56mm / 7.62mm

INDIVIDUAL AND TEAM SITUATIONS

COUNTER TERRORISM

CLOSE QUARTER BATTLE

SIMUNITION

GENERAL DYNAMICS
Ordnance and Tactical Systems

FX[®]

FX[®] NON-MARKING ROUNDS



THE WORLD'S MOST INTERACTIVE COMBAT TRAINING
SYSTEM FOR THE ULTIMATE LEVEL OF REALISM



NO HEAVY METALS



HEARING PROTECTION

Recommended



Head



Neck



Groin

SIMUNITION[®] APPROVED

- / **Non-lethal** Rounds for Reality Based Training
- / Train in public areas without the marking feature in schools, hospitals and office buildings
- / No marking imprint to clean

- / Compatible with laser based training simulators
- / Available in 9mm, 5.56mm and 7.62 x 51mm
- / Reach compliant



TRAINING IN SCHOOL
OR OFFICE BUILDING



SITUATIONAL
TRAINING



MISSION
REHEARSAL

TECHNICAL SPECIFICATIONS > / 9mm / 5.56mm / 7.62mm

CONVERSION KIT LIST AND RELATED PRODUCTS > / 9mm / 5.56mm / 7.62mm



TECHNICAL INFORMATION



PROJECTILE
WEIGHT



STAND-OFF
DISTANCE



MUZZLE
VELOCITY



ACCURACY



IMPACT
ENERGY




MAXIMUM
RANGE



SOUND
LEVEL

9mm FX® GEN 2

MARKING



0.4 grams
6.2 grains

30cm
(1ft)

110-160m/s*
(360-525 fps*)

Can achieve**:
Pistol: 5cm at 7.6m
Rifle: 2cm at 7.62m

2.4-5 joules

***150m
(492 ft)

****147dB

Available colors



NON-MARKING



0.27 grams
4 grains

30cm
(1ft)

120-190m/s*
(394-623 fps*)

Can achieve**:
2.5cm at 7.6m

1.9-4.8 joules

***150m
(492 ft)

****147dB

Information published herein is subject to change at manufacture's discretion without notice. Dimensions, weights and velocities are nominal. Values are dependent on type of weapon, barrel length, rifling, cleanliness, and shall not be used for lot acceptance.

* Weapon dependent and velocity taken at 3.5m from muzzle.

** Maximum spread.

*** Wind speed 0m/s, elevation 68.8°.

**** Sound level taken at 100cm from muzzle and 160cm above ground.

SEE CONVERSION
KIT COMPATIBILITY >

SIMUNITION

GENERAL DYNAMICS
Ordnance and Tactical Systems



TECHNICAL INFORMATION



NO HEAVY METALS



PROJECTILE
WEIGHT



STAND-OFF
DISTANCE



MUZZLE
VELOCITY



ACCURACY



IMPACT
ENERGY



MAXIMUM
RANGE



SOUND
LEVEL

5.56mm FX®

MARKING



0.23 grams
3.5 grains

1m
(3.3ft)

190m/s*
(625 fps*)

20cm at 30m**
(8in at 100ft**)

4.2 joules*

*** 140m
(460ft)

**** 138dB

Available colors for
marking rounds



SEE CONVERSION
KIT COMPATIBILITY >

* Weapon dependent and velocity taken at 3.5m from muzzle.

** Maximum spread.

*** Wind speed 0m/s, elevation 68.8°.

**** Sound level taken at 100cm from muzzle and 160cm above ground.



TECHNICAL INFORMATION



NO HEAVY METALS



PROJECTILE
WEIGHT



STAND-OFF
DISTANCE



MUZZLE
VELOCITY



ACCURACY



IMPACT
ENERGY



MAXIMUM
RANGE



SOUND
LEVEL

7.62 x 51mm FX® MARKING



0.4 grams
6.2 grains

1m
(3.3ft)

140/170m/s*
(460/557 fps*)

30cm at 30m**
(12in at 100ft**)

3.9-5.7 joules*

TBD*

TBD*

Available colors for
marking rounds



* Weapon dependent and velocity taken at 3.5m from muzzle.
** Maximum spread.
*** Wind speed 0m/s, elevation 68.8°.
**** Sound level taken at 100cm from muzzle and 160cm above ground.

SEE CONVERSION
KIT COMPATIBILITY >

SIMUNITION

GENERAL DYNAMICS
Ordnance and Tactical Systems

HEAD PROTECTOR
MANDATORY WITH FX®

1

NECK PROTECTOR
MANDATORY WITH FX®

2

3

4

5

6

7

GROIN PROTECTOR
MANDATORY WITH FX®

8

PERSONAL PROTECTIVE EQUIPMENT

FX®

SIMUNITION® CERTIFIED PERSONAL PROTECTIVE EQUIPMENT

Simunition® is the world's most realistic and effective interactive training system, allowing force-on-force scenarios where participants can safely fire FX® marking rounds at one another.

In order to reduce the risk of injury during these highly dynamic scenarios, Simunition® has developed a full line of protective equipment for all individuals.

This equipment is an integral part of the FX® training system.

ADVANTAGES

- / Designed, tested and approved to withstand Simunition® FX® marking rounds
- / Allows safe and realistic interactive training
- / Lightweight; comfortable and adjustable
- / Reduced pain penalty
- / Ability to act as you are hit
- / Good marking imprint characteristics
- / Easy to wash and dry

FX® 9002 HELMET HEAD PROTECTOR



#8971790

MANDATORY EQUIPMENT

The one-piece **FX® 9002 Helmet**, Head Protector provides complete head protection and can be worn with eyeglasses. The shell of this easy-to-clean head protector is produced from high-quality material and comes with two adjustable straps. Lenses are tested for impact resistance according to ANSI Z87.1 and EN166 standards, for additional details, contact your Simunition® distributor.

*Blue rubber deflector available for purchase as a spare part (8971292SP).



CLEANING INSTRUCTIONS >



USER MANUAL >



QUAD CHARTS AND TECHNICAL INFORMATION >
(Simunition® extranet site for distributors only)

FX® 9004 HELMET HEAD PROTECTOR

1



CERTIFIED FOR USE WITH SIMUNITION® FX® AND **FORCE**  **FORCE** MARKING AND NON-MARKING TRAINING ROUNDS

#8972264

MANDATORY EQUIPMENT

The **FX® 9004 Helmet** Head Protector is designed to improve breathability, fogging and hearing capability, and also to prevent projectile particles from entering the helmet. The 9004 Helmet Head Protector provides proper cheek well for improved target aiming, and is adaptable for most types of service including the use of night vision goggles. Most prescription corrective eyewear frames can be accommodated. One size fits all.

The **FX® 9004** has all the capabilities and features of the FX® 9003 plus the above. All foam inserts are closed cells and are removable for easy cleaning. All components of this helmet can be taken apart quickly, without tools, for easy maintenance and cleaning.

Lenses are tested for impact resistance according to ANSI Z87.1 and EN166 standards, for additional details consult: Assessment Tests Performed on Simunition® FX® 9002 and FX® 9003 Goggles on Simunition® extranet site for additional details contact your Simunition® distributor.

Available in black.



CLEANING INSTRUCTIONS >



USER MANUAL >



QUAD CHARTS AND TECHNICAL INFORMATION >
(Simunition® extranet site for distributors only)

FX® 9000 SERIES PROTECTIVE EQUIPMENT

2



#8971764

MANDATORY EQUIPMENT

FX® 9000 THROAT COLLAR (OSFA)

This throat collar fits snugly around the neck, it is produced of high-strength textile.

Available in black.

One size fits all.

3



S/M: #8971281

L/XL: #8971286

FX® 9000 SLEEVES

FX® 9000 sleeves provide shoulder protection, made of high-strength textile.

Available in black.

S M L XL

4



M: #8971830

F: #8971835

FX® 9000 VEST

Providing outstanding torso protection, the FX® 9000 vest is produced from high-strength textile.

Two (2) models available:

Male

Female (extra chest padding)

Available in black.

One size fits all, XXL available (PN 8972300)

FX® 9000 SERIES PROTECTIVE EQUIPMENT

5



S: #8971875 M: #8971876
L: #8971877 XL: #8971878
XXL: # 8971879

FX® 9000 GLOVES

FX® 9000 gloves are made of high-quality materials for allweather handgun use. They feature a synthetic leather palm providing an excellent grip, a long wrist cuff and added protection to the wrist, top of hand, thumb and finger tips.

Available in black.

S M L XL XXL

6



#8971517

FX® 9000 ARM PROTECTORS

FX® 9000 arm protectors slip on and off easily and are made of high-strength textile.

Available in black.

One size fits all.

7



Male

Female

#8971770

#8971771

MANDATORY EQUIPMENT

FX® 9000 GROIN PROTECTORS

Designed for external wear, FX® 9000 groin protectors are made of high-strength textile, and feature three (3) adjustable straps.

Available in black.

8



S: #8971215 M: #8971216

L: #8971217 XL: #8971218

FX® 9000 PANTS

FX® 9000 pants provide buttocks and thigh protection. Made of high-strength textile and compatible with the user's duty belt.

Available in black.

S (30"-34" / 76.2-86.4cm)

M (36"-38" / 91.4-96.5cm)

L (40"-42" / 101.6-106.7cm)

XL (44"-46" / 111.8-116.8cm)



QUAD CHARTS AND TECHNICAL INFORMATION >
(Simunition® extranet site for distributors only)

SIMUNITAS

GENERAL DYNAMICS
Ordnance and Tactical Systems



SIMUNITION® SAFETY CERTIFICATION COURSE

SIMUNITION® SAFETY COURSE IS PART OF THE
SIMUNITION® INTEGRATED TRAINING SYSTEM

TRAINERS WITH REAL EXPERIENCE

Top-rate instruction starts with top-rate instructors. Our trainers have extensive military and law enforcement experience, and are completely versed in all aspects of the Simunition® training program.

REAL-WORLD SCENARIOS

Half the time is spent in class covering technology, training methodology and scenario design. The rest of the course is spent performing the scenarios that were developed in class.

REAL WEAPONS

The instructor allows participants to use their service weapons modified with Simunition® conversion kits, in non-lethal, force-on-force scenarios.

Conversion kits are available for the majority of law enforcement and military weapons, including most pistols, revolvers, shotguns, sub-machine guns, and the complete M4/M16/AR-15 family of rifles and carbines.

REAL INFORMATION

Our course offers the only General Dynamics authorized training class, you get the most complete and up-to-date information on the whole Simunition® training system comprising of the FX® marking munitions, the Simunition® weapon conversion kits and the Simunition® personal protective equipment. You also receive information on all our reduced and full energy training rounds.

SAFE TRAINING SYSTEM

Safety is our number one priority. All participants will learn how to safely run scenarios, establish a secure training perimeter, and use all mandatory and optional protective equipment.

GET SIMUNITION® TRAINING FOR THE REAL WORLD®

GO TO **WWW.SIMUNITION.COM**
NOW TO REGISTER ONLINE!



INDEX

CONVERSION KIT COMPATIBILITY MATRIX AND RELATED INFORMATION

BARREL LENGTH	COMMENT REGULATIONS	TRAINING ROUNDS COMPATIBILITY				TRAINING ROUNDS PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

CONVERSION KITS FOR PISTOLS

BERETTA

Product Designation	Product No											
Beretta 92 FS (9mm) - 96 (.40 S&W)	5308270	5.03" 128mm				9mm	9mm				Yes	
Beretta APX MOS FULL SIZE	5312900	4.45" 113mm				9mm	9mm				No	
PAMAS (9mm)	5303530	OLD VERSION 5.34" 136mm NEW VERSION 5.03" 128mm										
Beretta 92 FS Centurion (9mm)	5308290	4.40" 112mm				9mm	9mm				Yes	
Beretta 96 Centurion (.40 S&W)												
Beretta PX4 standard (9mm/.40 S&W)	5311460	3.92" 100mm										
M9	5306316	5.03" 128mm				9mm	9mm					
			9mm	9mm				50 rds/box 500 rds/case	No	None*		


COLT

Product Designation	Product No											
Colt 1911 (.45 ACP)	5305810	5.16" 131mm	EAR (CC)	9mm	9mm			50 rds/box 500 rds/case	Yes 1 Magazine	5305801SP - Magazine, Colt 1911 Modified for (9mm FX®)	Yes	

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX® and SecuriBlank® Training Rounds.

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

	BARREL LENGTH	COMMENT REGULATIONS	TRAINING ROUNDS COMPATIBILITY				TRAINING ROUNDS PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO	
			FX®		SecuriBlank®			Included in kit	Optional magazine				
			Marking	Non Marking	Quiet	Loud							
GLOCK													
Product Designation			Product No										
GLOCK 17 (9mm), 22 & 35 (.40 S&W) and Glock 31 (.357 Sig) GEN 3 Improved	5312600	4.72" 120mm	Glock GEN 3 Only	9mm	9mm	9mm 	9mm 	50 rds/box 500 rds/case	No	None*	Yes		
GLOCK 19 (9mm) 23 (.40 S&W) GEN 3 Improved	5312610	4.24" 108mm											
GLOCK (9mm) 19/23 (.40 S&W) MOS GEN 3 Improved	5315020	4.24" 108mm											
GLOCK 17 (9mm) 22/35 (.40 S&W) and Glock 31 (.357 Sig) MOS GEN 3 Improved	5315030	4.72" 120mm											
GLOCK 17 (9mm), 22/35 (.40 S&W) and Glock 31 (.357 Sig) GEN 4	5312000	4.72" 120mm	Glock GEN 4 Only										
GLOCK 19 (9mm)/23 (.40 S&W) GEN 4	5312025	4.24" 108mm											
GLOCK 17 (9mm) 22/35 (.40 S&W) and Glock 31 (.357 Sig) MOS GEN4	5313870	4.72" 120mm											
GLOCK 19 (9mm)/23/22/35 (.40 S&W) MOS GEN 4	5314340	4.24" 108mm											
GLOCK 19/45 (9mm)/23 (.40 S&W) GEN 5	5313900	4.24" 108mm	Glock GEN 5 Only										
GLOCK 17 (9mm) 22/35 (.40 S&W) and Glock 31 (.357 Sig) GEN 5	5313930	4.72" 120mm											
GLOCK 17 (9mm) 22/35 (.40 S&W) and Glock 31 (.357 Sig) MOS GEN 5	5314350	4.72" 120mm											
GLOCK 19/45 (9mm)/23 (.40 S&W) MOS GEN 5	5314370	4.24" 108mm											
Glock 47 (9mm) MOS GEN 5	5316750	4.72" 120mm											
Simunition® Barrel for Glock 17T Gen 3/4 Blue Gun	5316320	4.72" 120mm	GEN 3 & GEN 4 Only										

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX® and SecuriBlank® Training Rounds.

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

SIMUNITION

GENERAL DYNAMICS
Ordnance and Tactical Systems

BARREL LENGTH	COMMENT REGULATIONS	TRAINING ROUNDS COMPATIBILITY				TRAINING ROUNDS PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

GLOCK

Product Designation	Product No												
Simunition® barrel for Glock 17T Gen 5 Blue Gun)	5316420	4.72" 120mm	Glock GEN 5 Only	9mm	9mm	9mm 	9mm 	50 rds/box 500 rds/case	No	None*	Yes		
Simunition® barrel for Glock 19T Gen 3/4/5 Blue Gun	5316570	4.24" 108mm	Glock GEN 3, 4 & 5										

CONVERSION KITS FOR PISTOLS

HECKLER & KOCH

Product Designation	Product No																
HK USP Std (9mm/.40 S&W)	5308650	4.25" 108mm		9mm	9mm	9mm 	9mm 	50 rds/box 500 rds/case	No	None*	Yes						
HK USP Compact (9mm/.40S&W)	5311290	3.58" 91mm															
HK P2000 (9mm/.40 S&W)	5311390	3.69" 94mm				9mm 	9mm 										
						(as of 2019)	(as of 2019)										
HK P30 (9mm/.40 S&W)	5311755	3.86" 98mm				9mm 	9mm 										
HK VP-9 MOS (9mm/.40 S&W)	5313505	4.3" 109mm															
HK VP-9 (9mm/.40 S&W)	5313500	4.3" 109mm															

SIG SAUER

Product Designation	Product No												
SIG M11 (9mm)	5309430	3.84" 98mm		9mm	9mm			50 rds/box 500 rds/case	No	None	Yes		
SIG P225 (9mm)	5306700	3.84" 98mm											

		BARREL LENGTH	COMMENT REGULATIONS	TRAINING ROUNDS COMPATIBILITY				TRAINING ROUNDS PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO		
				FX®		SecuriBlank®			Included in kit	Optional magazine					
				Marking	Non Marking	Quiet	Loud								
SIG SAUER															
Product Designation		Product No													
SIG P226 (9mm)	5307500	4.45" 113mm		9mm	9mm	9 mm 	9 mm 	50 rds/box 500 rds/case	No	None	Yes				
SIG P226 S/Steel (9mm)	5308590	4.45" 113mm											Yes		
SIG P226 S/Steel (.357SIG/.40 S&W)	5308580*	4.45" 113mm													
SIG P228 (9mm)	5306890	3.84" 98mm													
SIG P229 (9mm/.40 S&W/.357)	5309160*	3.84" 98mm													
SIG P320 Full Size (9mm/.40 S&W)	5313070*	4.96" 126mm											Yes		Yes
SIG P320 Compact/Carry (9mm/.40 S&W)	5313330*	4.10" 104mm													
SIG 2022/ SIG PRO 2009/2340 (9mm/.40 S&W)	5309030*	3.84" 98mm													
SIG P320 Full Size (9mm/.40 S&W) ROMEO 01	5315600*	4.96" 126mm													
SIG P320 Compact (9mm/.40 S&W) ROMEO 01	5315700*	4.10" 104mm													
SIG P320 Full Size (M17) MOS (9mm/.40 S&W)	5314320*	4.96" 126mm					9 mm 					9 mm 			
SIG P320 Compact/ Carry (M18) MOS (9mm/.40 S&W)	5314330*	4.10" 104mm													

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX® and SecuriBlank® Training Rounds.

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

BARREL LENGTH	COMMENT REGULATIONS	TRAINING ROUNDS COMPATIBILITY				TRAINING ROUNDS PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

SMITH & WESSON

Product Designation	Product No											
S&W M&P (9mm/.40 S&W)	5314740*	4.26" 107mm				9mm 	9mm			None*		Yes
S&W M&P Barrel for 9mm SecuriBlank® only (9mm/.40S&W)	5314580*	4.26" 107mm				9mm  						
S&W Series 400X (.40 S&W)	5304720	4.06" 103mm								None*		Yes
S&W Series 590X (9mm)	5302080	4.06" 103mm										
S&W Series 594X	5304850	4.06" 103mm										
S&W Series 690X (9mm)	5306680	3.60" 91mm			9mm			50 rds/box 500 rds/case	No	Yes		
S&W M&P TLC-1 (9mm)	5304750	4.26" 107.3mm										
S&W M&P M2.0 (9mm)	5314220	4.2" 106mm				9mm 	9mm			None		
S&W M&P 2.0 (9mm) 4.0" Compact	5314210	4.10" 104mm										
S&W M&P 2.0 (9mm) 4.2" MOS	5315800	4.2" 106mm										

BARREL LENGTH	COMMENT REGULATIONS	TRAINING ROUNDS COMPATIBILITY				TRAINING ROUNDS PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

WALTHER*

Product Designation	Product No												
Walther P99QA (9mm/.40 S&W) QA	5308900*	4.07" 103.4mm		9mm	9mm	9mm 	9mm 	50 rds/box 500 rds/case	No	None*	Yes		
Walther P99DAO (9mm/.40 S&W) DAO	5308910*	4.07" 103.4mm											
Walther P99 PPQ (9mm/.40 S&W)	5312440*	4.07" 103.4mm											
Walther P99 DA/SA (9mm/.40 S&W)	5308840*	4.14" 105mm											
Walther PDP OPTIC CUT 2.0 (9mm/.40 S&W)	5315890*	4.58" 116.3mm											
Walther P99Q-08	5311500	4.07" 103.4mm											

OTHERS*

Product Designation	Product No												
Browning HP (9mm)	5303890	4.76" 121mm		9mm	9mm			50 rds/box 500 rds/case	No	None	Yes		
Jericho 941 F (9mm)	5312500	4.41" 112mm											
Jericho 941 PSL (9mm)	5312530	3.87" 98.3mm											
CZ75D (9mm)	5310150	3.73" 95mm											
FN509 Full Size (9mm)	5313550	4.12" 105mm										Yes	Yes
FN 509 MRD	5316270	4.12" 105mm											
Springfield XD-9 (9mm)	5313150	4.16" 105.5mm				9mm 	9mm 						
Springfield XD-9 MOD2 (9mm)	5313730	4.16" 105.5mm											
Canik METE MOS SFX (9mm)	5316030	5.26" 137mm											

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX® and SecuriBlank® Training Rounds.

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

BARREL LENGTH	COMMENT REGULATIONS	TRAINING ROUNDS COMPATIBILITY				TRAINING ROUNDS PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

OTHERS*

Product Designation	Product No											
Canik TP9 Elite (9mm)	5313960	4.29" 109mm										
Staccato C2 drop in barrel	5316800	4.11" 104mm										
Staccato P drop in barrel	5315770	4.68" 119mm		9mm	9mm	9mm	9mm	50 rds/box 500 rds/case	No	None	Yes	
Shadow Systems XR920/MR920	5316610	4.40" 112mm										
Shadow Systems DR920	5316430	4.9" 124.5mm										

CERTIFIED OEM DEDICATED TRAINING WEAPONS

Product Designation	Product No											
AK47 Dedicated Rifle		18.9" 480mm	Contact CFC+ (212) 244-4040 or Ryder@ centrefirearms.com						2 Magazines (30 rds)	Yes		
Beretta ARX-160		18.11" 460mm	Contact Pezt CO. S.R.L. +(39) 030-745-0136 or enea@peztco.com	5.56mm	5.56mm			20 rds/box 500 rds/case clipped				
FAMAS		20.10" 510mm	Contact Rivolier SAS								Yes	
FN F2000	5313860	17.44" 443mm	Contact GDOTS Canada	5.56mm	5.56mm			20 rds/box 500 rds/case clipped	No	None		
FN509 Blue Gun		4.00" 102mm	Contact FN USA									
GLOCK 17T/19T Blue Training Pistol			Contact Glock Distributor	9mm	9mm	9mm	9mm	50 rds/box 500 rds/case				
SIG FOF 2022			Contact SIG SAUGER		9mm			50 rds/box 500 rds/case			Yes	

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX® and SecuriBlank® Training Rounds.
Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

BARREL LENGTH	COMMENT REGULATIONS	TRAINING ROUNDS COMPATIBILITY				TRAINING ROUNDS PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

CERTIFIED OEM DEDICATED TRAINING WEAPONS

Product Designation	Product No												
SIG P-226 Blue Gun		4.45" 113mm	Contact SIG SAUGER			9 mm GEN 2							
S&W M&P Blue Gun (9mm/.40S&W)		4.26" 109mm	Contact S&W USA	9mm	9mm	9mm See Note 1 GEN 2	9 mm See Note 1 GEN 2	50 rds/box 500 rds/case			Yes		
S&W M&P M2.0 Blue Gun (9mm/.40S&W)		4.1" 104mm	Contact S&W USA			9 mm GEN 2	9 mm GEN 2		No	None			
Steyr AUG			Contact Thales Australia	5.56mm	5.56mm			20 rds/box 500 rds/case clipped					
APC9			Contact B&T sean@bt-usa.com	9mm	9mm	9mm	9mm	50 rds/box 500 rds/case					

CONVERSION KITS FOR SHOTGUNS

Product Designation	Product No												
12 gauge pump action for use with 9mm FX®	5312430	2.55" 65mm	Comes with a 5 rounds carrier	9mm	9mm	9mm GEN 2	9mm GEN 2	50 rds/box 500 rds/case	N/A	N/A	Yes		
12 gauge pump action or use with 9mm FX®	5314080	2.55" 65mm	Comes with a 7 rounds carrier	9mm	9mm	9mm GEN 2	9mm GEN 2	50 rds/box 500 rds/case	N/A	N/A	Yes		

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

Note 1: A special barrel is required for SecuriBlank® GEN2 see #5314580 on page 40.

BARREL LENGTH	COMMENT REGULATIONS	TRAINING ROUNDS COMPATIBILITY				TRAINING ROUNDS PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

CONVERSION KITS FOR SUBMACHINE GUNS

Product Designation	Product No										
HK MP5 SD (9mm)	5302580	OEM brl 5.75" (146mm) INSERT 5.75" (233mm)									Yes
HK MP5 (9mm)	5303330	OEM brl 8.86" (225mm) INSERT 9.17" (233mm)									Yes
HK MP5-K/KA4/KA5 (9mm)	5306770	OEM brl 4.53" (115mm) INSERT 5.30" (135mm)			9mm 	9mm 		No	5301761SP - H&K MP5 9mm SecuriBlank® Magazine		
HK MP5-K PDW (9mm)	5307570	OEM brl 8.85" (225mm) INSERT 9.17" (233mm)							Refer to Canadian Regulations		
HK MP5-N (9mm)	5309380	OEM brl 5.00" (127mm) INSERT 6.02" (153mm)									
HK MP7 (9mm) Dedicated Weapon	5314380	9.5" 241.3mm			9mm 	9mm 					
HK MP7 (9mm) Conversion Kit Requires Weapon Modifications	5314385	9.5" 241.3mm			9mm 	9mm 		Yes	5314530SP MP7 9mm Magazine	Yes	
SIG MPX (9mm) Call Before Ordering	5314770	6" 152mm						No	None		
SIG MPX 8"brl (9mm)	5313780	OEM brl 8.00" (203mm) INSERT 9.17" (233mm)									
SIG MPX 4.5"brl (9mm)	5314760	OEM brl 4.5" (114mm) INSERT 5.75" (146mm)						No	None		
SIG MCX Rattler PCB (9mm)	5314540	5.5" 140mm									
SIG MCX Rattler SBR (9mm)	5314550	9" 229mm			9mm 	9mm 		Yes	5308310SP 9mm FX® and SecuriBlank® 20 rds		

		BARREL LENGTH	COMMENT REGULATIONS	TRAINING ROUNDS COMPATIBILITY				TRAINING ROUNDS PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO				
				FX®		SecuriBlank®			Included in kit	Optional magazine							
				Marking	Non Marking	Quiet	Loud										
UPPER RECEIVERS FOR 5.56MM RIFLES & CARBINES																	
Product Designation	Product No																
9mm AR UPPER with MLOK Handguard	5316500	11.5"		9mm	9mm	9mm 	9mm 	50 rds/box 500 rds/box									
9mm AR UPPER with MLOK Handguard	5316670	14.5"															
COLT M4A1 Flat Top (9mm) Upper Kit Blue Handguard	5305655	14.5" 368.3mm	EAR (CC)										2 Magazines (20 rds)	5308310SP - FX® and SecuriBlank® Magazine (20 rds) for 9mm M16/M4 Upper Kit	Yes		Yes
COLT M16A3 Carbine (9mm) Upper Kit	5306585	14.5" 368.3mm											1 Magazine (20 rds)				
COLT M16A3 Rifle (9mm) Upper Kit Blue Handguard	5305375	20" 508mm	EAR (CC)										1 Magazine (20 rds)	5308310SP - FX® and SecuriBlank® Magazine (20 rds) for 9mm M16/M4 Upper Kit			Yes
M4/M16 Conversion Parts Bolt, Barrel, Magazine	5314590	10.5" 267mm															
	5314600	14.5" 368.3mm															
	5314390	16.25"															
COLT SMG (9mm) Upper Kit Blue Handguard	5306736	10.5" 267mm											No	None			
COLT M16A3 Commando (9mm) Upper Kit Blue Handguard	5308815	10.5" 267mm											1 Magazine	5308310SP - FX® and SecuriBlank® Magazine (20 rds) for 9mm M16/M4 Upper Kit	Yes		
COLT AR-15 (9mm) Upper Kit Flat top Blue Handguard	5307465	16.25" 413mm	Designed for weapons equipped without sporter blocks EAR (CC)														
	5307485	20" 508mm															
OPFOR Conversion Kit for M4/M16 Carbine (9mm) (AK47 Look-Alike) 1 x 9mm AK47 Upper 1 x Butt Stock 1 x Blue Barrel Indicator	5310950	14.5" 368.3mm	EAR (CC)										2 Magazines				

BARREL LENGTH	COMMENT REGULATIONS	TRAINING ROUNDS COMPATIBILITY				TRAINING ROUNDS PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

UPPER RECEIVERS FOR 5.56MM RIFLES & CARBINES

Product Designation	Product No												
HK416 D145RS (9mm) Upper Kit 14.5" brl Blue Handguard	5311080	14.5" 368.3mm	EAR (CC)	9mm	9mm	9mm 	9mm 	50 rds/box 500 rds/box	2 Magazines	5311070SP - FX® and SecuriBlank® (HK416) Magazine	Yes	Yes	
HK416 D10RS (9mm) Upper Kit 10.5" brl Blue Handguard	5311090	10.5" 267mm										Yes	

BOLT CONVERSION FOR 5.56MM RIFLES & CARBINE

Product Designation	Product No																
Bolt 5.56mm M4/M16/C7/C8/ SIG 516/SIG M400 and AR15 without Sporter block	5308990		EAR (CC)	5.56mm	5.56mm	5.56mm	20 rds/box 500 rds/case clipped. Certain training rounds configurations come in 1000 rounds packaging.	No	5314140SP - 5.56mm FX® and SecuriBlank® Clear Magazine EAR (CC)	Yes	Yes						
Bolt 5.56mm AR15 with Sporter block only	5310380																
Bolt 5.56mm M4 Variants HK416/M4/M16	5311350																
5.56mm AR UPPER with MLOK Handguard	5316520	11.5"															
5.56mm AR UPPER with MLOK Handguard	5316680	14.5"															
HK G36	5311880																
Bolt 5.56mm FNC/AK5 Family	5309310																
Bolt 5.56mm FN SCAR SC	5314610																
Bolt 5.56mm FN SCAR L	5314620										5.56mm	5.56mm			5314140SP - 5.56mm FX® and SecuriBlank® Clear Magazine EAR (CC)		Yes
Bolt 5.56mm FN SCAR L Fixed handle	5314630																

BARREL LENGTH	COMMENT REGULATIONS	TRAINING ROUNDS COMPATIBILITY				TRAINING ROUNDS PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

BOLT CONVERSION FOR 5.56MM RIFLES & CARBINE

Product Designation	Product No											
SIG MCX (5.56mm)	5313420					5.56mm	5.56mm	20 rds/box 500 rds/case clipped. Certain training rounds configurations come in 1000 round packaging.	No	5314140SP - 5.56mm FX® and SecuriBlank® Clear Magazine EAR (CC)	Yes	
SIG MCX RATTLER (5.56mm)	5314480	5.5" 140mm				5.56mm	5.56mm	20 rds/box 500 rds/case clipped				
	5314490	9" 229mm										

BOLT CONVERSION FOR 5.56MM RIFLES & CARBINE

Product Designation	Product No											
.300BLK Conversion Kit for AR Style upper	5316180	Please call before ordering										
SIG MCX .300BLK RATTLER with 5.56mm barrel sleeve (for suppressor)	5315985	13.2" 335mm	For weapon barrel length of 9" with suppressor			5.56mm	5.56mm				N/A	
SIG MCX .300BLK RATTLER with 5.56mm barrel sleeve (for suppressor)	5315980	10.5" 267mm	For weapon barrel length of 5.5" with suppressor								N/A	
IWI TAVOR X95 5.56mm (left hand)	5312470			5.56mm	5.56mm						Yes	
IWI TAVOR X95 5.56mm (right hand)	5312320										Yes	
SA80 A2/A3/L85 5.56mm	5310170										Yes	
SIG 550/551	5310120										Yes	

BARREL LENGTH	COMMENT REGULATIONS	TRAINING ROUNDS COMPATIBILITY				TRAINING ROUNDS PACKAGING	MAGAZINE		USER MANUAL	SPARE PARTS	VIDEO
		FX®		SecuriBlank®			Included in kit	Optional magazine			
		Marking	Non Marking	Quiet	Loud						

BOLT CONVERSION FOR 7.62X51MM RIFLES

Product Designation	Product No											
HK 417	5315900			7.62mm			7.62mm				N/A	

BOLT CONVERSION FOR 5.56MM MACHINE GUNS

Product Designation	Product No											
Bolt 5.56mm FN MINIMI M249 with blue feed tray	5308440	OEM barrel		5.56mm	5.56mm		5.56mm	50 rds/box 800 rds/case linked	No	None	Yes	Yes
Bolt 5.56mm FN MINIMI M249 with blue discriminator	5310450	OEM barrel										

GRENADE LAUNCHER

Product Designation	Product No											
9mm FX Conversion Kit for 40mm Non-Lethal Grenade Launcher	5312400	3.98" 101mm	Comes with 3-40mm rounds carrier	9mm	9mm		9mm 	50 rds/box 500 rds/case	N/A	N/A	Yes	
	5312405SP	3.98" 101mm	Comes with 1-40mm rounds carrier									
O Ring for Discriminator 40mm Grenade Launcher	5312419SP	N/A	5 per pack	N/A	N/A	N/A	N/A	N/A			N/A	
Blue Discriminator Ring	5312410SP		2 per pack									
Discriminator Removal and Installation Tool	5312404SP		1 per pack									

The logo for SIMUNITION, featuring the word "SIMUNITION" in white, bold, sans-serif capital letters inside a red rectangular box.The logo for FX, featuring the letters "FX" in a stylized, bold, red font.

CANADA (HOME OFFICE)
GENERAL DYNAMICS
Ordnance and Tactical Systems–Canada

1 450 581 5999
Management System Certified
ISO 9001, ISO 14001 & ISO 45001

✈ www.gd-otscanada.com

USA
GENERAL DYNAMICS
Ordnance and Tactical Systems

1 860 404 0162
1 800 465 8255 (USA Only)

✈ info@simunition.com



WWW.SIMUNITION.COM

Trademarks and registered trademarks of General Dynamics Ordnance and Tactical Systems–Canada are denoted by ™ and ® respectively.
Distributed worldwide exclusively through the Simunition® network.

