

PRODUCT CATALOG

# SIMUNITION®

TRAINING FOR  
THE REAL WORLD®

FEBRUARY 2026

# SIMUNITION®

## TABLE OF CONTENTS

[SIMUNITION® HISTORY >](#)

[INTEGRATED REALISTIC BASED TRAINING SYSTEM >](#)

[TRAINING FOR THE REAL WORLD® >](#)

[FIREARMS CONVERSION KITS >](#)

[SECURIBLANK® >](#)

/ QUIET

/ LOUD

/ INERT

[MARKING AND NON-MARKING FX® >](#)

[PERSONAL PROTECTIVE EQUIPMENT >](#)

[SIMUNITION® SAFETY CERTIFICATION COURSE >](#)

[INDEX >](#)

/ Conversion kit compatibility  
matrix and related information

[CONTACT INFORMATION, SIMUNITION® WORLDWIDE >](#)

Information published herein is subject to change at manufacturer's discretion without notice.



# SIMUNITION®


## The Pioneer of Non-Lethal Realistic Based Training

SINCE 1992, SIMUNITION® HAS BEEN THE PIONEER AND WORLD LEADER IN PROVIDING MILITARY, LAW ENFORCEMENT AND APPROVED RANGE MEMBERS WITH THE MOST REALISTIC AND NON-LETHAL REALISTIC BASED, SIMULATION TRAINING SYSTEM.

For over 30 years, military and police officers around the world have placed their trust in Simuniton® to deliver realistic training.


Professionals whose lives depend on the best training possible know that they can always count on Simuniton® FX® Marking and SecuriBlank® round to provide them with the most effective close range, reality-based training system.

The FX® system is comprised of FX® and SecuriBlank® training rounds, conversion kits and personal protective equipment. All three of these essential components are supported by a comprehensive Simuniton® Scenario and Safety Certification Training Course.



## INTEGRATED REALISTIC BASED TRAINING SYSTEM

- / Fully integrated training system
- / Top of the industry for quality and reliability
- / Realistic based training without the associated danger
- / Training rounds designed to function in Simunition® converted weapons



# SIMUNITION®

## TRAINING FOR THE REAL WORLD®



/ WORLD RENOWNED



/ ESTABLISHED DISTRIBUTION  
NETWORK



/ LONG TERM CUSTOMER  
SATISFACTION VALUES



GO FURTHER  
WITH SIMUNITION® >



## SIMUNITION® CONVERSION KITS

- / ONLY ONE CONVERSION KIT REQUIRED TO FIRE SECURIBLANK® AND FX® TRAINING ROUNDS
- / CONVERSION KITS AVAILABLE FOR MULTIPLE WEAPONS
- / EASILY INSTALLED WITHOUT MODIFICATION ON SERVICE WEAPON
- / DESIGNED AND MANUFACTURED FOR OPTIMUM SAFETY AND RELIABILITY

[CONVERSION KIT LIST AND RELATED PRODUCTS >](#)



# SIMUNITION® CONVERSION KITS

## RIFLES



5.56mm Rifle Conversion



.300BLK Solutions



Dedicated Upper Solution



AK47 Look alike

## GRENADE LAUNCHER



### MACHINE GUN



### DEDICATED WEAPON



### SHOTGUN



### PISTOL



### SUBMACHINE GUN



# SIMUNITION® CONVERSION KITS

## SAFETY

- / EACH CONVERSION KIT IS DESIGNED TO FIRE FX® AND SECURIBLANK® NON-LETHAL TRAINING ROUNDS ONLY
- / CONVERSION KIT SAFETY FEATURES ARE WEAPON DEPENDENT
- / CONVERSION KIT DOES NOT ALTER THE USE OF WEAPON SAFETY FEATURES

## RELIABILITY

- / CONVERSION KIT DOES NOT DAMAGE THE WEAPON WHEN USED WITH SIMUNITION® APPROVED ROUNDS
- / SIMUNITION® CONVERSION KIT ENSURES PROPER OPERATION AND CYCLING OF THE SERVICE WEAPON
- / SIMUNITION® CONVERSION KITS HAVE A 5 YEAR OR 10,000 SIMUNITION® ROUNDS FIRED WARRANTY

## PERFORMANCE

- / REALISTIC RECOIL, FEEDING, EXTRACTION AND EJECTION FUNCTION WITH FX® AND SECURIBLANK® NON-LETHAL TRAINING ROUNDS


[CONVERSION KIT LIST AND RELATED PRODUCTS >](#)

# SPARE PARTS

KEEP YOUR SIMUNITION® CONVERSION KITS  
IN TOP CONDITION WITH OUR SPARE PARTS  
MAINTENANCE SERVICE

- / FIND YOUR PARTS EASILY THROUGH  
OUR SPARE PARTS LIST
- / IF YOU NEED SUPPORT, PLEASE CALL  
YOUR LOCAL SIMUNITION® DISTRIBUTOR

PLEASE CONSULT THE CONVERSION KIT LIST  
FOR THE SPARE PARTS DRAWINGS AVAILABLE >



# MAGAZINES

MAGAZINES FOR FX® AND SECURIBLANK®  
NON-LETHAL TRAINING ROUNDS



9mm MP7 magazine  
for SecuriBlank® and FX®  
(5314530SP)



9mm M4/M16 Weapon  
type Upper Magazine for  
SecuriBlank® (5308312SP)  
and FX® (5308310SP). Also  
available for HK 416 weapon  
(5311070SP)



FX® and SecuriBlank®  
rounds only



100% live 5.56mm NATO  
training rounds discrimination

5.56mm M4/M16 Weapon type  
magazine for SecuriBlank®  
and FX® (5314140SP)

Please call before ordering magazine for your specific weapon type.

[CONVERSION KIT LIST AND RELATED MAGAZINES >](#)

**SIMUNITION**

**GENERAL DYNAMICS**  
Ordnance and Tactical Systems



## SecuriBlank® Rounds

- / CLEANER THAN CONVENTIONAL BLANKS
- / PATENTED REDUCED-ENERGY TECHNOLOGY





## SecuriBlank® QUIET



THE SecuriBlank® QUIET SETS A NEW STANDARD AS  
THE WORLD'S BEST SOUNDLESS BLANK ROUNDS



NO HEAVY METALS



HEARING PROTECTION  
NOT required  
but recommended



EYEWEAR  
Required



STAND-OFF DISTANCE  
0cm (0 ft)



MUZZLE ENERGY  
0 joule



TERMINAL EFFECT  
NO perforation of witness  
paper at point blank



NEW STUDENT TO PRACTICE  
WEAPON CONTROL

### FEATURES

No Blank Firing Attachment (BFA) required  
Close range training  
No muzzle blast and excessive noise levels

Environmentally friendly  
No gas discharge  
Available in 9 mm and 5.56 mm  
Reach compliant

CONSULT COMPLETE TECHNICAL INFORMATION >



CLASSROOM  
DEMONSTRATIONS



DEFENSIVE  
TACTICS TRAINING

**SIMUNITION**

**GENERAL DYNAMICS**  
Ordnance and Tactical Systems



## SecuriBlank® LOUD



SecuriBlank® LOUD USES THE SIMUNITION® PATENTED REDUCED-ENERGY TECHNOLOGY AND WORKS WITH A SIMUNITION® CONVERSION KIT, INCREASING SAFETY AND ENSURING PROPER WEAPON FUNCTIONING



NO HEAVY METALS



HEARING PROTECTION

Required



EYEWEAR

Required



STAND-OFF DISTANCE

1m (3ft)



MUZZLE ENERGY

0.1 joule



TERMINAL EFFECT

NO perforation of witness paper at 1m (3ft)

WEAPON SAFETY  
HANDLING

K9  
TRAINING



INTERACTIVE  
TRAINING SYSTEMS



### FEATURES

No Blank Firing Attachment (BFA) required

Convenient for training any time

Compatible with I-Miles and SAAB training system

Available in 9mm, 5.56 mm and 7.62x51mm

Reach compliant

CONSULT COMPLETE TECHNICAL INFORMATION >



## SecuriBlank® INERT



THE SecuriBlank® INERT ROUNDS ARE USED FOR SIMULATING MANUAL CYCLING, MAGAZINE FEEDING, AND CLEARING PROCEDURES WITH A WEAPON EQUIPPED WITH A SIMUNITION® CONVERSION KIT.



NO HEAVY METALS  
N/A



HEARING PROTECTION  
NOT Required



EYEWEAR  
NOT Required



STAND-OFF DISTANCE  
N/A



MUZZLE ENERGY  
N/A



TERMINAL EFFECT  
N/A

PRACTICE WITH SAFE INERT SIMUNITION® ROUNDS

### FEATURES

Inert, No Primer, No Propellant

Use with Simunition® Conversion Kit

Use anywhere live Simunition®  
Training Rounds are not accepted

Environmentally friendly

Reusable

Ideal for classroom training

Available in 9 mm only

CONSULT COMPLETE TECHNICAL INFORMATION >



SAFE CLASSROOM  
DEMONSTRATION



SIMULATE WEAPON  
CLEARING PROCEDURE



**SIMUNITION®**

**GENERAL DYNAMICS**  
Ordnance and Tactical Systems



## TECHNICAL INFORMATION



HEARING PROTECTION



EYEWEAR



STAND-OFF DISTANCE



MUZZLE ENERGY



TERMINAL EFFECT



NOISE LEVEL PEAK



9mm  
5.56mm

Not required  
but recommended

Required

0m (0ft)

0 joule

NO perforation  
of paper at  
0m (0ft)

LOW noise from  
weapon cycling



9mm  
5.56mm

Required

Required

1m (3ft)

0.1 joule

NO perforation  
of paper at  
1m (3ft)

158 dB for 9mm  
156 dB for  
5.56mm



9mm

Not required

Not required

N/A

N/A

N/A

N/A



7.62x51mm

Required

Required

1m (3 ft)

0.1 joule

NO perforation  
of paper at  
1m (3ft)

TBD\*

### SEE CONVERSION

KIT COMPATIBILITY > / 9mm/ 5.56mm/ 7.62x51mm

\*Sound level taken at 100cm from muzzle  
and 160cm above ground.



## FX® MARKING and NON-MARKING ROUNDS

- / DESIGNED FOR UNSURPASSED PERFORMANCE WITH SIMUNITION® CONVERSION KITS ONLY
- / NON-TOXIC AND NON-LETHAL ROUNDS
- / VISIBLE AND PHYSICAL IMPACT AWARENESS ALLOWS ACCURATE ASSESSMENT OF SIMULATED LETHALITY
- / USED WITH FX® PERSONAL PROTECTIVE EQUIPMENT, INCLUDING MANDATORY HEAD, THROAT AND GROIN PROTECTION
- / REACH COMPLIANT

### TECHNICAL SPECIFICATIONS >


/9mm / 5.56mm / 7.62mm





## SUPERIOR FX® MARKING COMPOUND

- / THE FX® MARKING ROUNDS ARE KNOWN AS "THE WORLD'S MOST REALISTIC CLOSE-RANGE COMBAT TRAINING SYSTEM"
- / SAFEST NON-LETHAL PROJECTILE TECHNOLOGY THAT ENSURES OPERATOR SAFETY WHILE MAXIMIZING OPERATIONAL PERFORMANCE
- / SIMUNITION® MARKING COMPOUND IS UNMATCHED IN THE INDUSTRY
  - Excellent washability in cold water
  - Marking imprint highly visible
  - Cost effective for infrastructure and equipment maintenance
  - Available in six colors
  - Reach compliant



## FX® PROJECTILE TERMINAL EFFECT

- / FOR ALL CALIBERS, THE PATENTED FX® PROJECTILE DESIGN is unique in the industry and engineered to maximize accuracy down range and provide unsurpassed safety to the operators
- / FOR NON-LETHAL TRAINING ROUNDS, a trade-off will always exist between muzzle velocity and impact safety
- / ACCURACY is maximized down range by achieving higher muzzle velocities than our competitors while remaining safe on impact with a mushrooming soft polymer projectile
- / UNSURPASSED OPERATOR SAFETY is achieved by a series of innovative design features that are activated upon initial contact with target



# FX® PROJECTILE TERMINAL EFFECT



01

## IN FLIGHT


Projectile is spin stabilized up to effective engagement range.



02

## ENERGY DISSIPATION ON IMPACT BY DEFORMATION

Upon initial contact, impact energy is partially transformed into projectile deformation energy; hence, slowing down the projectile.



03

## MARKING COMPOUND EXPELLED

Deformation of the FX® projectile expels the marking compound through the star shaped openings.



04

## LARGER PROJECTILE DIAMETER FOR NON-PENETRATION SAFETY

Final impact energy is then transferred on a much larger impact diameter that serves two purposes:

- / Distributes impact force over a larger surface
- / Increases diameter of projectile to ensure non-skin penetration performance



## FX® MARKING ROUNDS



THE WORLD'S MOST INTERACTIVE COMBAT TRAINING  
SYSTEM FOR THE ULTIMATE LEVEL OF REALISM



NO HEAVY METALS



HEARING PROTECTION

Recommended



Head



SIMUNITION® APPROVED

Neck



Groin


- / Non-lethal Rounds for Reality Based Training
- / Available in 9mm, 5.56mm and 7.62 x 51mm
- / Available in up to six colors
- / Very easy to clean
- / No special ballistic facility required
- / Reach compliant



\*Exposed bare skin is not recommended.

TECHNICAL SPECIFICATIONS > / 9mm / 5.56mm / 7.62mm

CONVERSION KIT LIST AND RELATED PRODUCTS > / 9mm / 5.56mm / 7.62mm



**SIMUNITION®**

**GENERAL DYNAMICS**  
Ordnance and Tactical Systems



## FX® NON-MARKING ROUNDS



THE WORLD'S MOST INTERACTIVE COMBAT TRAINING  
SYSTEM FOR THE ULTIMATE LEVEL OF REALISM



NO HEAVY METALS



HEARING PROTECTION

Recommended



Head



SIMUNITION® APPROVED

Neck



Groin

- / Non-lethal Rounds for Reality Based Training
- / Train in public areas without the marking feature in schools, hospitals and office buildings
- / No marking imprint to clean

- / Compatible with laser based training simulators
- / Available in 9mm, 5.56mm and 7.62 x 51mm
- / Reach compliant



TRAINING IN SCHOOL  
OR OFFICE BUILDING



SITUATIONAL  
TRAINING



MISSION  
REHEARSAL

TECHNICAL SPECIFICATIONS > / 9mm / 5.56mm / 7.62mm

CONVERSION KIT LIST AND RELATED PRODUCTS > / 9mm / 5.56mm / 7.62mm



## TECHNICAL INFORMATION



PROJECTILE  
WEIGHT



STAND-OFF  
DISTANCE



MUZZLE  
VELOCITY



ACCURACY



IMPACT  
ENERGY



MAXIMUM  
RANGE



SOUND  
LEVEL

### 9mm FX® GEN 2

MARKING



0.4 grams  
6.2 grains

30cm  
(1ft)

110-160m/s\*  
(360-525 fps\*)

Can achieve\*\*:  
Pistol: 5cm at 7.6m  
Rifle: 2cm at 7.62m

2.4-5 joules

\*\*\*150m  
(492 ft)

\*\*\*\*147dB

Available colors



NON-MARKING



0.27 grams  
4 grains

30cm  
(1ft)

120-190m/s\*  
(394-623 fps\*)

Can achieve\*\*:  
2.5cm at 7.6m

1.9-4.8 joules

\*\*\*150m  
(492 ft)

\*\*\*\*147dB

Information published herein is subject to change at manufacturer's discretion without notice. Dimensions, weights and velocities are nominal. Values are dependent on type of weapon, barrel length, rifling, cleanliness, and shall not be used for lot acceptance.

\* Weapon dependent and velocity taken at 3.5m from muzzle.

\*\* Maximum spread.

\*\*\* Wind speed 0m/s, elevation 68.8°.

\*\*\*\* Sound level taken at 100cm from muzzle and 160cm above ground.

SEE CONVERSION  
KIT COMPATIBILITY >

**SIMUNITION**

**GENERAL DYNAMICS**  
Ordnance and Tactical Systems



## TECHNICAL INFORMATION



NO HEAVY METALS



PROJECTILE  
WEIGHT



STAND-OFF  
DISTANCE



MUZZLE  
VELOCITY



ACCURACY



IMPACT  
ENERGY



MAXIMUM  
RANGE



SOUND  
LEVEL

5.56mm FX®

MARKING



0.23 grams  
3.5 grains

1m  
(3.3ft)

190m/s\*  
(625 fps\*)

20cm at 30m\*\*  
(8in at 100ft\*\*)

4.2 joules\*

\*\*\* 140m  
(460ft)

\*\*\*\* 138dB

Available colors for  
marking rounds



[SEE CONVERSION](#)  
[KIT COMPATIBILITY >](#)

\* Weapon dependent and velocity taken at 3.5m from muzzle.

\*\* Maximum spread.

\*\*\* Wind speed 0m/s, elevation 68.8°.

\*\*\*\* Sound level taken at 100cm from muzzle and 160cm above ground.



## TECHNICAL INFORMATION



NO HEAVY METALS



PROJECTILE  
WEIGHT



STAND-OFF  
DISTANCE



MUZZLE  
VELOCITY



ACCURACY



IMPACT  
ENERGY



MAXIMUM  
RANGE



SOUND  
LEVEL

### 7.62 x 51mm FX® MARKING



0.4 grams  
6.2 grains

1m  
(3.3ft)

140/170m/s\*  
(460/557 fps\*)

30cm at 30m\*\*  
(12in at 100ft\*\*)

3.9-5.7 joules\*

TBD\*

TBD\*

Available colors for  
marking rounds



\* Weapon dependent and velocity taken at 3.5m from muzzle.

\*\* Maximum spread.

\*\*\* Wind speed 0m/s, elevation 68.8°.

\*\*\*\* Sound level taken at 100cm from muzzle and 160cm above ground.

SEE CONVERSION  
KIT COMPATIBILITY >

**SIMUNITION**

**GENERAL DYNAMICS**  
Ordnance and Tactical Systems

## PERSONAL PROTECTIVE EQUIPMENT

**FX**<sup>®</sup>



---

## SIMUNITION® CERTIFIED PERSONAL PROTECTIVE EQUIPMENT

Simuniton® is the world's most realistic and effective interactive training system, allowing force-on-force scenarios where participants can safely fire FX® marking rounds at one another.

In order to reduce the risk of injury during these highly dynamic scenarios, Simuniton® has developed a full line of protective equipment for all individuals.

This equipment is an integral part of the FX® training system.



## ADVANTAGES

- / Designed, tested and approved to withstand Simunition® FX® marking rounds
- / Allows safe and realistic interactive training
- / Lightweight; comfortable and adjustable
- / Reduced pain penalty
- / Good marking imprint characteristics
- / Ability to act as you are hit
- / Easy to wash and dry

## FX® 9002 HELMET HEAD PROTECTOR



#8971790

MANDATORY EQUIPMENT

The one-piece FX® 9002 Helmet, Head Protector provides complete head protection and can be worn with eyeglasses. The shell of this easy-to-clean head protector is produced from high-quality material and comes with two adjustable straps. Lenses are tested for impact resistance according to ANSI Z87.1 and EN166 standards, for additional details, contact your Simunition® distributor.

\*Blue rubber deflector available for purchase as a spare part (8971292SP).



CLEANING INSTRUCTIONS >



USER MANUAL >



QUAD CHARTS AND TECHNICAL INFORMATION >

(Simunition® extranet site for distributors only)

# FX® 9004 HELMET HEAD PROTECTOR

1



#8972264

MANDATORY EQUIPMENT

The FX® 9004 Helmet Head Protector is designed to improve breathability, fogging and hearing capability, and also to prevent projectile particles from entering the helmet. The 9004 Helmet Head Protector provides proper cheek well for improved target aiming, and is adaptable for most types of service including the use of night vision goggles. Most prescription corrective eyewear frames can be accommodated. One size fits all.

The FX® 9004 has all the capabilities and features of the FX® 9003 plus the above. All foam inserts are closed cells and are removable for easy cleaning. All components of this helmet can be taken apart quickly, without tools, for easy maintenance and cleaning.

Lenses are tested for impact resistance according to ANSI Z87.1 and EN166 standards, for additional details consult: Assessment Tests Performed on Simunition® FX® 9002 and FX® 9003 Goggles on Simunition® extranet site for additional details contact your Simunition® distributor.

Available in black.



[CLEANING INSTRUCTIONS >](#)



[USER MANUAL >](#)



[QUAD CHARTS AND TECHNICAL INFORMATION >](#)  
(Simunition® extranet site for distributors only)

# FX® 9000 SERIES PROTECTIVE EQUIPMENT

2



#8971764

MANDATORY EQUIPMENT

FX® 9000 THROAT COLLAR (OSFA)

This throat collar fits snuggly around the neck, it is produced of high-strength textile.

Available in black.  
One size fits all.

3



S/M: #8971281

L/XL: #8971286

FX® 9000 SLEEVES

FX® 9000 sleeves provide shoulder protection, made of high-strength textile.

Available in black.  
S M L XL

4



M: #8971830

F: #8971835

FX® 9000 VEST

Providing outstanding torso protection, the FX® 9000 vest is produced from high-strength textile.

Two (2) models available:  
Male  
Female (extra chest padding)

Available in black.  
One size fits all, XXL available (PN 8972300)







## SIMUNITION® SAFETY CERTIFICATION COURSE

SIMUNITION® SAFETY COURSE IS PART OF THE  
SIMUNITION® INTEGRATED TRAINING SYSTEM

## TRAINERS WITH REAL EXPERIENCE

Top-rate instruction starts with top-rate instructors. Our trainers have extensive military and law enforcement experience, and are completely versed in all aspects of the Simmunition® training program.

## REAL-WORLD SCENARIOS

Half the time is spent in class covering technology, training methodology and scenario design. The rest of the course is spent performing the scenarios that were developed in class.

## REAL WEAPONS

The instructor allows participants to use their service weapons modified with Simmunition® conversion kits, in non-lethal, force-on-force scenarios.

Conversion kits are available for the majority of law enforcement and military weapons, including most pistols, revolvers, shotguns, sub-machine guns, and the complete M4/M16/AR-15 family of rifles and carbines.

## REAL INFORMATION

Our course offers the only General Dynamics authorized training class, you get the most complete and up-to-date information on the whole Simmunition® training system comprising of the FX® marking munitions, the Simmunition® weapon conversion kits and the Simmunition® personal protective equipment. You also receive information on all our reduced and full energy training rounds.

## SAFE TRAINING SYSTEM

Safety is our number one priority. All participants will learn how to safely run scenarios, establish a secure training perimeter, and use all mandatory and optional protective equipment.

## GET SIMUNITION® TRAINING FOR THE REAL WORLD®

GO TO [WWW.SIMUNITION.COM](http://WWW.SIMUNITION.COM)  
NOW TO REGISTER ONLINE!



| Product Designation         | Product No | Barrel Length | Comment Regulations | Training Rounds Compatibility |             |              |      | Training Rounds Packaging | Magazine        |                   | User Manual | Spare Parts | Video |  |  |  |  |
|-----------------------------|------------|---------------|---------------------|-------------------------------|-------------|--------------|------|---------------------------|-----------------|-------------------|-------------|-------------|-------|--|--|--|--|
|                             |            |               |                     | FX*                           |             | SecuriBlank* |      |                           | Included in kit | Optional magazine |             |             |       |  |  |  |  |
|                             |            |               |                     | Marking                       | Non Marking | Quiet        | Loud |                           |                 |                   |             |             |       |  |  |  |  |
| CONVERSION KITS FOR PISTOLS |            |               |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |

### BERETTA

| Product Designation                | Product No | Barrel Length  | Comment Regulations | 9mm | 9mm | 9mm | 9mm | 50 rds/box<br>500 rds/case | Included in kit | Optional magazine | User Manual | Spare Parts | Video |
|------------------------------------|------------|--|---------------------|-----|-----|-----|-----|----------------------------|-----------------|-------------------|-------------|-------------|-------|
| Beretta 92 FS (9mm) - 96 (.40 S&W) | 5308270    | 5.03"<br>128mm   |                     |     |     |     |     |                            |                 |                   | Yes         |             |       |
| Beretta APX MOS FULL SIZE          | 5312900    | 4.45"<br>113mm   |                     |     |     |     |     |                            |                 |                   | No          |             |       |
| PAMAS (9mm)                        | 5303530    | OLD VERSION<br>5.34"<br>136mm<br>NEW VERSION<br>5.03"<br>128mm |                     |     |     |     |     |                            |                 |                   |             |             |       |
| Beretta 92 FS Centurion (9mm)      | 5308290    | 4.40"<br>112mm   |                     | 9mm | 9mm | 9mm | 9mm | 50 rds/box<br>500 rds/case |                 |                   | None*       |             |       |
| Beretta 96 Centurion (.40 S&W)     |            |  |                     |     |     |     |     |                            |                 |                   | Yes         |             |       |
| Beretta PX4 standard (9mm/.40 S&W) | 5311460    | 3.92"<br>100mm   |                     |     |     |     |     |                            |                 |                   |             |             |       |
| M9                                 | 5306316    | 5.03"<br>128mm   |                     |     |     |     |     |                            |                 |                   |             |             |       |

### COLT

| Product Designation | Product No | Barrel Length  | Comment Regulations | 9mm | 9mm | 50 rds/box<br>500 rds/case | 1 Magazine | 5305801SP - Magazine, Colt 1911 Modified for (9mm FX*) | Yes |
|---------------------|------------|----------------|---------------------|-----|-----|----------------------------|------------|--|-----|
| Colt 1911 (.45 ACP) | 5305810    | 5.16"<br>131mm | EAR (CC)            | 9mm | 9mm | 50 rds/box<br>500 rds/case | 1 Magazine | 5305801SP - Magazine, Colt 1911 Modified for (9mm FX*) | Yes |

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

\*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX\* and SecuriBlank\* Training Rounds. Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

| Product Designation   | Product No | Barrel Length | Comment Regulations | Training Rounds Compatibility |             |   |   | Training Rounds Packaging  | Magazine        |                   | User Manual | Spare Parts | Video |  |  |  |  |
|---|------------|---------------|---------------------|-------------------------------|-------------|---|---|----------------------------|-----------------|-------------------|-------------|-------------|-------|--|--|--|--|
|   |            |               |                     | FX*                           |             | SecuriBlank*  |   |                            | Included in kit | Optional magazine |             |             |       |  |  |  |  |
|   |            |               |                     | Marking                       | Non Marking | Quiet   | Loud  |                            |                 |                   |             |             |       |  |  |  |  |
| GLOCK   |            |               |                     |                               |             |   |   |                            |                 |                   |             |             |       |  |  |  |  |
| GLOCK 17 (9mm), 22 & 35 (.40 S&W) and Glock 31 (.357 Sig) GEN 3 Improved  | 5312600    | 4.72" 120mm   | Glock GEN 3 Only    | 9mm                           | 9mm         | 9mm  | 9mm  | 50 rds/box<br>500 rds/case | No              | None*             | Yes         |             |       |  |  |  |  |
| GLOCK 19 (9mm) 23 (.40 S&W) GEN 3 Improved                                | 5312610    | 4.24" 108mm   |                     |                               |             |   |   |                            |                 |                   |             |             |       |  |  |  |  |
| GLOCK (9mm) 19/23 (.40 S&W) MOS GEN 3 Improved                            | 5315020    | 4.24" 108mm   |                     |                               |             |   |   |                            |                 |                   |             |             |       |  |  |  |  |
| GLOCK 17 (9mm) 22/35 (.40 S&W) and Glock 31 (.357 Sig) MOS GEN 3 Improved | 5315030    | 4.72" 120mm   |                     |                               |             |   |   |                            |                 |                   |             |             |       |  |  |  |  |
| GLOCK 17 (9mm), 22/35 (.40 S&W) and Glock 31 (.357 Sig) GEN 4             | 5312000    | 4.72" 120mm   | Glock GEN 4 Only    | 9mm                           | 9mm         | 9mm  | 9mm  | 50 rds/box<br>500 rds/case | No              | None*             | Yes         |             |       |  |  |  |  |
| GLOCK 19 (9mm)/23 (.40 S&W) GEN 4   | 5312025    | 4.24" 108mm   |                     |                               |             |   |   |                            |                 |                   |             |             |       |  |  |  |  |
| GLOCK 17 (9mm) 22/35 (.40 S&W) and Glock 31 (.357 Sig) MOS GEN4           | 5313870    | 4.72" 120mm   |                     |                               |             |   |   |                            |                 |                   |             |             |       |  |  |  |  |
| GLOCK 19 (9mm)/23/22/35 (.40 S&W) MOS GEN 4                               | 5314340    | 4.24" 108mm   |                     |                               |             |   |   |                            |                 |                   |             |             |       |  |  |  |  |
| GLOCK 19/45 (9mm)/23 (.40 S&W) GEN 5                                      | 5313900    | 4.24" 108mm   | Glock GEN 5 Only    | 9mm                           | 9mm         | 9mm  | 9mm  | 50 rds/box<br>500 rds/case | No              | None*             | Yes         |             |       |  |  |  |  |
| GLOCK 17 (9mm) 22/35 (.40 S&W) and Glock 31 (.357 Sig) GEN 5              | 5313930    | 4.72" 120mm   |                     |                               |             |   |   |                            |                 |                   |             |             |       |  |  |  |  |
| GLOCK 17 (9mm) 22/35 (.40 S&W) and Glock 31 (.357 Sig) MOS GEN 5          | 5314350    | 4.72" 120mm   |                     |                               |             |   |   |                            |                 |                   |             |             |       |  |  |  |  |
| GLOCK 19/45 (9mm)/23 (.40 S&W) MOS GEN 5                                  | 5314370    | 4.24" 108mm   |                     |                               |             |   |   |                            |                 |                   |             |             |       |  |  |  |  |
| Glock 47 (9mm) MOS GEN 5  | 5316750    | 4.72" 120mm   | GEN 3 & GEN 4 Only  | 9mm                           | 9mm         | 9mm  | 9mm  | 50 rds/box<br>500 rds/case | No              | None*             | Yes         |             |       |  |  |  |  |
| Simunition® Barrel for Glock 17T Gen 3/4 Blue Gun                         | 5316320    | 4.72" 120mm   |                     |                               |             |   |   |                            |                 |                   |             |             |       |  |  |  |  |


EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

\*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX\* and SecuriBlank\* Training Rounds.

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.


**SIMUNITION**

**GENERAL DYNAMICS**  
Ordnance and Tactical Systems

| BARREL LENGTH                                       | COMMENT REGULATIONS | TRAINING ROUNDS COMPATIBILITY |                    |              |     | TRAINING ROUNDS PACKAGING   | MAGAZINE  |                            | USER MANUAL | SPARE PARTS | VIDEO |   |
|---|---------------------|-------------------------------|--------------------|--------------|-----|---|---|----------------------------|-------------|-------------|-------|---|
|   |                     | FX®                           |                    | SecuriBlank® |     |   | Included in kit   | Optional magazine          |             |             |       |   |
| Marking   | Non Marking         | Quiet                         | Loud               |              |     |   |   |                            |             |             |       |   |
| <b>GLOCK</b>  |                     |                               |                    |              |     |   |   |                            |             |             |       |   |
| Product Designation      Product No                 |                     |                               |                    |              |     |   |   |                            |             |             |       |   |
| Simunition® barrel for Glock 17T Gen 5 Blue Gun)    | 5316420             | 4.72" 120mm                   | Glock GEN 5 Only   | 9mm          | 9mm | 9mm  | 9mm  | 50 rds/box<br>500 rds/case | No          | None*       | Yes   |  |
| Simunition® barrel for Glock 19T Gen 3/4/5 Blue Gun | 5316570             | 4.24" 108mm                   | Glock GEN 3, 4 & 5 |              |     |   |   |                            |             |             |       |   |

### CONVERSION KITS FOR PISTOLS

### HECKLER & KOCH

| Product Designation         | Product No | 9mm         | 9mm | 9mm  | 9mm  | 50 rds/box<br>500 rds/case | No | None* | Yes |  |
|-----------------------------|------------|-------------|-----|---|---|----------------------------|----|-------|-----|--|
| HK USP Std (9mm/.40 S&W)    | 5308650    | 4.25" 108mm |     |   |   |                            |    |       |     |  |
| HK USP Compact (9mm/.40S&W) | 5311290    | 3.58" 91mm  |     |   |   |                            |    |       |     |  |
| HK P2000 (9mm/.40 S&W)      | 5311390    | 3.69" 94mm  |     |   |   |                            |    |       |     |  |
| HK P30 (9mm/.40 S&W)        | 5311755    | 3.86" 98mm  |     |   |   |                            |    |       |     |  |
| HK VP-9 MOS (9mm/.40 S&W)   | 5313505    | 4.3" 109mm  |     |   |   |                            |    |       |     |  |
| HK VP-9 (9mm/.40 S&W)       | 5313500    | 4.3" 109mm  |     |   |   |                            |    |       |     |  |

### SIG SAUER

| Product Designation | Product No | 9mm        | 9mm | 9mm  | 9mm  | 50 rds/box<br>500 rds/case | No | None | Yes |  |
|---------------------|------------|------------|-----|---|---|----------------------------|----|------|-----|---|
| SIG M11 (9mm)       | 5309430    | 3.84" 98mm |     |   |   |                            |    |      |     |   |
| SIG P225 (9mm)      | 5306700    | 3.84" 98mm |     |   |   |                            |    |      |     |   |

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

\*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX® and SecuriBlank® Training Rounds. Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

| Product Designation                            | Product No | Barrel Length | Comment Regulations | Training Rounds Compatibility |             |              |      | Training Rounds Packaging | Magazine        |                   | User Manual | Spare Parts | Video |  |  |  |  |
|--|------------|---------------|---------------------|-------------------------------|-------------|--------------|------|---------------------------|-----------------|-------------------|-------------|-------------|-------|--|--|--|--|
|  |            |               |                     | FX®                           |             | SecuriBlank® |      |                           | Included in kit | Optional magazine |             |             |       |  |  |  |  |
|  |            |               |                     | Marking                       | Non Marking | Quiet        | Loud |                           |                 |                   |             |             |       |  |  |  |  |
| SIG SAUER                                      |            |               |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG P226 (9mm)                                 | 5307500    | 4.45" 113mm   |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG P226 S/Steel (9mm)                         | 5308590    | 4.45" 113mm   |                     |                               |             |              |      |                           |                 |                   |             |             | Yes   |  |  |  |  |
| SIG P226 S/Steel (.357SIG/.40 S&W)             | 5308580*   | 4.45" 113mm   |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG P228 (9mm)                                 | 5306890    | 3.84" 98mm    |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG P229 (9mm/.40 S&W/.357)                    | 5309160*   | 3.84" 98mm    |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG P320 Full Size (9mm/.40 S&W)               | 5313070*   | 4.96" 126mm   |                     |                               |             |              |      |                           |                 |                   |             | Yes         | Yes   |  |  |  |  |
| SIG P320 Compact/Carry (9mm/.40 S&W)           | 5313330*   | 4.10" 104mm   |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG 2022/ SIG PRO 2009/2340 (9mm/.40 S&W)      | 5309030*   | 3.84" 98mm    |                     | 9mm                           | 9mm         |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG P320 Full Size (9mm/.40 S&W) ROMEO 01      | 5315600*   | 4.96" 126mm   |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG P320 Compact (9mm/.40 S&W) ROMEO 01        | 5315700*   | 4.10" 104mm   |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG P320 Full Size (M17) MOS (9mm/.40 S&W)     | 5314320*   | 4.96" 126mm   |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG P320 Compact/Carry (M18) MOS (9mm/.40 S&W) | 5314330*   | 4.10" 104mm   |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

\*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX® and SecuriBlank® Training Rounds.

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

| Product Designation                                   | Product No | Barrel Length | Comment Regulations | Training Rounds Compatibility |             |                       |      | Training Rounds Packaging | Magazine        |                   | User Manual | Spare Parts | Video |  |  |  |  |
|---|------------|---------------|---------------------|-------------------------------|-------------|-----------------------|------|---------------------------|-----------------|-------------------|-------------|-------------|-------|--|--|--|--|
|   |            |               |                     | FX*                           |             | SecuriBlank*          |      |                           | Included in kit | Optional magazine |             |             |       |  |  |  |  |
|   |            |               |                     | Marking                       | Non Marking | Quiet                 | Loud |                           |                 |                   |             |             |       |  |  |  |  |
| SMITH & WESSON  |            |               |                     |                               |             |                       |      |                           |                 |                   |             |             |       |  |  |  |  |
| S&W M&P (9mm/.40 S&W)                                 | 5314740*   | 4.26" 107mm   |                     |                               |             | 9mm<br>GEN 2          | 9mm  |                           |                 |                   | None*       |             |       |  |  |  |  |
| S&W M&P Barrel for 9mm SecuriBlank* only (9mm/.40S&W) | 5314580*   | 4.26" 107mm   |                     |                               |             | 9mm<br>GEN 1<br>GEN 2 |      |                           |                 |                   |             |             | Yes   |  |  |  |  |
| S&W Series 400X (.40 S&W)                             | 5304720    | 4.06" 103mm   |                     |                               |             |                       |      |                           |                 |                   | None*       |             |       |  |  |  |  |
| S&W Series 590X (9mm)                                 | 5302080    | 4.06" 103mm   |                     |                               |             |                       |      |                           |                 |                   | None*       |             |       |  |  |  |  |
| S&W Series 594X                                       | 5304850    | 4.06" 103mm   |                     |                               |             |                       |      |                           |                 |                   |             |             |       |  |  |  |  |
| S&W Series 690X (9mm)                                 | 5306680    | 3.60" 91mm    |                     |                               | 9mm         | 9mm                   |      |                           |                 |                   | No          |             | Yes   |  |  |  |  |
| S&W M&P TLC-1 (9mm)                                   | 5304750    | 4.26" 107.3mm |                     |                               |             |                       |      |                           |                 |                   |             |             |       |  |  |  |  |
| S&W M&P M2.0 (9mm)                                    | 5314220    | 4.2" 106mm    |                     |                               |             | 9mm<br>GEN 2          | 9mm  |                           |                 |                   | None        |             |       |  |  |  |  |
| S&W M&P 2.0 (9mm) 4.0" Compact                        | 5314210    | 4.10" 104mm   |                     |                               |             |                       |      |                           |                 |                   |             |             |       |  |  |  |  |
| S&W M&P 2.0 (9mm) 4.2" MOS                            | 5315800    | 4.2" 106mm    |                     |                               |             |                       |      |                           |                 |                   |             |             |       |  |  |  |  |

\*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX\* and SecuriBlank\* Training Rounds.

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

|   | BARREL LENGTH | COMMENT REGULATIONS | TRAINING ROUNDS COMPATIBILITY |             |              |      | TRAINING ROUNDS PACKAGING | MAGAZINE        |                   | USER MANUAL | SPARE PARTS | VIDEO |
|---|---------------|---------------------|-------------------------------|-------------|--------------|------|---------------------------|-----------------|-------------------|-------------|-------------|-------|
|   |               |                     | FX®                           |             | SecuriBlank® |      |                           | Included in kit | Optional magazine |             |             |       |
|   |               |                     | Marking                       | Non Marking | Quiet        | Loud |                           |                 |                   |             |             |       |
| <b>WALTHER*</b>                         |               |                     |                               |             |              |      |                           |                 |                   |             |             |       |
| Product Designation                     | Product No    |                     |                               |             |              |      |                           |                 |                   |             |             |       |
| Walther P99QA (9mm/.40 S&W) QA          | 5308900*      | 4.07" 103.4mm       |                               |             |              |      |                           |                 |                   | None*       |             |       |
| Walther P99DAO (9mm/.40 S&W) DAO        | 5308910*      | 4.07" 103.4mm       |                               |             |              |      |                           |                 |                   |             | Yes         |       |
| Walther P99 PPQ (9mm/.40 S&W)           | 5312440*      | 4.07" 103.4mm       |                               |             |              |      |                           |                 |                   |             |             |       |
| Walther P99 DA/SA (9mm/.40 S&W)         | 5308840*      | 4.14" 105mm         |                               |             |              |      |                           |                 |                   |             |             |       |
| Walther PDP OPTIC CUT 2.0 (9mm/.40 S&W) | 5315890*      | 4.58" 116.3mm       |                               |             |              |      |                           |                 |                   |             |             |       |
| Walther P99Q-08                         | 5311500       | 4.07" 103.4mm       |                               |             |              |      |                           |                 |                   |             |             |       |

| Product Designation         | Product No |               |  |  |  |  |  |  |  |  |  |  |
|-----------------------------|------------|---------------|--|--|--|--|--|--|--|--|--|--|
| Browning HP (9mm)           | 5303890    | 4.76" 121mm   |  |  |  |  |  |  |  |  |  |  |
| Jericho 941 F (9mm)         | 5312500    | 4.41" 112mm   |  |  |  |  |  |  |  |  |  |  |
| Jericho 941 PSL (9mm)       | 5312530    | 3.87" 98.3mm  |  |  |  |  |  |  |  |  |  |  |
| CZ75D (9mm)                 | 5310150    | 3.73" 95mm    |  |  |  |  |  |  |  |  |  |  |
| FN509 Full Size (9mm)       | 5313550    | 4.12" 105mm   |  |  |  |  |  |  |  |  |  |  |
| FN 509 MRD                  | 5316270    | 4.12" 105mm   |  |  |  |  |  |  |  |  |  |  |
| Springfield XD-9 (9mm)      | 5313150    | 4.16" 105.5mm |  |  |  |  |  |  |  |  |  |  |
| Springfield XD-9 MOD2 (9mm) | 5313730    | 4.16" 105.5mm |  |  |  |  |  |  |  |  |  |  |
| Canik METE MOS SFX (9mm)    | 5316030    | 5.26" 137mm   |  |  |  |  |  |  |  |  |  |  |

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

\*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX® and SecuriBlank® Training Rounds.

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

| BARREL LENGTH              | COMMENT REGULATIONS | TRAINING ROUNDS COMPATIBILITY |      |              |  | TRAINING ROUNDS PACKAGING | MAGAZINE        |                   | USER MANUAL | SPARE PARTS | VIDEO |
|----------------------------|---------------------|-------------------------------|------|--------------|--|---------------------------|-----------------|-------------------|-------------|-------------|-------|
|                            |                     | FX*                           |      | SecuriBlank* |  |                           | Included in kit | Optional magazine |             |             |       |
| Marking                    | Non Marking         | Quiet                         | Loud |              |  |                           |                 |                   |             |             |       |
| OTHERS*                    |                     |                               |      |              |  |                           |                 |                   |             |             |       |
| Product Designation        | Product No          |                               |      |              |  |                           |                 |                   |             |             |       |
| Canik TP9 Elite (9mm)      | 5313960             | 4.29" 109mm                   |      |              |  |                           |                 |                   |             |             |       |
| Staccato C2 drop in barrel | 5316800             | 4.11" 104mm                   |      |              |  |                           |                 |                   |             |             |       |
| Staccato P drop in barrel  | 5315770             | 4.68" 119mm                   |      |              |  |                           |                 |                   |             |             |       |
| Shadow Systems XR920/MR920 | 5316610             | 4.40" 112mm                   |      |              |  |                           |                 |                   |             |             |       |
| Shadow Systems DR920       | 5316430             | 4.9" 124.5mm                  |      |              |  |                           |                 |                   |             |             |       |

| CERTIFIED OEM DEDICATED TRAINING WEAPONS |            |              |   |  |  |   |   |                                 |                      |     |  |
|--|------------|--------------|---|--|--|---|---|---------------------------------|----------------------|-----|--|
| Product Designation                      | Product No |              |   |  |  |   |   |                                 |                      |     |  |
| AK47 Dedicated Rifle                     |            | 18.9" 480mm  | Contact TBC + (212) 244-4040 or Ryder@centrefirearms.com      |  |  |   |   |                                 |                      |     |  |
| Beretta ARX-160                          |            | 18.11" 460mm | Contact Pezt CO. S.R.L. +(39) 030-745-0136 or enea@peztco.com | 5.56mm   | 5.56mm   |   |   |                                 |                      |     |  |
| FAMAS                                    |            | 20.10" 510mm | Contact Rivolier SAS  |  |  |   |   |                                 |                      |     |  |
| FN F2000                                 | 5313860    | 17.44" 443mm | Contact GDOTS Canada  | 5.56mm  | 5.56mm  |   |   |                                 | 2 Magazines (30 rds) | Yes |  |
| FN509 Blue Gun                           |            | 4.00" 102mm  | Contact FN USA  | 9mm  | 9mm  | 9mm   | 9mm   | 20 rds/box 500 rds/case clipped |                      |     |  |
| SIG FOF 2022                             |            |              | Contact SIG SAUER   |  | 9mm  |  |  | 50 rds/box 500 rds/case         |                      |     |  |

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

\*For .40 S&W and .357 SIG 9mm Magazine recommended for use with FX\* and SecuriBlank\* Training Rounds. Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

| Product Designation                      | Product No | Barrel Length | Comment Regulations | Training Rounds Compatibility  |             |  |  | Training Rounds Packaging | Magazine                           |                   | User Manual | Spare Parts | Video |  |  |  |  |
|--|------------|---------------|---------------------|--------------------------------|-------------|--|--|---------------------------|------------------------------------|-------------------|-------------|-------------|-------|--|--|--|--|
|  |            |               |                     | FX®                            |             | SecuriBlank®   |  |                           | Included in kit                    | Optional magazine |             |             |       |  |  |  |  |
|  |            |               |                     | Marking                        | Non Marking | Quiet  | Loud   |                           |                                    |                   |             |             |       |  |  |  |  |
| CERTIFIED OEM DEDICATED TRAINING WEAPONS |            |               |                     |                                |             |  |  |                           |                                    |                   |             |             |       |  |  |  |  |
| SIG P-226 Blue Gun                       |            | 4.45" 113mm   | Contact SIG SAUER   | 9mm                            | 9mm         | 9 mm  | /  |                           | 50 rds/box<br>500 rds/case         | No                | None        | Yes         | /     |  |  |  |  |
| S&W M&P Blue Gun (9mm/.40S&W)            |            | 4.26" 109mm   | Contact S&W USA     |                                |             | 9mm   | 9 mm  | See Note 1                |                                    |                   |             |             | /     |  |  |  |  |
| S&W M&P M2.0 Blue Gun (9mm/.40S&W)       |            | 4.1" 104mm    | Contact S&W USA     |                                |             | 9 mm  | 9 mm  | /                         |                                    |                   |             |             | /     |  |  |  |  |
| Steyr AUG                                |            | /             |                     | Contact Thales Australia       | 5.56mm      | 5.56mm   | /  |                           | 20 rds/box<br>500 rds/case clipped |                   | /           |             | /     |  |  |  |  |
| APC9                                     |            | /             |                     | Contact B&T<br>sean@bt-usa.com | 9mm         | 9mm  | 9mm  | 9mm                       | 50 rds/box<br>500 rds/case         |                   | /           |             | /     |  |  |  |  |

## CONVERSION KITS FOR SHOTGUNS

| Product Designation                       | Product No | Barrel Length | Comment                       | Caliber | Caliber | 9mm  | 9mm  | 50 rds/box<br>500 rds/case | N/A | N/A | Yes |     |   |  |
|---|------------|---------------|-------------------------------|---------|---------|---|---|----------------------------|-----|-----|-----|-----|---|--|
| 12 gauge pump action for use with 9mm FX® | 5312430    | 2.55" 65mm    | Comes with a 5 rounds carrier | 9mm     | 9mm     | 9mm  | 9mm  | 50 rds/box<br>500 rds/case |     | N/A | N/A | Yes | / |  |
| 12 gauge pump action or use with 9mm FX®  | 5314080    | 2.55" 65mm    | Comes with a 7 rounds carrier | 9mm     | 9mm     | 9mm  | 9mm  | 50 rds/box<br>500 rds/case |     | N/A | N/A | Yes | / |  |

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

Note 1: A special barrel is required for SecuriBlank® GEN2 see #5314580 on page 40.

| Product Designation                                       | Product No | Barrel Length                                 | Comment Regulations | Training Rounds Compatibility |             |              |      | Training Rounds Packaging | Magazine        |                   | User Manual | Spare Parts | Video |  |  |  |  |
|---|------------|---|---------------------|-------------------------------|-------------|--------------|------|---------------------------|-----------------|-------------------|-------------|-------------|-------|--|--|--|--|
|   |            |   |                     | FX*                           |             | SecuriBlank® |      |                           | Included in kit | Optional magazine |             |             |       |  |  |  |  |
|   |            |   |                     | Marking                       | Non Marking | Quiet        | Loud |                           |                 |                   |             |             |       |  |  |  |  |
| CONVERSION KITS FOR SUBMACHINE GUNS                       |            |   |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| HK MP5 SD (9mm)   | 5302580    | OEM brl 5.75" (146mm)<br>INSERT 5.75" (233mm) |                     |                               |             |              |      |                           |                 |                   |             |             | Yes   |  |  |  |  |
| HK MP5 (9mm)  | 5303330    | OEM brl 8.86" (225mm)<br>INSERT 9.17" (233mm) |                     |                               |             |              |      |                           |                 |                   |             |             | Yes   |  |  |  |  |
| HK MP5-K/KA4/KA5 (9mm)                                    | 5306770    | OEM brl 4.53" (115mm)<br>INSERT 5.30" (135mm) |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| HK MP5-K PDW (9mm)  | 5307570    | OEM brl 8.85" (225mm)<br>INSERT 9.17" (233mm) |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| HK MP5-N (9mm)  | 5309380    | OEM brl 5.00" (127mm)<br>INSERT 6.02" (153mm) |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| HK MP7 (9mm) Dedicated Weapon                             | 5314380    | 9.5"<br>241.3mm                               |                     |                               |             |              |      |                           |                 |                   |             |             |       |  |  |  |  |
| HK MP7 (9mm) Conversion Kit Requires Weapon Modifications | 5314385    | 9.5"<br>241.3mm                               |                     |                               | 9mm         | 9mm          |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG MPX (9mm) Call Before Ordering                        | 5314770    | 6"<br>152mm                                   |                     |                               | 9mm         | 9mm          |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG MPX 8"brl (9mm)                                       | 5313780    | OEM brl 8.00" (203mm)<br>INSERT 9.17" (233mm) |                     |                               | 9mm         | 9mm          |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG MPX 4.5"brl (9mm)                                     | 5314760    | OEM brl 4.5" (114mm)<br>INSERT 5.75" (146mm)  |                     | Single-shot only              | 9mm         | 9mm          |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG MCX Rattler PCB (9mm)                                 | 5314540    | 5.5"<br>140mm                                 |                     |                               | 9mm         | 9mm          |      |                           |                 |                   |             |             |       |  |  |  |  |
| SIG MCX Rattler SBR (9mm)                                 | 5314550    | 9"<br>229mm                                   |                     |                               | 9mm         | 9mm          |      |                           |                 |                   |             |             |       |  |  |  |  |

| Product Designation  | Product No | Barrel Length    | Comment Regulations  | Training Rounds Compatibility |             |              |                           | Training Rounds Packaging | Magazine  |                   | User Manual | Spare Parts | Video |
|--|------------|------------------|--|-------------------------------|-------------|--------------|---------------------------|---------------------------|---|-------------------|-------------|-------------|-------|
|  |            |                  |  | FX®                           |             | SecuriBlank® |                           |                           | Included in kit   | Optional magazine |             |             |       |
| Upper Receivers for 5.56mm Rifles & Carbines   |            |                  |  |                               |             |              |                           |                           |   |                   |             |             |       |
| Product Designation  | Product No | Barrel Length    | Comment Regulations  | FX®                           | Non Marking | SecuriBlank® | Training Rounds Packaging | Included in kit           | Optional magazine   | User Manual       | Spare Parts | Video       |       |
| 9mm AR UPPER with MLOK Handguard   | 5316500    | 11.5"            |  |                               |             |              |                           |                           |   |                   |             |             |       |
| 9mm AR UPPER with MLOK Handguard   | 5316670    | 14.5"            |  |                               |             |              |                           |                           |   |                   |             |             |       |
| COLT M4A1 Flat Top (9mm) Upper Kit Blue Handguard  | 5305655    | 14.5"<br>368.3mm | EAR (CC)   | 9mm                           | 9mm         | 9mm          | 50 rds/box<br>500 rds/box | 2 Magazines (20 rds)      | 5308310SP - FX® and SecuriBlank® Magazine (20 rds) for 9mm M16/M4 Upper Kit | Yes               | Yes         |             |       |
| COLT M16A3 Carbine (9mm) Upper Kit   | 5306585    | 14.5"<br>368.3mm |  | 9mm                           | 9mm         | 9mm          |                           | 1 Magazine (20 rds)       |   |                   |             |             |       |
| COLT M16A3 Rifle (9mm) Upper Kit Blue Handguard  | 5305375    | 20"<br>508mm     | EAR (CC)   | 9mm                           | 9mm         | 9mm          | 50 rds/box<br>500 rds/box | 1 Magazine (20 rds)       | 5308310SP - FX® and SecuriBlank® Magazine (20 rds) for 9mm M16/M4 Upper Kit | Yes               | Yes         |             |       |
| M4/M16 Conversion Parts Bolt, Barrel, Magazine   | 5314590    | 10.5"<br>267mm   |  | 9mm                           | 9mm         | 9mm          |                           |                           |   |                   |             |             |       |
|  | 5314600    | 14.5"<br>368.3mm |  | 9mm                           | 9mm         | 9mm          |                           |                           |   |                   |             |             |       |
|  | 5314390    | 16.25"           |  | 9mm                           | 9mm         | 9mm          |                           |                           |   |                   |             |             |       |
| COLT SMG (9mm) Upper Kit Blue Handguard  | 5306736    | 10.5"<br>267mm   | EAR (CC)   | 9mm                           | 9mm         | 9mm          | 50 rds/box<br>500 rds/box | No                        | None  | Yes               | Yes         |             |       |
| COLT M16A3 Commando (9mm) Upper Kit Blue Handguard   | 5308815    | 10.5"<br>267mm   |  | 9mm                           | 9mm         | 9mm          |                           |                           |   |                   |             |             |       |
| COLT AR-15 (9mm) Upper Kit Flat top Blue Handguard   | 5307465    | 16.25"<br>413mm  | Designed for weapons equipped without sporter blocks<br>EAR (CC) | 9mm                           | 9mm         | 9mm          | 50 rds/box<br>500 rds/box | 1 Magazine                | 5308310SP - FX® and SecuriBlank® Magazine (20 rds) for 9mm M16/M4 Upper Kit | Yes               | Yes         |             |       |
|  | 5307485    | 20"<br>508mm     |  | 9mm                           | 9mm         | 9mm          |                           |                           |   |                   |             |             |       |
| OPFOR Conversion Kit for M4/M16 Carbine (9mm) (AK47 Look-Alike)<br>1 x 9mm AK47 Upper<br>1 x Butt Stock<br>1 x Blue Barrel Indicator | 5310950    | 14.5"<br>368.3mm | EAR (CC)   | 9mm                           | 9mm         | 9mm          | 50 rds/box<br>500 rds/box | 2 Magazines               | 5308310SP - FX® and SecuriBlank® Magazine (20 rds) for 9mm M16/M4 Upper Kit | Yes               | Yes         |             |       |

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

**SIMUNITION**

**GENERAL DYNAMICS**  
Ordnance and Tactical Systems

| Product Designation   | Product No | Barrel Length    | Comment Regulations | Training Rounds Compatibility |             |              |              | Training Rounds Packaging | Magazine        |   | User Manual | Spare Parts | Video |  |  |  |  |
|---|------------|------------------|---------------------|-------------------------------|-------------|--------------|--------------|---------------------------|-----------------|---|-------------|-------------|-------|--|--|--|--|
|   |            |                  |                     | FX*                           |             | SecuriBlank* |              |                           | Included in kit | Optional magazine   |             |             |       |  |  |  |  |
|   |            |                  |                     | Marking                       | Non Marking | Quiet        | Loud         |                           |                 |   |             |             |       |  |  |  |  |
| Upper Receivers for 5.56mm Rifles & Carbines                |            |                  |                     |                               |             |              |              |                           |                 |   |             |             |       |  |  |  |  |
| HK416 D145RS<br>(9mm) Upper Kit 14.5"<br>brl Blue Handguard | 5311080    | 14.5"<br>368.3mm | EAR<br>(CC)         | 9mm                           | 9mm         | 9mm<br>gen 2 | 9mm<br>gen 2 | 50 rds/box<br>500 rds/box | 2 Magazines     | 5311070SP -<br>FX* and<br>SecuriBlank*<br>(HK416)<br>Magazine | Yes         | Yes         |       |  |  |  |  |
| HK416 D10RS (9mm)<br>Upper Kit 10.5"<br>brl Blue Handguard  | 5311090    | 10.5"<br>267mm   |                     | 9mm                           | 9mm         | 9mm<br>gen 2 | 9mm<br>gen 2 | 50 rds/box<br>500 rds/box | 2 Magazines     | 5311070SP -<br>FX* and<br>SecuriBlank*<br>(HK416)<br>Magazine |             | Yes         |       |  |  |  |  |

| Product Designation   | Product No | Barrel Length | Comment Regulations | Training Rounds Compatibility | Training Rounds Packaging   | Magazine | User Manual   | Spare Parts | Video |
|---|------------|---------------|---------------------|-------------------------------|---|----------|---|-------------|-------|
| Bolt 5.56mm<br>M4/M16/C7/C8/<br>SIG 516/SIG M400<br>and AR15 without<br>Sporter block | 5308990    | 11.5"         | EAR<br>(CC)         | 5.56mm                        | 20 rds/box<br>500 rds/case<br>clipped. Certain training<br>rounds configurations<br>come in 1000 rounds<br>packaging. | No       | 5314140SP -<br>5.56mm<br>FX* and<br>SecuriBlank*<br>Clear<br>Magazine<br>EAR (CC) | Yes         | Yes   |
| Bolt 5.56mm<br>AR15 with<br>Sporter block only  | 5310380    |               |                     | 5.56mm                        |   |          |   |             |       |
| Bolt 5.56mm<br>M4 Variants<br>HK416/M4/M16  | 5311350    |               |                     | 5.56mm                        |   |          |   |             |       |
| 5.56mm AR UPPER<br>with MLOK Handguard  | 5316520    |               |                     | 5.56mm                        |   |          |   |             |       |
| 5.56mm AR UPPER<br>with MLOK Handguard  | 5316680    |               |                     | 5.56mm                        |   |          |   |             |       |
| HK G36  | 5311880    |               |                     | 5.56mm                        |   |          |   |             |       |
| Bolt 5.56mm<br>FNC/AK5 Family   | 5309310    |               |                     | 5.56mm                        |   |          |   |             |       |
| Bolt 5.56mm<br>FN SCAR SC   | 5314610    |               |                     | 5.56mm                        |   |          |   |             |       |
| Bolt 5.56mm<br>FN SCAR L  | 5314620    |               |                     | 5.56mm                        |   |          |   |             |       |
| Bolt 5.56mm<br>FN SCAR L<br>Fixed handle  | 5314630    |               |                     | 5.56mm                        |   |          |   |             |       |

| BARREL LENGTH | COMMENT REGULATIONS | TRAINING ROUNDS COMPATIBILITY |             |              |      | TRAINING ROUNDS PACKAGING | MAGAZINE        |                   | USER MANUAL | SPARE PARTS | VIDEO |  |  |  |  |
|---------------|---------------------|-------------------------------|-------------|--------------|------|---------------------------|-----------------|-------------------|-------------|-------------|-------|--|--|--|--|
|               |                     | FX®                           |             | SecuriBlank® |      |                           | Included in kit | Optional magazine |             |             |       |  |  |  |  |
|               |                     | Marking                       | Non Marking | Quiet        | Loud |                           |                 |                   |             |             |       |  |  |  |  |

#### BOLT CONVERSION FOR 5.56MM RIFLES & CARBINE

| Product Designation      | Product No |               |  |        |        |        |        |   |    |   |     |
|--------------------------|------------|---------------|--|--------|--------|--------|--------|---|----|---|-----|
| SIG MCX (5.56mm)         | 5313420    |               |  | 5.56mm | 5.56mm | 5.56mm | 5.56mm | 20 rds/box 500 rds/case clipped. Certain training rounds configurations come in 1000 round packaging. | No | 5314140SP - 5.56mm FX® and SecuriBlank® Clear Magazine EAR (CC) | Yes |
| SIG MCX RATTLES (5.56mm) | 5314480    | 5.5"<br>140mm |  |        |        | 5.56mm | 5.56mm | 20 rds/box 500 rds/case clipped   |    |   |     |
|                          | 5314490    | 9"<br>229mm   |  |        |        |        |        |   |    |   |     |

#### BOLT CONVERSION FOR 5.56MM RIFLES & CARBINE

| Product Designation  | Product No |                             |  |        |        |        |        |  |  |     |  |
|--|------------|-----------------------------|--|--------|--------|--------|--------|--|--|-----|--|
| .300BLK Conversion Kit for AR Style upper                          | 5316180    | Please call before ordering |  |        |        | 5.56mm | 5.56mm |  |  |     |  |
| SIG MCX .300BLK RATTLES with 5.56mm barrel sleeve (for suppressor) | 5315985    | 13.2"<br>335mm              | For weapon barrel length of 9" with suppressor   |        |        |        |        |  |  | N/A |  |
| SIG MCX .300BLK RATTLES with 5.56mm barrel sleeve (for suppressor) | 5315980    | 10.5"<br>267mm              | For weapon barrel length of 5.5" with suppressor |        |        |        |        |  |  | N/A |  |
| IWI TAVOR X95 5.56mm (left hand)                                   | 5312470    |                             |  | 5.56mm | 5.56mm |        |        |  |  | Yes |  |
| IWI TAVOR X95 5.56mm (right hand)                                  | 5312320    |                             |  |        |        |        |        |  |  | Yes |  |
| SA80 A2/A3/L85 5.56mm  | 5310170    |                             |  |        |        |        |        |  |  | Yes |  |
| SIG 550/551  | 5310120    |                             |  |        |        |        |        |  |  | Yes |  |

EAR (CC): Bureau of Industry and Security U.S. Department of Commerce.

Certain conversion kits have been discontinued and/or have a minimum order quantity; please call for more information.

**SIMUNITION**

**GENERAL DYNAMICS**  
Ordnance and Tactical Systems

| BARREL LENGTH | COMMENT REGULATIONS | TRAINING ROUNDS COMPATIBILITY |             |              |      | TRAINING ROUNDS PACKAGING | MAGAZINE        |                   | USER MANUAL | SPARE PARTS | VIDEO |  |  |  |  |
|---------------|---------------------|-------------------------------|-------------|--------------|------|---------------------------|-----------------|-------------------|-------------|-------------|-------|--|--|--|--|
|               |                     | FX®                           |             | SecuriBlank® |      |                           | Included in kit | Optional magazine |             |             |       |  |  |  |  |
|               |                     | Marking                       | Non Marking | Quiet        | Loud |                           |                 |                   |             |             |       |  |  |  |  |

#### BOLT CONVERSION FOR 7.62X51MM RIFLES

| Product Designation | Product No |  |  |        |  |  |        |  |  |     |  |
|---------------------|------------|--|--|--------|--|--|--------|--|--|-----|--|
| HK 417              | 5315900    |  |  | 7.62mm |  |  | 7.62mm |  |  | N/A |  |

#### BOLT CONVERSION FOR 5.56MM MACHINE GUNS

| Product Designation                                | Product No |            |  |        |        |        |        |                                   |    |      |     |
|--|------------|------------|--|--------|--------|--------|--------|-----------------------------------|----|------|-----|
| Bolt 5.56mm FN MINIMI M249 with blue feed tray     | 5308440    | OEM barrel |  | 5.56mm | 5.56mm | 5.56mm | 5.56mm | 50 rds/box<br>800 rds/case linked | No | None | Yes |
| Bolt 5.56mm FN MINIMI M249 with blue discriminator | 5310450    | OEM barrel |  |        |        |        |        |                                   |    | Yes  | Yes |

#### GRENADE LAUNCHER

| Product Designation  | Product No |             |                                  |     |     |     |     |                            |     |     |     |
|--|------------|-------------|----------------------------------|-----|-----|-----|-----|----------------------------|-----|-----|-----|
| 9mm FX Conversion Kit for 40mm Non-Lethal Grenade Launcher | 5312400    | 3.98" 101mm | Comes with 3-40mm rounds carrier | 9mm | 9mm |     | 9mm | 50 rds/box<br>500 rds/case | N/A | N/A | Yes |
|  | 5312405SP  | 3.98" 101mm | Comes with 1-40mm rounds carrier |     |     |     |     |                            |     |     |     |
| O Ring for Discriminator 40mm Grenade Launcher             | 5312419SP  | N/A         | 5 per pack                       | N/A | N/A | N/A | N/A | N/A                        | N/A | N/A | N/A |
| Blue Discriminator Ring                                    | 5312410SP  |             | 2 per pack                       |     |     |     |     |                            |     |     |     |
| Discriminator Removal and Installation Tool                | 5312404SP  |             | 1 per pack                       |     |     |     |     |                            |     |     |     |

SIMUNITION®FX®Securi Blank®

CANADA (HOME OFFICE)

**GENERAL DYNAMICS**  
Ordnance and Tactical Systems—Canada

1 450 581 5999  
Management System Certified  
ISO 9001, ISO 14001 & ISO 45001

↗ [www.gd-otscanada.com](http://www.gd-otscanada.com)

USA

**GENERAL DYNAMICS**  
Ordnance and Tactical Systems

1 860 404 0162  
1 800 465 8255 (USA Only)

↗ [info@simuniton.com](mailto:info@simuniton.com)



[WWW.SIMUNITON.COM](http://WWW.SIMUNITON.COM)

Trademarks and registered trademarks of General Dynamics Ordnance and Tactical Systems—Canada are denoted by™ and ® respectively.  
Distributed worldwide exclusively through the Simuniton® network.

